ELSEVIER

Information Processing Letters 76 (2000) 187–290

Information Processing Letters

www.elsevier.com/locate/ipl

Author Index — Volumes 1–75

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words.)

Aardal, K., F.A. Chudak and **D.B. Shmoys,** A 3-approximation algorithm for the k-level uncapacitated facility location problem **72** (5–6) (1999) 161–167

Aaron, E. and **D. Gries,** Formal justification of underspecification for S5 **64** (3) (1997) 115–121

Aarts, E.H.L., *see* **Verhaegh, W.F.J.** **62** (4) (1997) 217–221

Abadi, M., B. Alpern, K.R. Apt, N. Francez, S. Katz, L. Lamport and **F.B. Schneider,** Preserving liveness: Comments on "Safety and liveness from a methodological point of view" **40** (3) (1991) 141–142

Abbasi, S. and **A. Sengupta,** An $O(n \log n)$ algorithm for finding dissimilar strings **62** (3) (1997) 135–139

Abdel-Wahab, H., *see* **Baruah, S.K.** **64** (1) (1997) 43–51

Abellanas, M., J. García, G. Hernández-Peñalver, F. Hurtado, O. Serra and **J. Urrutia,** Onion polygonizations **57** (3) (1996) 165–173

Abellanas, M., F. Hurtado and **P.A. Ramos,** Structural tolerance and Delaunay triangulation **71** (5–6) (1999) 221–227

Abelson, H., A note on time-space tradeoffs for computing continuous functions **8** (4) (1979) 215–217

Abisha, P.J., *see* **Subramanian, K.G.** **26** (2) (1987) 95–97

Abiteboul, S., Boundedness is undecidable for Datalog programs with a single recursive rule **32** (6) (1989) 281–287

Abiteboul, S., M. Gyssens and **D. van Gucht,** An alternative way to represent the cogroup of a relation in the context of nested databases **32** (6) (1989) 317–324

Accia, V., *see* **Nayak, A.** **55** (6) (1995) 339–341

Acciaro, V., On the complexity of computing Gröbner bases in characteristic 2 **51** (6) (1994) 321–323

Acciaro, V., *see* **Nayak, A.** **57** (2) (1996) 115

Aceto, L. and **A. Ingólfsdóttir,** A characterization of finitary bisimulation **64** (3) (1997) 127–134

Acharya, A. and **B.R. Badrinath,** Recording distributed snapshots based on causal order of message delivery **44** (6) (1992) 317–321

Acketa, D.M. and **J.D. Žunić,** On the number of linear partitions of the (m, n)-grid **38** (3) (1991) 163–168

Adams, C.M., On immunity against Biham and Shamir's "differential cryptanalysis" **41** (2) (1992) 77–80

Adams III, E.N., Another representation of binary tree traversal **2** (2) (1973) 52–54

Ae, T., *see* **Kakugawa, H.** **49** (4) (1994) 213–218

Afek, Y., M. Cohen and **E. Haalman,** The bit complexity of the predecessor problem **63** (2) (1997) 109–112

Agarwal, P.K., *see* **Varadarajan, K.R.** **62** (2) (1997) 89–94

Agarwala, R. and **D. Fernández-Baca,** Weighted search in the plane **54** (2) (1995) 97–100

Aggarwal, A., Parallel complexity of computing a maximal set of disjoint paths **41** (3) (1992) 149–151

Aggarwal, A., D. Coppersmith and **D. Kleitman,** A generalized model for understanding evasiveness **30** (4) (1989) 205–208

Aggarwal, A., H. Edelsbrunner, P. Raghavan and **P. Tiwari,** Optimal time bounds for some proximity problems in the plane **42** (1) (1992) 55–60

Aggarwal, A. and **M. Hawrylycz,** On computing the closest boundary point on the convex hull **31** (6) (1989) 311–314

Aggarwal, A. and **D. Kravets,** A linear time algorithm for finding all farthest neighbors in a convex polygon **31** (1) (1989) 17–20

Aggarwal, A. and **T. Leighton,** A tight lower bound for the train reversal problem **35** (6) (1990) 301–304

Aggarwal, A. and **P. Raghavan,** Deferred data structure for the nearest neighbor problem **40** (3) (1991) 119–122

Aggarwal, A. and **S. Suri,** Computing the longest diagonal of a simple polygon **35** (1) (1990) 13–18

Aggarwal, C.C., N. Jain and **P. Gupta,** An efficient selection algorithm on the pyramid **53** (1) (1995) 37–47

Agrawal, D., Ö. Eğecioğlu and **A. El Abbadi,** Billiard quorums on the grid **64** (1) (1997) 9–16

Agrawal, D. and **A. El Abbadi,** Exploiting logical structures in replicated databases **33** (5) (1990) 255–260

Agrawal, R. and **D.J. DeWitt,** Updating hypothetical data bases **16** (3) (1983) 145–146

Agrawala, A., *see* **Woo, N.S.** **19** (1) (1984) 13–16

Agrawala, A.K. and **S.K. Tripathi,** On the optimality of semidynamic routing schemes **13** (1) (1981) 20–22

Elsevier Science B.V.
PII: S0020-0190(00)00192-7

Aguilar-Martin, J. and **C. Alsina,** Characterizations of some rescaling functions **28** (3) (1988) 127–132
Aguilera, M.K. and **S. Toueg,** A simple bivalency proof that t-resilient consensus requires $t+1$ rounds **71** (3–4) (1999) 155–158
Ahmadian, A., *see* **Alidaee, B.** **60** (4) (1996) 189–193
Ahmed, A., *see* **Ashir, Y.** **61** (1) (1997) 43–48
Ahmed, K.U., *see* **Sagar, G.** **32** (3) (1989) 151–153
Ahn, J.-W., *see* **Kim, M.-S.** **47** (5) (1993) 221–229
Ahson, S.I., *see* **Garg, M.L.** **39** (3) (1991) 165–171
Ahuja, M., *Flush* primitives for asynchronous distributed systems **34** (1) (1990) 5–12
Ahuja, M., Assertions about past and future in *Highways*: Global flush broadcast and flush-vector-time **48** (1) (1993) 21–28
Ahuja, M., Assertions about past and future in *Highways*: Global flush broadcast and flush-vector-time (*Erratum*) **58** (6) (1996) 325
Ahuja, M. and **Y. Zhu,** An $O(n \log n)$ feasibility algorithm for preemptive scheduling of n independent jobs on a hypercube **35** (1) (1990) 7–11
Aichholzer, O., F. Aurenhammer and **R. Hainz,** New results on MWT subgraphs **69** (5) (1999) 215–219
Ait-Bouziad, A. and **H. Kassel,** An improved algorithm for retrieving fuzzy information from two systems **65** (2) (1998) 63–66
Aizawa, K. and **A. Nakamura,** Direction-independent application of productions on two-dimensional arrays **22** (6) (1986) 295–301
Aizawa, K., *see* **Nakamura, A.** **13** (4–5) (1981) 182–186
Ajtai, M., J. Komlós and **E. Szemerédi,** There is no fast single hashing algorithm **7** (6) (1978) 270–273
Akinari, N. and **H. Hagiwara,** On the real-number representation with variable-length exponent field **52** (1) (1994) 1–6
Akl, S.G., Comments on: G. Manacher, An application of pattern matching to a problem in geometrical complexity **7** (2) (1978) 86
Akl, S.G., Two remarks on a convex hull algorithm **8** (2) (1979) 108–109
Akl, S.G., An optimal algorithm for parallel selection **19** (1) (1984) 47–50
Akl, S.G., D. Gries and **I. Stojmenović,** An optimal parallel algorithm for generating combinations **33** (3) (1989) 135–139
Akl, S.G. and **G.T. Toussaint,** An improved algorithm to check for polygon similarity **7** (3) (1978) 127–128
Akl, S.G. and **G.T. Toussaint,** A fast convex hull algorithm **7** (5) (1978) 219–222
Akl, S.G. and **G.T. Toussaint,** Addendum to "An improved algorithm to check for polygon similarity" **8** (3) (1979) 157–158
Akl, S.G., *see* **Chen, C.C.-Y.** **38** (1) (1991) 49–55
Akl, S.G., *see* **Cooper, J.** **23** (3) (1986) 123–126
Akl, S.G., *see* **Meijer, H.** **10** (4–5) (1980) 213–218
Akl, S.G., *see* **Qiu, K.** **39** (3) (1991) 125–129
Akman, V., An algorithm for determining an opaque minimal forest of a convex polygon **24** (3) (1987) 193–198
Akritas, A.G., On the solution of polynomial equations using continued fractions **9** (4) (1979) 182–184
Akutsu, T., Approximate string matching with don't care characters **55** (5) (1995) 235–239
Alagar, S. and **S. Venkatesan,** An optimal algorithm for distributed snapshots with causal message ordering **50** (6) (1994) 311–316
Alam, Md.S., *see* **Khan, Md.M.H.A.** **62** (5) (1997) 223–230
Alanko, T.O. and **R.L. Smelianski,** On the calculation of control transition probabilities in a program **22** (5) (1986) 273–276
Albacea, E.A., A parallel algorithm for edge-coloring of graphs with edge-disjoint cycles **43** (6) (1992) 309–314
Albacea, E.A., Parallel algorithm for finding a core of a tree network **51** (5) (1994) 223–226
Albers, S. and **M. Mitzenmacher,** Revisiting the COUNTER algorithms for list update **64** (3) (1997) 155–160
Albers, S., B. von Stengel and **R. Werchner,** A combined BIT and TIMESTAMP algorithm for the list update problem **56** (3) (1995) 135–139
Albert, J. and **H.A. Maurer,** The class of context-free languages is not an EOL family **6** (6) (1977) 190–195
Alblas, H., Optimal incremental simple multi-pass attribute evaluation **32** (6) (1989) 289–295
Alexandrakis, A. and **S. Bozapalidis,** Weighted grammars and Kleene's theorem **24** (1) (1987) 1–4
Alexandridis, N.A. and **P.D. Tsanakas,** An encoding scheme for the efficient representation of hierarchical image structures **25** (3) (1987) 199–206
Alia, G., F. Barsi and **E. Martinelli,** A fast VLSI conversion between binary and residue systems **18** (3) (1984) 141–145
Alidaee, B. and **A. Ahmadian,** Scheduling on a single processor with variable speed **60** (4) (1996) 189–193
Alimonti, P., New local search approximation techniques for maximum generalized satisfiability problems **57** (3) (1996) 151–158
Aliyazicioglu, Z., *see* **Erbas, C.** **41** (6) (1992) 301–306
Al Jabri, A.Kh., The unicity distance: An upper bound on the probability of an eavesdropper successfully estimating the secret key **60** (1) (1996) 43–47
Allender, E. and **V. Gore,** Rudimentary reductions revisited **40** (2) (1991) 89–95
Allison, D.C.S. and **M.T. Noga,** Selection by distributive partitioning **11** (1) (1980) 7–8
Allison, D.C.S. and **M.T. Noga,** The L_1 traveling salesman problem **18** (4) (1984) 195–199
Allison, L., Phrase structures, non-determinism and backtracking **7** (3) (1978) 139–143
Allison, L., Stable marriages by coroutines **16** (2) (1983) 61–65
Allison, L., Direct semantics and exceptions define jumps and coroutines **31** (6) (1989) 327–330
Allison, L., Lazy dynamic-programming can be eager **43** (4) (1992) 207–212
Allison, L., Using Hirschberg's algorithm to generate random alignments of strings **51** (5) (1994) 251–255
Allison, L. and **T.I. Dix,** A bit-string longest-common-subsequence algorithm **23** (6) (1986) 305–310
Allison, L., T.I. Dix and **C.N. Yee,** Shortest path and closure algorithms for banded matrices **40** (6) (1991) 317–322
Allison, L., *see* **Powell, D.R.** **70** (3) (1999) 127–139
Alon, N., Generating pseudo-random permutations and maximum flow algorithms **35** (4) (1990) 201–204
Alon, N., P.G. Bradford and **R. Fleischer,** Matching nuts and bolts faster **59** (3) (1996) 123–127
Alon, N. and **Y. Mansour,** ε-discrepancy sets and their application for interpolation of sparse polynomials **54** (6) (1995) 337–342

Alonso, L., E.M. Reingold and **R. Schott,** Determining the majority **47** (5) (1993) 253–255
Alonso, L., J.L. Rémy and **R. Schott,** Uniform generation of a Schröder tree **64** (6) (1997) 305–308
Alpern, B., A.J. Demers and **F.B. Schneider,** Safety without stuttering **23** (4) (1986) 177–180
Alpern, B. and **F.B. Schneider,** Key exchange using 'keyless cryptography' **16** (2) (1983) 79–81
Alpern, B. and **F.B. Schneider,** Defining liveness **21** (4) (1985) 181–185
Alpern, B., *see* **Abadi, M.** **40** (3) (1991) 141–142
Alsina, C., *see* **Aguilar-Martin, J.** **28** (3) (1988) 127–132
Alstrup, S., J. Clausen and **K. Jørgensen,** An $O(|V| * |E|)$ algorithm for finding immediate multiple-vertex dominators **59** (1) (1996) 9–11
Alstrup, S., J.P. Secher and **M. Spork,** Optimal on-line decremental connectivity in trees **64** (4) (1997) 161–164
Alsuwaiyel, M.H., Finding a shortest Hamiltonian path inside a simple polygon **59** (4) (1996) 207–210
Alsuwaiyel, M.H. and **D.T. Lee,** Finding an approximate minimum-link visibility path inside a simple polygon **55** (2) (1995) 75–79
Alt, H., N. Blum, K. Mehlhorn and **M. Paul,** Computing a maximum cardinality matching in a bipartite graph in time $O(n^{1.5}\sqrt{m/\log n})$ **37** (4) (1991) 237–240
Alt, H., V. Geffert and **K. Mehlhorn,** A lower bound for the nondeterministic space complexity of context-free recognition **42** (1) (1992) 25–27
Alt, H., K. Mehlhorn and **J.I. Munro,** Partial match retrieval in implicit data structures **19** (2) (1984) 61–65
Althaus, E. and **K. Mehlhorn,** Maximum network flow with floating point arithmetic **66** (3) (1998) 109–113
Althöfer, I., Tight lower bounds on the length of word chains **34** (5) (1990) 275–276
Altman, T. and **B.S. Chlebus,** Sorting roughly sorted sequences in parallel **33** (6) (1990) 297–300
Altman, T. and **G. Logothetis,** A note on ambiguity in context-free grammars **35** (3) (1990) 111–114
Alur, R. and **D. Peled,** Undecidability of partial order logics **69** (3) (1999) 137–143
Àlvarez, C. and **J. Gabarró,** The parallel complexity of two problems on concurrency **38** (2) (1991) 61–70
Alvarez, G.A. and **M.O. Fernández,** Efficient management of multiple outstanding timeouts **54** (3) (1995) 139–145
Amato, N., Improved processor bounds for parallel algorithms for weighted directed graphs **45** (3) (1993) 147–152
Ambainis, A., A note on quantum black-box complexity of almost all Boolean functions **71** (1) (1999) 5–7
Ambainis, A., How rich is the structure of the intrinsic complexity of learning **75** (3) (2000) 109–112
Ambos-Spies, K., Inhomogeneities in the polynomial-time degrees: The degrees of super sparse sets **22** (3) (1986) 113–117
Ambos-Spies, K., A note on complete problems for complexity classes **23** (5) (1986) 227–230
Amir, A., A. Butman and **M. Lewenstein,** Real scaled matching **70** (4) (1999) 185–190
Amir, A. and **E. Dar,** An improved deterministic algorithm for generating different many-element random samples **62** (2) (1997) 95–101
Amir, A. and **M. Farach,** Two-dimensional dictionary matching **44** (5) (1992) 233–239
Amir, A., M. Farach and **S. Muthukrishnan,** Alphabet dependence in parameterized matching **49** (3) (1994) 111–115
Amir, A., G.M. Landau, M. Lewenstein and **N. Lewenstein,** Efficient special cases of Pattern Matching with Swaps **68** (3) (1998) 125–132
Amir, Y. and **A. Wool,** Optimal availability quorum systems: Theory and practice **65** (5) (1998) 223–228
Amoura, A.K., A note on scheduling multiprocessor tasks with precedence constraints on parallel processors **63** (3) (1997) 119–122
Analyti, A. and **S. Pramanik,** Performance analysis of a main memory multi-directory hashing technique **45** (4) (1993) 191–197
Ananthanarayanan, K., *see* **Marsaglia, G.** **5** (2) (1976) 27–30
Ancilotti, P. and **M. Boari,** Information streams sharing a finite buffer: Protection problems **12** (3) (1981) 151–159
Ancona, M., C. Fassino and **V. Gianuzzi,** Optimization of LR(k) "Reduced parsers" **41** (1) (1992) 13–20
Ancona, M. and **V. Gianuzzi,** A new method for implementing LR(k) tables **13** (4–5) (1981) 171–176
Anderson, B., Encoded pointers – An interesting data-structure for modern SIL's **10** (2) (1980) 47–50
Anderson, J.H. and **M.G. Gouda,** Atomic semantics of nonatomic programs **28** (2) (1988) 99–103
Anderson, K.R., A reevaluation of an efficient algorithm for determining the convex hull of a finite planar set **7** (1) (1978) 53–55
Anderson, R. and **E.W. Mayr,** Parallelism and the maximal path problem **24** (2) (1987) 121–126
Anderson, R.J. and **G.L. Miller,** A simple randomized parallel algorithm for list-ranking **33** (5) (1990) 269–273
Anderssen, R.S., A refinement procedure for pure random search **1** (5) (1972) 197–200
Anderssen, R.S. and **A.J. Guttmann,** A rationale for the numerical differentiation of experimental data **4** (2) (1975) 48–50
Andersson, A. and **S. Carlsson,** Construction of a tree from its traversals in optimal time and space **34** (1) (1990) 21–25
Andersson, A. and **S. Nilsson,** Improved behaviour of tries by adaptive branching **46** (6) (1993) 295–300
Andersson, G. and **L. Engebretsen,** Better approximation algorithms for SET SPLITTING and NOT-ALL-EQUAL SAT **65** (6) (1998) 305–311
Andrew, A.M., Another efficient algorithm for convex hulls in two dimensions **9** (5) (1979) 216–219
Andrew, A.M., Corrigendum on convex hull algorithms **10** (3) (1980) 168
Aneja, Y.P., *see* **Kabadi, S.N.** **64** (4) (1997) 173–177
Ang, C.-H. and **K.-P. Tan,** The interval B-tree **53** (2) (1995) 85–89
Angluin, D., A note on a construction of Margulis **8** (1) (1979) 17–19
Annexstein, F.S., *see* **Schlipf, J.S.** **54** (3) (1995) 133–137
Annot, J.K., M.D. Janssens and **A.J. van de Goor,** Comments on Morris's starvation-free solution to the mutual exclusion problem **23** (2) (1986) 91–97
Anstee, R.P., A polynomial algorithm for b-matchings: An alternative approach **24** (3) (1987) 153–157

Anzai, K., *see* **Miyadera, Y.** **66** (4) (1998) 187–194

Apostolico, A., Improving the worst-case performance of the Hunt–Szymanski strategy for the longest common subsequence of two strings **23** (2) (1986) 63–69

Apostolico, A., Remark on the Hsu–Du new algorithm for the longest common subsequence problem **25** (4) (1987) 235–236

Apostolico, A., M. Farach and **C.S. Iliopoulos,** Optimal superprimitivity testing for strings **39** (1) (1991) 17–20

Apostolico, A. and **R. Giancarlo,** Pattern matching machine implementation of a fast test for unique decipherability **18** (3) (1984) 155–158

Apostolico, A. and **S.E. Hambrusch,** Finding maximum cliques on circular-arc graphs **26** (4) (1987) 209–215

Appel, A.W., Garbage collection can be faster than stack allocation **25** (4) (1987) 275–279

Apt, K.R., L. Bougé and **Ph. Clermont,** Two normal form theorems for CSP programs **26** (4) (1987) 165–171

Apt, K.R. and **D.C. Kozen,** Limits for automatic verification of finite-state concurrent systems **22** (6) (1986) 307–309

Apt, K.R., *see* **Abadi, M.** **40** (3) (1991) 141–142

Aranha, R.F.M. and **C. Pandu Rangan,** An efficient distributed algorithm for centering a spanning tree of a biconnected graph **59** (3) (1996) 145–150

Arbib, C., A polynomial characterization of some graph partitioning problems **26** (5) (1988) 223–230

Arikati, S.R. and **K. Mehlhorn,** A correctness certificate for the Stoer–Wagner min-cut algorithm **70** (5) (1999) 251–254

Ariyawansa, K.A., *see* **Nazareth, J.L.** **30** (6) (1989) 277–281

Arjomandi, E., On finding all unilaterally connected components of a digraph **5** (1) (1976) 8–10

Arjomandi, E., *see* **Mirzaian, A.** **20** (1) (1985) 13–17

Arkin, E.M., M.M. Halldórsson and **R. Hassin,** Approximating the tree and tour covers of a graph **47** (6) (1993) 275–282

Arnborg, S., Abstract computation model used for a production compiler **3** (2) (1974) 46–50

Arnold, A. and **P. Crubille,** A linear algorithm to solve fixed-point equations on transition systems **29** (2) (1988) 57–66

Arnold, A., M. Kanta and **D. Krob,** Recognizable subsets of the two letter plactic monoid **64** (2) (1997) 53–59

Arora, A., *see* **Kulkarni, S.S.** **64** (1) (1997) 29–36

Arora, R.K. and **M.N. Gupta,** More comments on "Distributed termination detection algorithm for distributed computations" (*Letter to the Editor*) **29** (1) (1988) 53–55

Arora, R.K. and **S.P. Rana,** On module assignment in two-processor distributed systems **9** (3) (1979) 113–117

Arora, R.K. and **S.P. Rana,** Analysis of the module assignment problem in distributed computing systems with limited storage **10** (3) (1980) 111–115

Arora, R.K. and **S.P. Rana,** Heuristic algorithms for process assignment in distributed computing systems **11** (4–5) (1980) 199–203

Arora, R.K., S.P. Rana and **M.N. Gupta,** Distributed termination detection algorithm for distributed computations **22** (6) (1986) 311–314

Arora, R.K. and **N.K. Sharma,** Guarded procedure: A distributed programming concept **13** (4–5) (1981) 199–203

Arora, R.K. and **R.K. Subramanian,** An optimal demand prepaging algorithm **7** (3) (1978) 132–136

Arora, R.K. and **R.K. Subramanian,** Exploiting the optimal paging algorithms **7** (5) (1978) 233–236

Arratia-Quesada, A.A. and **I.A. Stewart,** Generalized Hex and logical characterizations of polynomial space **63** (3) (1997) 147–152

Arun-Kumar, S., *see* **Rangarajan, K.** **20** (4) (1985) 183–188

Arvind, A. and **C. Pandu Rangan,** Symmetric Min-Max heap: A simpler data structure for double-ended priority queue **69** (4) (1999) 197–199

Arvind, K. and **C. Pandu Rangan,** Connected domination and Steiner set on weighted permutation graphs **41** (4) (1992) 215–220

Arvind, V. and **S. Biswas,** An $O(n^2)$ algorithm for the satisfiability problem of a subset of propositional sentences in CNF that includes all Horn sentences **24** (1) (1987) 67–69

Arvind, V., J. Köbler and **M. Mundhenk,** On reductions to sets that avoid EXPSPACE **56** (2) (1995) 109–114

Arvind, V. and **J. Torán,** Sparse sets, approximable sets, and parallel queries to NP **69** (4) (1999) 181–188

Arya, S. and **H. Ramesh,** A 2.5-factor approximation algorithm for the k-MST problem **65** (3) (1998) 117–118

Asai, H., A consideration of a practical implementation for a new convergence division **17** (5) (1983) 273–281

Asai, H. and **S.C. Lee,** Design of queuing buffer register size **3** (5) (1975) 147–152

Asano, T., T. Asano and **H. Imai,** Shortest path between two simple polygons **24** (5) (1987) 285–288

Asano, T., *see* **Asano, T.** **24** (5) (1987) 285–288

Ashir, Y., I.A. Stewart and **A. Ahmed,** Communication algorithms in k-ary n-cube interconnection networks **61** (1) (1997) 43–48

Aslam, J.A. and **S.E. Decatur,** On the sample complexity of noise-tolerant learning **57** (4) (1996) 189–195

Aspvall, B., Minimizing elimination tree height can increase fill more than linearly **56** (2) (1995) 115–120

Aspvall, B., C. Levcopoulos, A. Lingas and **R. Storlind,** On 2-QBF truth testing in parallel **57** (2) (1996) 89–93

Aspvall, B., M.F. Plass and **R.E. Tarjan,** A linear-time algorithm for testing the truth of certain quantified Boolean formulas **8** (3) (1979) 121–123

Aspvall, B., M.F. Plass and **R.E. Tarjan,** A linear-time algorithm for testing the truth of certain quantified Boolean formulas (*Erratum*) **14** (4) (1982) 195

Atallah, M. and **C. Bajaj,** Efficient algorithms for common transversals **25** (2) (1987) 87–91

Atallah, M.J., A linear time algorithm for the Hausdorff distance between convex polygons **17** (4) (1983) 207–209

Atallah, M.J., Parallel strong orientation of an undirected graph **18** (1) (1984) 37–39

Atallah, M.J. and **D.Z. Chen,** An optimal parallel algorithm for the minimum circle-cover problem **32** (4) (1989) 159–165

Atallah, M.J., G.N. Frederickson and **S.R. Kosaraju,** Sorting with efficient use of special-purpose sorters **27** (1) (1988) 13–15

Atallah, M.J. and **S.R. Kosaraju,** An adversary-based lower bound for sorting **13** (2) (1981) 55–57

Athithan, G. and **T.S. Roy,** Hyperspherical neighbourhoods and pattern recognition using neural networks **59** (4) (1996) 223–228

Athithan, G., *see* **Sony Roy, T.** **50** (2) (1994) 75–79

Atkinson, M.D., The cyclic Towers of Hanoi **13** (3) (1981) 118–119
Atkinson, M.D., On zigzag permutations and comparisons of adjacent elements **21** (4) (1985) 187–189
Atkinson, M.D. and **H.W. Chang,** Computing the number of mergings with constraints **24** (5) (1987) 289–292
Atkinson, M.D. and **J.-R. Sack,** Generating binary trees at random **41** (1) (1992) 21–23
Atkinson, M.D. and **J.-R. Sack,** Uniform generation of forests of restricted height **50** (6) (1994) 323–327
Atkinson, M.D. and **J.-R. Sack,** Pop-stacks in parallel **70** (2) (1999) 63–67
Atkinson, M.D. and **N. Santoro,** A practical algorithm for Boolean matrix multiplication **29** (1) (1988) 37–38
Atkinson, M.D. and **L. Walker,** Enumerating k-way trees **48** (2) (1993) 73–75
Atkinson, M.P., *see* **Morrison, R.** **34** (1) (1990) 51–55
Atkinson, S. and **D. Scholefield,** Transformational vs reactive refinement in real-time systems **55** (4) (1995) 201–210
Attiya, H. and **R. Friedman,** Limitations of fast consistency conditions for distributed shared memories **57** (5) (1996) 243–248
Atzeni, P. and **N.M. Morfuni,** Functional dependencies in relations with null values **18** (4) (1984) 233–238
Audsley, N.C. and **A. Burns,** On fixed priority scheduling, offsets and co-prime task periods **67** (2) (1998) 65–69
Auffray, Y., Linear strategy for propositional modal resolution **28** (2) (1988) 87–92
Ault, D.A., *see* **Kang, A.N.C.** **4** (1) (1975) 18–20
Aurenhammer, F., The one-dimensional weighted Voronoi diagram **22** (3) (1986) 119–123
Aurenhammer, F. and **G. Stöckl,** Searching for segments with largest relative overlap **41** (2) (1992) 103–108
Aurenhammer, F., *see* **Aichholzer, O.** **69** (5) (1999) 215–219
Ausiello, G. and **M. Protasi,** Local search, reducibility and approximability of NP-optimization problems **54** (2) (1995) 73–79
Autebert, J.-M., P. Flajolet and **J. Gabarro,** Prefixes of infinite words and ambiguous context-free languages **25** (4) (1987) 211–216
Auzins, A.J. and **E.B. Kinber,** On separation of the emptiness and equivalence problems for program schemes **20** (2) (1985) 91–93
Avis, D., Comments on a lower bound for convex hull determination **11** (3) (1980) 126
Avis, D., Non-partitionable point sets **19** (3) (1984) 125–129
Avis, D. and **L. Devroye,** Estimating the number of vertices of a polyhedron **73** (3–4) (2000) 137–143
Avis, D., J.M. Robert and **R. Wenger,** Lower bounds for line stabbing **33** (2) (1989) 59–62
Avis, D., *see* **McCallum, D.** **9** (5) (1979) 201–206
Avresky, D.R., *see* **Karpovsky, M.G.** **69** (2) (1999) 99–103
Awerbuch, B., A new distributed depth-first-search algorithm **20** (3) (1985) 147–150
Ayani, R., *see* **Barriga, L.** **54** (2) (1995) 81–84
Aykanat, C. and **F. Ozgüner,** A fault-tolerant hexagonal systolic array **42** (4) (1992) 187–196
Aykanat, C., *see* **Özgüner, F.** **29** (5) (1988) 247–254
Azar, Y., A.Z. Broder and **A.M. Frieze,** On the problem of approximating the number of bases of a matroid **50** (1) (1994) 9–11
Baader, F., A note on unification type zero **27** (2) (1988) 91–93
Baader, F., On the complexity of Boolean unification **67** (4) (1998) 215–220
Babai, L., Random oracles separate *PSPACE* from the polynomial-time hierarchy **26** (1) (1987) 51–53
Babaoğlu, Ö., Stopping times of distributed consensus protocols: A probabilistic analysis **25** (3) (1987) 163–169
Babu, G.P., *see* **Kumar, G.P.** **50** (3) (1994) 145–149
Bach, E., The complexity of number-theoretic constants **62** (3) (1997) 145–152
Bachmair, L., Associative-commutative reduction orderings **43** (1) (1992) 21–27
Back, R.J.R. and **J. von Wright,** Games and winning strategies **53** (3) (1995) 165–172
Backhouse, R., Writing a number as the sum of two squares: A new solution **14** (1) (1982) 15–17
Backhouse, R., Pair algebras and Galois connections **67** (4) (1998) 169–175
Baclawski, K. and **D.A. Simovici,** A characterization of the information content of a classification **57** (4) (1996) 211–214
Badrinath, B.R., *see* **Acharya, A.** **44** (6) (1992) 317–321
Baek, N. and **S.-Y. Shin,** On circularly-hidden surface removal **66** (3) (1998) 119–123
Baeza-Yates, R. and **M. Régnier,** Fast two-dimensional pattern matching **45** (1) (1993) 51–57
Baeza-Yates, R., *see* **Manber, U.** **37** (3) (1991) 133–136
Baeza-Yates, R., *see* **Navarro, G.** **72** (1–2) (1999) 65–70
Baeza-Yates, R.A., Some average measures in m-ary search trees **25** (6) (1987) 375–381
Baeza-Yates, R.A., Height balance distribution of search trees **39** (6) (1991) 317–324
Baeza-Yates, R.A. and **L.O. Fuentes,** A framework to animate string algorithms **59** (5) (1996) 241–244
Baeza-Yates, R.A. and **C.H. Perleberg,** Fast and practical approximate string matching **59** (1) (1996) 21–27
Baeza-Yates, R.A., *see* **Gonnet, G.H.** **34** (5) (1990) 271–274
Bagchi, A., On sorting in the presence of erroneous information **43** (4) (1992) 213–215
Bagchi, A., Route selection with multiple metrics **64** (4) (1997) 203–205
Bagchi, A., S.L. Hakimi, J. Mitchem and **E. Schmeichel,** Parallel algorithms for gossiping by mail **34** (4) (1990) 197–202
Bagchi, A., *see* **Bhattacharya, S.** **47** (4) (1993) 209–214
Bagchi, A., *see* **Bhattacharya, S.** **52** (6) (1994) 295–301
Bagherzadeh, N., *see* **de Azevedo, M.M.** **58** (2) (1996) 81–85
Bagherzadeh, N., *see* **Nassif, N.** **60** (5) (1996) 255–260
Baier, C. and **M. Kwiatkowska,** On the verification of qualitative properties of probabilistic processes under fairness constraints **66** (2) (1998) 71–79
Baier, C. and **M.E. Majster-Cederbaum,** Denotational linear time semantics and sequential composition **59** (3) (1996) 135–143
Bailey, T.A. and **R.G. Dromey,** Fast string searching by finding subkeys in subtext **11** (3) (1980) 130–133
Bainbridge, J., A heuristic method for generating large random expressions **44** (3) (1992) 165–170
Bajaj, C., *see* **Atallah, M.** **25** (2) (1987) 87–91

Bajaj, C.L. and **T. Dey,** Polygon nesting and robustness **35** (1) (1990) 23–32
Bajantri, M. and **D.B. Skillicorn,** A fast multiprocessor message passing implementation **24** (6) (1987) 381–389
Baker, J.L., An unintentional omission from ALGOL 68 **1** (6) (1972) 244–245
Baker, P.W., *see* **Webster, M.B.** **22** (2) (1986) 103–107
Balachandran, V., P. Nagavamsi and **C. Pandu Rangan,** Clique transversal and clique independence on comparability graphs **58** (4) (1996) 181–184
Balakrishnan, M., S. Sutarwala, A.K. Majumdar, D.K. Banerji, J.G. Linders and **J.C. Majithia,** A semantic approach for modular synthesis of VLSI systems **27** (1) (1988) 1–7
Balasubramanian, R., M.R. Fellows and **V. Raman,** An improved fixed-parameter algorithm for vertex cover **65** (3) (1998) 163–168
Balasubramanian, R. and **S.V. Nagaraj,** Perfect power testing **58** (2) (1996) 59–63
Balcázar, J.L., On Δ_2^P- immunity **23** (1) (1986) 25–28
Balcazar, J.L. and **J. Diaz,** A note on a theorem by Ladner **15** (2) (1982) 84–86
Baldoni, R. and **B. Ciciani,** Distributed algorithms for multiple entries to a critical section with priority **50** (3) (1994) 165–172
Baldoni, R., *see* **Quaglia, F.** **70** (3) (1999) 119–125
Băleanu, C. and **D. Tomescu,** An architecture for symbolic processing **26** (4) (1987) 217–222
Balsters, H., Comments on "A deficiency of natural deduction" (*Letter to the Editor*) **26** (3) (1987) 163–164
Banach, R., Transitive term graph rewriting **60** (3) (1996) 109–114
Banachowski, L., A complement to Tarjan's result about the lower bound on the complexity of the set union problem **11** (2) (1980) 59–65
Banatre, J.P., Producing optimised code for coercions **6** (2) (1977) 56–59
Bandyopadhyay, A.K., *see* **Pramanik, P.** **38** (3) (1991) 157–161
Bandyopadhyay, S., *see* **Sen, A.** **42** (1) (1992) 39–46
Bandyopadhyay, S., *see* **Sengupta, A.** **9** (2) (1979) 93–96
Bandyopadhyay, S., *see* **Sengupta, A.** **34** (6) (1990) 323–328
Banerjee, J. and **V. Rajaraman,** A dual link data structure for random file organization **4** (3) (1975) 64–69
Banerji, D.K., *see* **Balakrishnan, M.** **27** (1) (1988) 1–7
Banicescu, I., *see* **Luke, E.A.** **66** (5) (1998) 223–229
Bao, F., A. Mei and **Y. Igarashi,** Average competitive ratios of online spanning trees **62** (4) (1997) 213–216
Bapeswara Rao, V.V., *see* **Bapiraju, V.** **51** (3) (1994) 125–127
Bapiraju, V. and **V.V. Bapeswara Rao,** Enumeration of binary trees **51** (3) (1994) 125–127
Bar-Noy, A., M.M. Halldórsson and **G. Kortsarz,** A matched approximation bound for the sum of a greedy coloring **71** (3–4) (1999) 135–140
Bar-Noy, A., R. Motwani and **J. Naor,** The greedy algorithm is optimal for on-line edge coloring **44** (5) (1992) 251–253
Bar-Yehuda, R. and **U. Vishkin,** Complexity of finding k-path-free dominating sets in graphs **14** (5) (1982) 228–232
Barak, A.B., On the parallel evaluation of division-free arithmetic expressions with fan-in of three **5** (1) (1976) 18–19
Barbosa, V.C., Blocking versus nonblocking interprocess communication: A note on the effect on concurrency **36** (4) (1990) 171–175
Barbosa, V.C. and **S.C.S. Porto,** An algorithm for FIFO message delivery among migrating tasks **53** (5) (1995) 261–267
Barbosa, V.C. and **J.L. Szwarcfiter,** Generating all the acyclic orientations of an undirected graph **72** (1–2) (1999) 71–74
Barbosa, V.C., *see* **de Almeida Jr., N.F.** **47** (5) (1993) 257–259
Barbuti, R., N. De Francesco, A. Santone and **G. Vaglini,** Abstract interpretation of trace semantics for concurrent calculi **70** (2) (1999) 69–78
Barden, B., R. Libeskind-Hadas, J. Davis and **W. Williams,** On edge-disjoint spanning trees in hypercubes **70** (1) (1999) 13–16
Barkley, R.E. and **T.P. Lee,** Point representation and hashing of an interval **30** (4) (1989) 201–203
Barklund, J., *see* **Veanes, M.** **57** (4) (1996) 225–229
Barklund, J., *see* **Veanes, M.** **60** (6) (1996) 313–318
Barlow, R.H., D.J. Evans and **J. Shanehchi,** A parallel merging algorithm **13** (3) (1981) 103–106
Barlow, R.H., D.J. Evans and **J. Shanehchi,** Parallel multisection for the determination of the eigenvalues of symmetric quindiagonal matrices **14** (3) (1982) 117–118
Barnard, D.T., Recursive descent parsing using implementation languages requiring definition before use **17** (5) (1983) 255–258
Barnard, D.T. and **D.B. Skillicorn,** Pipelining tree-structured algorithms on SIMD architectures **35** (2) (1990) 79–84
Barnard, D.T., *see* **Schmeiser, J.P.** **54** (6) (1995) 323–326
Barnard, D.T., *see* **Skillicorn, D.B.** **31** (3) (1989) 111–117
Barnden, J.A., A characterization of systems derived from terminating concurrent histories **10** (3) (1980) 148–152
Barnett, J.K.R., A technique for reducing comparison times in certain applications of the merging method of sorting **2** (5) (1973) 127–128
Baron, G. and **F. Urbanek,** Factorial languages with quadratically upper bounded growth functions and nonlinearly upper bounded subword complexities **32** (5) (1989) 267–269
Barriga, L. and **R. Ayani,** Lazy update: An efficient implementation of LRU stacks **54** (2) (1995) 81–84
Barrington, D.A.M. and **J. Corbett,** On the relative complexity of some languages in NC^1 **32** (5) (1989) 251–256
Barrow, H.G. and **R.M. Burstall,** Subgraph isomorphism, matching relational structures and maximal cliques **4** (4) (1976) 83–84
Barsi, F., Mod m arithmetic in binary systems **40** (6) (1991) 303–309
Barsi, F., Decoding residue codes **54** (4) (1995) 213–222
Barsi, F. and **M.C. Perotti,** Addendum to "A fully parallel algorithm for residue to binary conversion" **55** (1) (1995) 25–26
Barsi, F. and **M.C. Pinotti,** A fully parallel algorithm for residue to binary conversion **50** (1) (1994) 1–8
Barsi, F. and **M.C. Pinotti,** Addendum to "A fully parallel algorithm for residue to binary conversion" (*Erratum*) **56** (2) (1995) 121
Barsi, F., *see* **Alia, G.** **18** (3) (1984) 141–145
Bartal, Y., H. Karloff and **Y. Rabani,** A better lower bound for on-line scheduling **50** (3) (1994) 113–116
Barth, D., Optimal broadcasting in the back to back d-ary trees **59** (2) (1996) 85–89

Barth, D. and **A. Raspaud,** Two edge-disjoint hamiltonian cycles in the butterfly graph **51** (4) (1994) 175–179

Barth, G., An alternative for the implementation of the Knuth–Morris–Pratt algorithm **13** (4–5) (1981) 134–137

Barth, G., An analytical comparison of two string searching algorithms **18** (5) (1984) 249–256

Bartha, M. and **É. Gombás,** A structure theorem for maximum internal matchings in graphs **40** (6) (1991) 289–294

Bartholdi III, J.J. and **L.K. Platzman,** A fast heuristic based on spacefilling curves for minimum-weight matching in the plane **17** (4) (1983) 177–180

Baruah, S.K., J.E. Gehrk, C.G. Plaxton, I. Stoica, H. Abdel-Wahab and **K. Jeffay,** Fair on-line scheduling of a dynamic set of tasks on a single resource **64** (1) (1997) 43–51

Basandra, S.K., *see* **Vikas, O.M. 23** (1) (1986) 47–54

Basart, J.M., Some upper bounds for minimal trees **38** (4) (1991) 209–213

Basart, J.M. and **L. Huguet,** An approximation algorithm for the TSP **31** (2) (1989) 77–81

Basin, D.A., A term equality problem equivalent to Graph Isomorphism **51** (2) (1994) 61–66

Basten, T., Branching bisimilarity is an equivalence indeed! **58** (3) (1996) 141–147

Bataineh, A., F. Özgüner and **A. Sarwal,** Parallel Boolean operations for information retrieval **39** (2) (1991) 99–108

Baumgarten, B. and **P. Ochsenschläger,** On termination and phase changes in the presence of unreliable communication **22** (1) (1986) 15–20

Baveja, A. and **A. Srinivasan,** Approximating low-congestion routing and column-restricted packing problems **74** (1–2) (2000) 19–25

Bax, E. and **J. Franklin,** A finite-difference sieve to count paths and cycles by length **60** (4) (1996) 171–176

Bax, E. and **J. Franklin,** A permanent formula with many zero-valued terms **63** (1) (1997) 33–39

Bax, E.T., Inclusion and exclusion algorithm for the Hamiltonian Path Problem **47** (4) (1993) 203–207

Bax, E.T., Algorithms to count paths and cycles **52** (5) (1994) 249–252

Bayer, R., Oriented balanced trees and equivalence relations **1** (6) (1972) 226–228

Beals, R., *see* **Tanaka, K. 59** (5) (1996) 273–279

Beaudry, M., Characterization of idempotent transformation monoids **31** (3) (1989) 163–166

Beauquier, D., An undecidable problem about rational sets and contour words of polyominoes **37** (5) (1991) 257–263

Beauquier, D. and **D. Perrin,** Codeterministic automata on infinite words **20** (2) (1985) 95–98

Bechtold, U. and **K. Küspert,** On the use of EXTENDIBLE HASHING without hashing **19** (1) (1984) 21–26

Becker, M., W. Degenhardt, J. Doenhardt, S. Hertel, G. Kaninke, W. Keber, K. Mehlhorn, S. Näher, H. Rohnert and **T. Winter,** A probabilistic algorithm for vertex connectivity of graphs **15** (3) (1982) 135–136

Beigel, R., L.A. Hemachandra and **G. Wechsung,** Probabilistic polynomial time is closed under parity reductions **37** (2) (1991) 91–94

Beimel, A. and **E. Kushilevitz,** Learning unions of high-dimensional boxes over the reals **73** (5–6) (2000) 213–220

Bein, W.W. and **L.L. Larmore,** Trackless online algorithms for the server problem **74** (1–2) (2000) 73–79

Belanger, J., *see* **Wang, J. 45** (6) (1993) 275–278

Belbaraka, M. and **I. Stojmenović,** On generating B-trees with constant average delay and in lexicographic order **49** (1) (1994) 27–32

Bell, B.J., *see* **Zahorjan, J. 16** (5) (1983) 249–252

Belogay, E., C. Cabrelli, U. Molter and **R. Shonkwiler,** Calculating the Hausdorff distance between curves **64** (1) (1997) 17–22

Ben-Ari, M., A simplified proof that regular resolution is exponential **10** (2) (1980) 96–98

Ben-Or, M. and **D. Ron,** Agreement in the presence of faults, on networks of bounded degree **57** (6) (1996) 329–334

Bender, M.A. and **C. Chekuri,** Performance guarantees for the TSP with a parameterized triangle inequality **73** (1–2) (2000) 17–21

Bennaceur, H. and **G. Plateau,** An exact algorithm for the constraint satisfaction problem: Application to logical inference **48** (3) (1993) 151–158

Benois, M. and **J. Sakarovitch,** On the complexity of some extended word problems defined by cancellation rules **23** (6) (1986) 281–287

Bentley, J.L., Decomposable searching problems **8** (5) (1979) 244–251

Bentley, J.L. and **W.A. Burkhard,** Heuristics for partial-match retrieval data base design **4** (5) (1976) 132–135

Bentley, J.L. and **H.A. Maurer,** A note of Euclidean near neighbor searching in the plane **8** (3) (1979) 133–136

Bentley, J.L. and **M.I. Shamos,** Divide and conquer for linear expected time **7** (2) (1978) 87–91

Bentley, J.L., D.F. Stanat and **E.H. Williams Jr.,** The complexity of finding fixed-radius near neighbors **6** (6) (1977) 209–212

Bentley, J.L. and **A.C.-C. Yao,** An almost optimal algorithm for unbounded searching **5** (3) (1976) 82–87

Bently, J.L. and **D.F. Stanat,** Analysis of range searches in quad trees **3** (6) (1975) 170–173

Berard, B., Untiming timed languages **55** (3) (1995) 129–135

Bérard, B. and **C. Dufourd,** Timed automata and additive clock constraints **75** (1–2) (2000) 1–7

Beretta, G., Monte Carlo estimation of numerical stability in fast algorithms for systems of bilinear forms **14** (4) (1982) 162–167

Berghammer, R., G. Schmidt and **H. Zierer,** Symmetric quotients and domain constructions **33** (3) (1989) 163–168

Berghammer, R., *see* **von Karger, B. 62** (1) (1997) 5–11

Bergstra, J., What is an abstract datatype? **7** (1) (1978) 42–43

Bergstra, J.A. and **J.-J.Ch. Meyer,** A simple transfer lemma for algebraic specifications **14** (2) (1982) 80–85

Bergstra, J.A. and **A. Ponse,** Kleene's three-valued logic and process algebra **67** (2) (1998) 95–103

Bergstra, J.A. and **Gh. Ştefănescu,** Bisimulation is two-way simulation **52** (6) (1994) 285–287

Bergstra, J.A. and **J.V. Tucker,** Two theorems about the completeness of Hoare's logic **15** (4) (1982) 143–149

Berkovich, S.Y., Multiprocessor interconnection network using pairwise balanced combinatorial designs **50** (4) (1994) 217–222

Berkowitz, S.J., On computing the determinant in small parallel time using a small number of processors **18** (3) (1984) 147–150

Berman, J. and **W.J. Blok,** Positive Boolean dependencies **27** (3) (1988) 147–150
Berman, L., *see* **Chang, J.H.** **25** (1) (1987) 1–9
Berman, L., *see* **Chang, J.H.** **27** (1) (1988) 53
Bermond, J.-C., C. Delorme and **J.-J. Quisquater,** Tables of large graphs with given degree and diameter **15** (1) (1982) 10–13
Bermond, J.C., J.M. Fourneau and **A. Jean-Marie,** Equivalence of multistage interconnection networks **26** (1) (1987) 45–50
Bermudez, M.E. and **G. Logothetis,** Simple computation of LALR(1) lookahead sets **31** (5) (1989) 233–238
Bern, M., Approximate closest-point queries in high dimensions **45** (2) (1993) 95–99
Bern, M. and **J.R. Gilbert,** Drawing the planar dual **43** (1) (1992) 7–13
Bern, M. and **P. Plassmann,** The Steiner problem with edge lengths 1 and 2 **32** (4) (1989) 171–176
Bernasconi, A., Sensitivity vs. block sensitivity (an average-case study) **59** (3) (1996) 151–157
Bernasconi, A., On the complexity of balanced Boolean functions **70** (4) (1999) 157–163
Bernstein, A.J., Predicate transfer and timeout in message passing systems **24** (1) (1987) 43–52
Bernstein, H.J., Determining the shape of a convex n-sided polygon by using $2n + k$ tactile probes **22** (5) (1986) 255–260
Berry, D.M. and **R.L. Schwartz,** United and discriminated record types in strongly typed languages **9** (1) (1979) 13–18
Berstel, J., Every iterated morphism yields a co-CFL **22** (1) (1986) 7–9
Berstel, J. and **S. Brlek,** On the length of word chains **26** (1) (1987) 23–28
Bertault, F., A force-directed algorithm that preserves edge-crossing properties **74** (1–2) (2000) 7–13
Bertino, E., B. Catania and **B. Shidlovsky,** Towards optimal two-dimensional indexing for constraint databases **64** (1) (1997) 1–8
Bertino, E., B. Catania and **L. Wong,** Finitely representable nested relations **70** (4) (1999) 165–173
Bertino, E., *see* **Shidlovsky, B.** **58** (5) (1996) 211–216
Bertolazzi, P. and **A. Sassano,** A decomposition strategy for the vertex cover problem **31** (6) (1989) 299–304
Bertoni, A., N. Cesa-Bianchi and **G. Fiorino,** Efficient learning with equivalence queries of conjunctions of modulo functions **56** (1) (1995) 15–17
Bertoni, A., M. Goldwurm and **P. Massazza,** Counting problems and algebraic formal power series in noncommuting variables **34** (3) (1990) 117–121
Bertoni, A. and **G. Mauri,** On efficient computation of the coefficients of some polynomials with applications to some enumeration problems **12** (3) (1981) 142–145
Bertoni, A., G. Mauri and **M. Torelli,** Three efficient algorithms for counting problems **8** (1) (1979) 50–53
Bertoni, A., C. Mereghetti and **G. Pighizzini,** An optimal lower bound for nonregular languages **50** (6) (1994) 289–292
Bertoni, A., C. Mereghetti and **G. Pighizzini,** An optimal lower bound for nonregular languages (*Corrigendum*) **52** (6) (1994) 339
Bertossi, A.A., On the complexity of scheduling jobs on dedicated resources to minimize set-up costs **10** (4–5) (1980) 173–177
Bertossi, A.A., The edge Hamiltonian path problem is NP-complete **13** (4–5) (1981) 157–159
Bertossi, A.A., Finding Hamiltonian circuits in proper interval graphs **17** (2) (1983) 97–101
Bertossi, A.A., Dominating sets for split and bipartite graphs **19** (1) (1984) 37–40
Bertossi, A.A., Total domination in interval graphs **23** (3) (1986) 131–134
Bertossi, A.A., Parallel circle-cover algorithms **27** (3) (1988) 133–139
Bertossi, A.A., On the domatic number of interval graphs **28** (6) (1988) 275–280
Bertossi, A.A. and **M.A. Bonuccelli,** Preemptive scheduling of periodic jobs in uniform multiprocessor systems **16** (1) (1983) 3–6
Bertossi, A.A. and **M.A. Bonuccelli,** Hamiltonian circuits in interval graph generalizations **23** (4) (1986) 195–200
Bertossi, A.A. and **S. Moretti,** Parallel algorithms on circular-arc graphs **33** (6) (1990) 275–281
Berztiss, A.T., A notation for distributed operations **26** (1) (1987) 19–21
Bespamyatnikh, S. and **M. Segal,** Covering a set of points by two axis-parallel boxes **75** (3) (2000) 95–100
Best, E., A note on the proof of a concurrent program **9** (3) (1979) 103–104
Best, E., Fairness and conspiracies **18** (4) (1984) 215–220
Best, E., Fairness and conspiracies (*Erratum*) **19** (3) (1984) 162
Bestougeff, H., *see* **Ligozat, G.** **32** (4) (1989) 177–182
Bettayeb, S., *see* **Kulasinghe, P.** **53** (1) (1995) 33–36
Bettayeb, S., *see* **Shen, X.** **45** (4) (1993) 199–203
Beynon, W.M. and **C.S. Iliopoulos,** Computing a basis for a finite abelian p-group **20** (3) (1985) 161–163
Bezem, M. and **J. van Leeuwen,** On estimating the complexity of logarithmic decompositions **26** (6) (1988) 321–324
Bhalla, S., *see* **Reddy, P.G.** **14** (5) (1982) 208–213
Bhalla, S., *see* **Reddy, P.G.** **15** (3) (1982) 105–110
Bhat, K.V.S., On the complexity of testing a graph for n-cube **11** (1) (1980) 16–19
Bhatia, D.K., *see* **Swaminathan, R.P.** **55** (2) (1995) 71–74
Bhatt, P.C.P., An interesting way to partition a number **71** (3–4) (1999) 141–148
Bhatt, S.N. and **S.S. Cosmadakis,** The complexity of minimizing wire lengths in VLSI layouts **25** (4) (1987) 263–267
Bhattacharya, P., *see* **Suraweera, F.** **45** (3) (1993) 159–163
Bhattacharya, S. and **A. Bagchi,** A faster alternative to SSS* with extension to variable memory **47** (4) (1993) 209–214
Bhattacharya, S. and **A. Bagchi,** A general framework for minimax search in game trees **52** (6) (1994) 295–301
Bianco, L., J. Błażewicz, P. Dell'Olmo and **M. Drozdowski,** Preemptive scheduling of multiprocessor tasks on the dedicated processor system subject to minimal lateness **46** (3) (1993) 109–113
Biedl, T.C., Relating bends and size in orthogonal graph drawings **65** (2) (1998) 111–115
Biham, E., D. Boneh and **O. Reingold,** Breaking generalized Diffie–Hellman modulo a composite is no easier than factoring **70** (2) (1999) 83–87
Bijlsma, A., Derivation of logic programs by functional methods **39** (6) (1991) 325–332
Bijlsma, A., Quasi-boolean equivalence **45** (5) (1993) 243–247

Bijlsma, A., Calculating with procedure calls **46** (5) (1993) 211–217

Bilardi, G., S. Chaudhuri, D. Dubhashi and **K. Mehlhorn,** A lower bound for area-universal graphs **51** (2) (1994) 101–105

Bilardi, G. and **F.P. Preparata,** The VLSI optimality of the AKS sorting network **20** (2) (1985) 55–59

Bilardi, G., *see* **Kapur, S.** **44** (1) (1992) 35–38

Billionnet, A., Partitioning multiple-chain-like task across a host-satellite system **48** (5) (1993) 261–266

Bin, J., I/O- and CPU-optimal recognition of strongly connected components **45** (3) (1993) 111–115

Bini, D., Reply to the paper "The numerical instability of Bini's algorithm" **14** (3) (1982) 144–145

Bini, D. and **M. Capovani,** Lower bounds of the complexity of linear algebras **9** (1) (1979) 46–47

Bini, D., M. Capovani, F. Romani and **G. Lotti,** $O(n^{2.7799})$ complexity for $n \times n$ approximate matrix multiplication **8** (5) (1979) 234–235

Bini, D. and **V.Ya. Pan,** Fast parallel polynomial division via reduction to triangular Toeplitz matrix inversion and to polynomial inversion modulo a power **21** (2) (1985) 79–81

Bini, D. and **V.Ya. Pan,** A logarithmic Boolean time algorithm for parallel polynomial division **24** (4) (1987) 233–237

Binkley, A.B. and **S.R. Schach,** A comparison of sixteen quality metrics for object-oriented design **58** (6) (1996) 271–275

Bird, R.S., Two dimensional pattern matching **6** (5) (1977) 168–170

Bird, R.S., The jogger's problem **13** (3) (1981) 114–117

Bird, R.S. and **J. Hughes,** The alpha–beta algorithm: An exercise in program transformation **24** (1) (1987) 53–57

Bird, R.S. and **J.N. Ravelo,** On computing representatives **63** (1) (1997) 1–7

Birget, J.-C., Intersection and union of regular languages and state complexity **43** (4) (1992) 185–190

Birget, J.-C., The state complexity of $\overline{\Sigma^* L}$ and its connection with temporal logic **58** (4) (1996) 185–188

Birkhoff, I.J.M., A direct routing algorithm for the bit-reversal permutation on a shuffle-exchange network **21** (5) (1985) 259–268

Biró, M., Object-oriented interaction in resource constrained scheduling **36** (2) (1990) 65–67

Biskup, J., Some variants of the take-grant protection model **19** (3) (1984) 151–156

Biskup, J., Boyce–Codd normal form and object normal forms **32** (1) (1989) 29–33

Biswas, S., *see* **Arvind, V.** **24** (1) (1987) 67–69

Bitner, J.R., Storing matrices on disk for efficient row and column retrieval **20** (5) (1985) 249–254

Blackburn, S.R., Increasing the rate of output of m-sequences **51** (2) (1994) 73–77

Blair, J.R.S. and **E.L. Lloyd,** The benefits of external wires in single row routing **40** (1) (1991) 43–49

Blass, A. and **Y. Gurevich,** On Matijasevitch's nontraditional approach to search problems **32** (1) (1989) 41–45

Blass, A., Y. Gurevich, V. Kreinovich and **L. Longpré,** A variation on the zero-one law **67** (1) (1998) 29–30

Błażewicz, J., Simple algorithms for multiprocessor scheduling to meet deadlines **6** (5) (1977) 162–164

Błażewicz, J., Deadline scheduling of tasks with ready times and resource constraints **8** (2) (1979) 60–63

Błażewicz, J., P. Bouvry, F. Guinand and **D. Trystram,** Scheduling complete intrees on two uniform processors with communication delays **58** (5) (1996) 255–263

Błażewicz, J., P. Dell'Olmo, M. Drozdowski and **M.G. Speranza,** Scheduling multiprocessor tasks on three dedicated processors **41** (5) (1992) 275–280

Błażewicz, J., P. Dell'Olmo, M. Drozdowski and **M.G. Speranza,** Scheduling multiprocessor tasks on three dedicated processors (*Corrigendum*) **49** (5) (1994) 269–270

Błażewicz, J. and **G. Finke,** Minimizing mean weighted execution time loss on identical and uniform processors **24** (4) (1987) 259–263

Błażewicz, J., J. Weglarz and **M. Drabowski,** Scheduling independent 2-processor tasks to minimize schedule length **18** (5) (1984) 267–273

Błażewicz, J., *see* **Bianco, L.** **46** (3) (1993) 109–113

Blikle, A., A guided tour of the mathematics of MetaSoft'88 **29** (2) (1988) 81–86

Block, K. and **T.-K. Woo,** A more efficient generalization of Peterson's mutual exclusion algorithm **35** (5) (1990) 219–222

Blok, W.J., *see* **Berman, J.** **27** (3) (1988) 147–150

Blokhuis, A. and **T. Kloks,** On the equivalence covering number of splitgraphs **54** (5) (1995) 301–304

Blondel, V.D. and **J.N. Tsitsiklis,** When is a pair of matrices mortal? **63** (5) (1997) 283–286

Bloniarz, P.A. and **S.S. Ravi,** An $\Omega(n \log n)$ lower bound for decomposing a set of points into chains **31** (6) (1989) 319–322

Blum, A., Rank-r decision trees are a subclass of r-decision lists **42** (4) (1992) 183–185

Blum, A. and **D. Karger,** An $\tilde{O}(n^{3/14})$-coloring algorithm for 3-colorable graphs **61** (1) (1997) 49–53

Blum, L., Towards an asymptotic analysis of Karmarkar's algorithm **23** (4) (1986) 189–194

Blum, M., A.K. Chandra and **M.N. Wegman,** Equivalence of free Boolean graphs can be decided probabilistically in polynomial time **10** (2) (1980) 80–82

Blum, M., R.M. Karp, O. Vornberger, C.H. Papadimitriou and **M. Yannakakis,** The complexity of testing whether a graph is a superconcentrator **13** (4–5) (1981) 164–167

Blum, N., A note on the 'parallel computation thesis' **17** (4) (1983) 203–205

Blum, N., An $O(n \log n)$ implementation of the standard method for minimizing n-state finite automata **57** (2) (1996) 65–69

Blum, N. and **H. Rochow,** A lower bound on the single-operation worst-case time complexity of the union-find problem on intervals **51** (2) (1994) 57–60

Blum, N., *see* **Alt, H.** **37** (4) (1991) 237–240

Blum, N., *see* **Liang, Y.D.** **56** (4) (1995) 215–219

Blumer, A., A. Ehrenfeucht, D. Haussler and **M.K. Warmuth,** Occam's Razor **24** (6) (1987) 377–380

Blundo, C., A note on dynamic threshold schemes **55** (4) (1995) 189–193

Blundo, C. and **A. De Santis,** Lower bounds for robust secret sharing schemes **63** (6) (1997) 317–321

Blundo, C., A. De Santis and **A. Giorgio Gaggia,** Probability of shares in secret sharing schemes **72** (5–6) (1999) 169–175

Blundo, C., A. De Santis and **M. Naor,** Visual cryptography for grey levels images **75** (6) (2000) 255–259
Blundo, C., A. De Santis and **U. Vaccaro,** On secret sharing schemes **65** (1) (1998) 25–32
Boari, M. and **A. Natali,** Some properties of deadlock detection and recovery in readers and writers problems **5** (4) (1976) 118–123
Boari, M. and **A. Natali,** Multiple access to a tree in the context of readers and writers problem **7** (2) (1978) 112–121
Boari, M. and **A. Natali,** Multiple access to a tree in the context of readers and writers problem (*Erratum*) **7** (4) (1978) 207
Boari, M., *see* **Ancilotti, P.** **12** (3) (1981) 151–159
Boasson, L., The inclusion of the substitution closure of linear and one-counter languages in the largest sub-AFL of the family of algebraic languages is proper **2** (5) (1973) 135–140
Bochmann, G.V., Comments on monitor definition and implementation **5** (4) (1976) 116–117
Böckenhauer, H.-J., J. Hromkovič, R. Klasing, S. Seibert and **W. Unger,** Approximation algorithms for the TSP with sharpened triangle inequality **75** (3) (2000) 133–138
Bodlaender, H.L., A better lower bound for distributed leader finding in bidirectional asynchronous rings of processors **27** (6) (1988) 287–290
Bodlaender, H.L., The complexity of finding uniform emulations on fixed graphs **29** (3) (1988) 137–141
Bodlaender, H.L., Achromatic number is NP-complete for cographs and interval graphs **31** (3) (1989) 135–138
Bodlaender, H.L. and **G. Tel,** Bit-optimal election in synchronous rings **36** (1) (1990) 53–56
Bodlaender, H.L., D.M. Thilikos and **K. Yamazaki,** It is hard to know when greedy is good for finding independent sets **61** (2) (1997) 101–106
Bodlaender, H.L., *see* **Thilikos, D.M.** **61** (5) (1997) 227–232
Boekhorst, J.C.A., *see* **Herschberg, I.S.** **6** (6) (1977) 203–208
Boffey, T.B., Applying the minimax rule over graphs which are not trees **2** (3) (1973) 79–81
Böhm, C., A. Machi and **G. Sontacchi,** Complexity bounds for equivalence and isomorphism of latin squares **10** (4–5) (1980) 231–233
Böhme, J.F., *see* **Kocsis, F.** **36** (6) (1990) 281–283
Bokka, V., H. Gurla, S. Olariu and **J.L. Schwing,** Time- and VLSI-optimal convex hull computation on meshes with multiple broadcasting **56** (5) (1995) 273–280
Boland, R.P. and **J. Urrutia,** Separating collections of points in Euclidean spaces **53** (4) (1995) 177–183
Boland, R.P. and **J. Urrutia,** Separating collections of points in Euclidean spaces (*Corrigendum*) **54** (6) (1995) 359
Boldi, P. and **S. Vigna,** Minimal sense of direction and decision problems for Cayley graphs **64** (6) (1997) 299–303
Boldi, P. and **S. Vigna,** Coverings that preserve sense of direction **75** (4) (2000) 175–180
Bollig, B., M. Löbbing and **I. Wegener,** On the effect of local changes in the variable ordering of ordered decision diagrams **59** (5) (1996) 233–239
Bollig, B. and **I. Wegener,** A very simple function that requires exponential size read-once branching programs **66** (2) (1998) 53–57
Bolognesi, T., Deriving graphical representations of process networks from algebraic expressions **46** (6) (1993) 289–294
Bonabeau, E. and **F. Hénaux,** Self-organizing maps for drawing large graphs **67** (4) (1998) 177–184
Boneh, D., *see* **Biham, E.** **70** (2) (1999) 83–87
Bonet, M.L. and **S.R. Buss,** Size-depth tradeoffs for Boolean formulae **49** (3) (1994) 151–155
Bongiovanni, G. and **F. Luccio,** On Cahit's result on graceful permutations **7** (4) (1978) 183–184
Bonnier, S., U. Nilsson and **T. Näslund,** A simple fixed point characterization of three-valued stable model semantics **40** (2) (1991) 73–78
Bonnier, S., *see* **Leszczyłowski, J.** **27** (3) (1988) 159–165
Bonuccelli, M.A. and **D.P. Bovet,** Minimum node disjoint path covering for circular-arc graphs **8** (4) (1979) 159–161
Bonuccelli, M.A., *see* **Bertossi, A.A.** **16** (1) (1983) 3–6
Bonuccelli, M.A., *see* **Bertossi, A.A.** **23** (4) (1986) 195–200
Book, R.V., The undecidability of a word problem: On a conjecture of Strong, Maggiolo-Schettini and Rosen **12** (3) (1981) 121–122
Book, R.V., NTS grammars and Church–Rosser systems **13** (2) (1981) 73–76
Book, R.V., On random oracle separations **39** (1) (1991) 7–10
Book, R.V., On collapsing the polynomial-time hierarchy **52** (5) (1994) 235–237
Book, R.V. and **H.-N. Liu,** Rewriting systems and word problems in a free partially commutative monoid **26** (1) (1987) 29–32
Book, R.V. and **F. Otto,** Cancellation rules and extended word problems **20** (1) (1985) 5–11
Book, R.V. and **S. Tang,** A note on sparse sets and the polynomial-time hierarchy **33** (3) (1989) 141–143
Book, R.V., *see* **Diekert, V.** **40** (1) (1991) 21–23
Boom, H.J., Lazy variable-renumbering makes substitution cheap **29** (5) (1988) 229–232
Booth, K.S., Lexicographically least circular substrings **10** (4–5) (1980) 240–242
Boppana, R.B., The average-case parallel complexity of sorting **33** (3) (1989) 145–146
Boppana, R.B., The decision-tree complexity of element distinctness **52** (6) (1994) 329–331
Boppana, R.B., The average sensitivity of bounded-depth circuits **63** (5) (1997) 257–261
Boppana, R.B., J. Hastad and **S. Zachos,** Does co-NP have short interactive proofs? **25** (2) (1987) 127–132
Borchers, A. and **P. Gupta,** Extending the quadrangle inequality to speed-up dynamic programming **49** (6) (1994) 287–290
Borchert, B. and **A. Lozano,** Succinct circuit representations and leaf language classes are basically the same concept **59** (4) (1996) 211–215
Borchert, B. and **R. Silvestri,** A characterization of the leaf language classes **63** (3) (1997) 153–158
Bordihn, H. and **M. Holzer,** On a hierarchy of languages generated by cooperating distributed grammar systems **69** (2) (1999) 59–62
Boreale, M., P. Inverardi and **M. Nesi,** Complete sets of axioms for finite basic LOTOS behavioural equivalences **43** (3) (1992) 155–160
Boreddy, J. and **R.N. Mukherjee,** An algorithm to find polygon similarity **33** (4) (1989) 205–206

Borodin, A., L.J. Guibas, N.A. Lynch and **A.C. Yao,** Efficient searching using partial ordering **12** (2) (1981) 71–75
Borodin, A. and **I. Munro,** Evaluating polynomials at many points **1** (2) (1971) 66–68
Boroujerdi, A. and **J. Uhlmann,** An efficient algorithm for computing least cost paths with turn constraints **67** (6) (1998) 317–321
Borrell, J., *see* **Riera, A. 75** (5) (2000) 211–215
Bose, P., J.F. Buss and **A. Lubiw,** Pattern matching for permutations **65** (5) (1998) 277–283
Bossi, A., N. Cocco and **L. Colussi,** A divide-and-conquer approach to general context-free parsing **16** (4) (1983) 203–208
Botár, A., *see* **Holnapy, D. 2** (2) (1973) 55–59
Bottoni, P., S. Levialdi and **G. Păun,** Successful visual human-computer interaction is undecidable **67** (1) (1998) 13–19
Bottoni, P., *see* **Di Zenzo, S. 64** (4) (1997) 207–215
Bottreau, A. and **Y. Métivier,** Some remarks on the Kronecker product of graphs **68** (2) (1998) 55–61
Bouajjani, A., J. Esparza, A. Finkel, O. Maler, P. Rossmanith, B. Willems and **P. Wolper,** An efficient automata approach to some problems on context-free grammars **74** (5–6) (2000) 221–227
Bougé, L., *see* **Apt, K.R. 26** (4) (1987) 165–171
Bounas, A.C., Direct determination of a 'seed' binary matrix **20** (1) (1985) 47–50
Bouquet, F. and **P. Jégou,** Using OBDDs to handle dynamic constraints **62** (3) (1997) 111–120
Bourret, P., How to estimate the sizes of domains **19** (5) (1984) 237–243
Bourret, P. and **R. Souza de Oliveira,** Lower and upper bounds of the sizes of domains: Estimates and experiments **22** (5) (1986) 247–253
Bousquet-Mélou, M., The number of minimal word chains computing the Thue–Morse word **44** (2) (1992) 57–64
Bouvry, P., *see* **Błażewicz, J. 58** (5) (1996) 255–263
Bovet, D.P., S. De Agostino and **R. Petreschi,** Parallelism and the feedback vertex set problem **28** (2) (1988) 81–85
Bovet, D.P. and **S. Varricchio,** On the regularity of languages on a binary alphabet generated by copying systems **44** (3) (1992) 119–123
Bovet, D.P., *see* **Bonuccelli, M.A. 8** (4) (1979) 159–161
Boxer, L. and **R. Miller,** A parallel circle-cover minimization algorithm **32** (2) (1989) 57–60
Boxer, L. and **R. Miller,** Common intersections of polygons **33** (5) (1990) 249–254
Boxer, L. and **R. Miller,** Common intersections of polygons (*Corrigendum*) **35** (1) (1990) 53
Boyd, S. and **H. Ural,** The synchronization problem in protocol testing and its complexity **40** (3) (1991) 131–136
Boykin, P.O., T. Mor, M. Pulver, V. Roychowdhury and **F. Vatan,** A new universal and fault-tolerant quantum basis **75** (3) (2000) 101–107
Boynton, N.J., *see* **Lewis, G.N. 13** (1) (1981) 4–7
Bozanis, P., N. Kitsios, C. Makris and **A. Tsakalidis,** The space-optimal version of a known rectangle enclosure reporting algorithm **61** (1) (1997) 37–41
Bozapalidis, S. and **S. Ioulidis,** Varieties of formal series on trees and Eilenberg's theorem **29** (4) (1988) 171–175
Bozapalidis, S., *see* **Alexandrakis, A. 24** (1) (1987) 1–4
Boztaş, S., A robust multi-priority topology-independent transmission schedule for packet radio networks **55** (5) (1995) 291–295
Bradford, J.H., Sequence matching with binary codes **34** (4) (1990) 193–196
Bradford, J.H. and **T.A. Jenkyns,** On the inadequacy of tournament algorithms for the N-SCS problem **38** (4) (1991) 169–171
Bradford, P.G., *see* **Alon, N. 59** (3) (1996) 123–127
Brandstetter, A., Storage requirements in stochastic data acquisition systems **1** (6) (1972) 217–219
Brandt, J., C. Cabrelli and **U. Molter,** An algorithm for the computation of the Hutchinson distance **40** (2) (1991) 113–117
Brandt, J., C. Cabrelli and **U. Molter,** An algorithm for the computation of the Hutchinson distance (*Corrigendum*) **41** (6) (1992) 347
Brandwajn, A., Load imbalance in DASD dynamic reconnection **28** (3) (1988) 111–119
Brandwajn, A. and **R. Joly,** A scheme for a fault-tolerant virtual memory **10** (2) (1980) 99–103
Brandwajn, A., Ph. Kruchten and **J.A. Hernandez,** ARCADE — A system for research and education in computer architecture **7** (2) (1978) 78–85
Brandwajn, A. and **B. Mouneix,** A study of a page-on-demand system **6** (4) (1977) 125–132
Branquart, P., J.P. Cardinael, J.P. Delescaille and **J. Lewi,** A context-free syntax of ALGOL 68 **1** (4) (1972) 141–148
Brassard, G. and **S. Kannan,** The generation of random permutations on the fly **28** (4) (1988) 207–212
Bratko, I., Proving correctness of strategies in the AL1 assertional language **7** (5) (1978) 223–230
Brauer, W., *see* **Schittenkopf, C. 63** (3) (1997) 137–141
Brent, R.P. and **H.T. Kung,** On the area of binary tree layouts **11** (1) (1980) 46–48
Breslauer, D., An on-line string superprimitivity test **44** (6) (1992) 345–347
Breslauer, D., Testing string superprimitivity in parallel **49** (5) (1994) 235–241
Breslauer, D., L. Colussi and **L. Toniolo,** Tight comparison bounds for the string prefix-matching problem **47** (1) (1993) 51–57
Breslauer, D., A. Czumaj, D.P. Dubhashi and **F. Meyer auf der Heide,** Transforming comparison model lower bounds to the parallel-random-access-machine **62** (2) (1997) 103–110
Brewster, R. and **G. MacGillivray,** A note on restricted H-colouring **40** (3) (1991) 149–151
Bright, J.D., Range-restricted mergeable priority queues **47** (3) (1993) 159–164
Brinch Hansen, P., Universal types in Concurrent Pascal **3** (6) (1975) 165–166
Brlek, S., *see* **Berstel, J. 26** (1) (1987) 23–28
Broadley, W., *see* **Reddy, R. 1** (6) (1972) 246–251
Brodal, G.S. and **S. Venkatesh,** Improved bounds for dictionary look-up with one error **75** (1–2) (2000) 57–59
Broder, A.Z., M.E. Dyer, A.M. Frieze, P. Raghavan and **E. Upfal,** The worst-case running time of the random simplex algorithm is exponential in the height **56** (2) (1995) 79–81
Broder, A.Z., A. Frieze, C. Lund, S. Phillips and **N. Reingold,** Balanced allocations for tree-like inputs **55** (6) (1995) 329–332
Broder, A.Z., *see* **Azar, Y. 50** (1) (1994) 9–11
Brodie, M.L., *see* **Ridjanovic, D. 14** (3) (1982) 132–138

Brogi, A., A. Ciampolini, E. Lamma and **P. Mello,** The implementation of a distributed model for logic programming based on multiple-headed clauses **42** (6) (1992) 331–338
Brogi, A., E. Lamma and **P. Mello,** Hypothetical reasoning in logic programming: A semantic approach **36** (6) (1990) 285–291
Bron, C., Outline of a machine without branch instructions **1** (3) (1972) 117–119
Bron, C., E.J. Dijkstra and **S.D. Swierstra,** A memory-management unit for the optimal exploitation of a small address space **15** (1) (1982) 20–22
Bron, C. and **W.H. Hesselink,** Smoothsort revisited **39** (5) (1991) 269–276
Brouwer, A.E. and **P. van Emde Boas,** A note on 'Master keys for group sharing' **14** (1) (1982) 12–14
Brown, A.L., *see* **Morrison, R. 34** (1) (1990) 51–55
Brown, C., *see* **Goldberg, A. 15** (2) (1982) 72–75
Brown, C., *see* **Goldberg, A. 16** (1983) 213
Brown, D.J., An improved BL lower bound **11** (1) (1980) 37–39
Brown, K.Q., Voronoi diagrams from convex hulls **9** (5) (1979) 223–228
Brown, M.R., A storage scheme for height-balanced trees **7** (5) (1978) 231–232
Brown, M.R., Addendum to "A storage scheme for height-balanced trees" **8** (3) (1979) 154–156
Brown, M.R., Some observations on random 2-3 trees **9** (2) (1979) 57–59
Broy, M., Transformational semantics for concurrent programs **11** (2) (1980) 87–91
Broy, M., Denotational semantics of communicating processes based on a language for applicative multiprogramming **17** (1) (1983) 29–35
Broy, M., Denotational semantics of communicating sequential programs **23** (5) (1986) 253–259
Broy, M., Predicative specifications for functional programs describing communicating networks **25** (2) (1987) 93–101
Broy, M. and **M. Wirsing,** Program development: From enumeration to backtracking **10** (4–5) (1980) 193–197
Broy, M., M. Wirsing, J.P. Finance, A. Quéré and **J.L. Remy,** Methodical solution of the problem of ascending subsequences of maximum length within a given sequence **8** (5) (1979) 224–229
Brozovsky, E.R., *see* **Chen, W.-H. 36** (1) (1990) 7–11
Brustmann, B. and **I. Wegener,** The complexity of symmetric functions in bounded-depth circuits **25** (4) (1987) 217–219
Bruynooghe, M., Solving combinatorial search problems by intelligent backtracking **12** (1) (1981) 36–39
Bryant, B.R., *see* **Dey, P. 34** (2) (1990) 65–69
Bryant, B.R., *see* **Johnson, D. 19** (3) (1984) 135–143
Bshouty, N.H., A lower bound for the multiplication of polynomials modulo a polynomial **41** (6) (1992) 321–326
Bshouty, N.H., On the additive complexity of 2×2 matrix multiplication **56** (6) (1995) 329–335
Bshouty, N.H., A subexponential exact learning algorithm for DNF using equivalence queries **59** (1) (1996) 37–39
Bshouty, N.H., On learning multivariate polynomials under the uniform distribution **61** (6) (1997) 303–309
Bshouty, N.H., L. Higham and **J. Warpechowska-Gruca,** Meeting times of random walks on graphs **69** (5) (1999) 259–265
Bshouty, N.H., Y. Mansour, B. Schieber and **P. Tiwari,** A tight bound for approximating the square root **63** (4) (1997) 211–213
Bshouty, N.H., C. Tamon and **D.K. Wilson,** On learning width two branching programs **65** (4) (1998) 217–222
Buchsbaum, A.L. and **M.C. Carlisle,** Determining uni-connectivity in directed graphs **48** (1) (1993) 9–12
Buchta, C., On the average number of maxima in a set of vectors **33** (2) (1989) 63–65
Buda, A., Generalized$^{1.5}$ sequential machine maps **8** (1) (1979) 38–40
Buda, A.O., Multiprocessor automata **25** (4) (1987) 257–261
Budd, T.A., Creation and reflexive rights in grammatical protection systems **21** (3) (1985) 141–145
Budd, T.A., *see* **Treat, J.M. 19** (3) (1984) 117–123
Bugrara, K.M. and **P.W. Purdom,** An exponential lower bound for the pure literal rule **27** (4) (1988) 215–219
Buhăceanu, D.S. and **W.H.J. Feijen,** Formal derivation of an algorithm for distributed phase synchronization **60** (4) (1996) 207–213
Buhrman, H. and **R. de Wolf,** A lower bound for quantum search of an ordered list **70** (5) (1999) 205–209
Buhrman, H., L. Torenvliet and **P. van Emde Boas,** Twenty questions to a p-selector **48** (4) (1993) 201–204
Bui, T., A note on an improved bisection algorithm **10** (1) (1980) 35–36
Bui, T.D., On an L-stable method for stiff differential equations **6** (5) (1977) 158–161
Bui, T.D., On an L-stable method for stiff differential equations (*Erratum*) **8** (4) (1979) 218
Bui, T.N. and **C. Jones,** Finding good approximate vertex and edge partitions is NP-hard **42** (3) (1992) 153–159
Bulmer, A.R., *see* **Williams, M.H. 9** (3) (1979) 122–125
Bultena, B. and **F. Ruskey,** An Eades–McKay algorithm for well-formed parentheses strings **68** (5) (1998) 255–259
Buneman, P. and **L. Levy,** The Towers of Hanoi Problem **10** (4–5) (1980) 243–244
Bunke, H. and **J. Csirik,** An improved algorithm for computing the edit distance of run-length coded strings **54** (2) (1995) 93–96
Bunke, H., *see* **Jiang, X. 72** (5–6) (1999) 149–154
Burch, J.R., *see* **Martin, A.J. 21** (2) (1985) 97–100
Burkard, R.E. and **V.G. Deĭneko,** On the traveling salesman problem with a relaxed Monge matrix **67** (5) (1998) 231–237
Burkhard, W.A., *see* **Bentley, J.L. 4** (5) (1976) 132–135
Burmester, M., An almost-constant round interactive zero-knowledge proof **42** (2) (1992) 81–87
Burns, A. and **R. Davis,** Choosing task periods to minimise system utilisation in time triggered systems **58** (5) (1996) 223–229
Burns, A., *see* **Audsley, N.C. 67** (2) (1998) 65–69
Burns, A., *see* **Davis, R. 53** (5) (1995) 249–254
Buro, M., On the maximum length of Huffman codes **45** (5) (1993) 219–223
Burris, S. and **J. Lawrence,** Unification in commutative rings is not finitary **36** (1) (1990) 37–38
Burstall, R.M., *see* **Barrow, H.G. 4** (4) (1976) 83–84
Burton, F.W., A linear space translation of functional programs to Turner combinators **14** (5) (1982) 201–204
Burton, F.W., An efficient functional implementation of FIFO queues **14** (5) (1982) 205–206

Burton, F.W., A note on higher-order functions versus logical variables **31** (2) (1989) 91–95
Burton, F.W. and **G.N. Lewis,** A robust variation of interpolation search **10** (4–5) (1980) 198–201
Burton, F.W., G.P. McKeown and **V.J. Rayward-Smith,** On process assignment in parallel computing **29** (1) (1988) 31–34
Burton, F.W., *see* **Lewis, G.N.** **13** (1) (1981) 4–7
Burton, W., Comments on: Sorting by distributive partitioning **7** (4) (1978) 205
Busch, C. and **M. Mavronicolas,** Impossibility results for weak threshold networks **63** (2) (1997) 85–90
Buss, J.F., *see* **Bose, P.** **65** (5) (1998) 277–283
Buss, S.R., The graph of multiplication is equivalent to counting **41** (4) (1992) 199–201
Buss, S.R., *see* **Bonet, M.L.** **49** (3) (1994) 151–155
Butler, G., Easy verification of behavioural subtyping in common cases **55** (1) (1995) 57–58
Butman, A., *see* **Amir, A.** **70** (4) (1999) 185–190
Bykat, A., Convex hull of a finite set of points in two dimensions **7** (6) (1978) 296–298
Bykat, A., On polygon similarity **9** (1) (1979) 23–25

Cabrelli, C., *see* **Belogay, E.** **64** (1) (1997) 17–22
Cabrelli, C., *see* **Brandt, J.** **40** (2) (1991) 113–117
Cabrelli, C., *see* **Brandt, J.** **41** (6) (1992) 347
Cabrelli, C.A. and **U.M. Molter,** A linear time algorithm for a matching problem on the circle **66** (3) (1998) 161–164
Cadoli, M., The complexity of model checking for circumscriptive formulae **44** (3) (1992) 113–118
Cahit, I., Realization of graceful permutation by a shuffle-exchange network **6** (5) (1977) 171–173
Cahit, I. and **R. Cahit,** On the graceful numbering of spanning trees **3** (4) (1975) 115–118
Cahit, R., *see* **Cahit, I.** **3** (4) (1975) 115–118
Cai, J.-Y., Lower bounds for constant-depth circuits in the presence of help bits **36** (2) (1990) 79–83
Cai, J.-Y., A classification of the probabilistic polynomial time hierarchy under fault tolerant access to oracle classes **69** (4) (1999) 167–174
Cai, J.-Y. and **L.A. Hemachandra,** A note on enumerative counting **38** (4) (1991) 215–219
Cai, L., The recognition of union trees **45** (6) (1993) 279–283
Cai, L., Fixed-parameter tractability of graph modification problems for hereditary properties **58** (4) (1996) 171–176
Cai, L., Y. Xu and **B. Zhu,** Computing the optimal bridge between two convex polygons **69** (3) (1999) 127–130
Calamoneri, T. and **A. Massini,** An optimal layout of multigrid networks **72** (3–4) (1999) 137–141
Calamoneri, T. and **R. Petreschi,** A new 3D representation of trivalent Cayley networks **61** (5) (1997) 247–252
Calamoneri, T. and **A. Sterbini,** 3D straight-line grid drawing of 4-colorable graphs **63** (2) (1997) 97–102
Calera-Rubio, J. and **R.C. Carrasco,** Computing the relative entropy between regular tree languages **68** (6) (1998) 283–289
Calmet, J. and **R. Loos,** An improvement of Rabin's probabilistic algorithm for generating irreducible polynomials over GF(p) **11** (2) (1980) 94–95
Calude, C., Super-exponentials nonprimitive recursive, but rudimentary **25** (5) (1987) 311–315
Calvert, K., Eliminating disjunctions of leads-to properties **49** (4) (1994) 189–194
Camerini, P.M., The min-max spanning tree problem and some extensions **7** (1) (1978) 10–14
Camerini, P.M. and **F. Maffioli,** Bounds for 3-matroid intersection problems **3** (3) (1975) 81–83
Cameron, H. and **D. Wood,** A note on the path length of red–black trees **42** (5) (1992) 287–292
Camp, T., *see* **Terekhov, I.** **69** (3) (1999) 149–154
Campbell, D. and **J. Higgins,** Minimal visibility graphs **37** (1) (1991) 49–53
Campbell, D.K.G., On the CLUMPS model of parallel computation **66** (5) (1998) 231–236
Campbell, J.A., Optimal use of storage in a simple model of garbage collection **3** (2) (1974) 37–38
Can, F., *see* **Kocberber, S.** **60** (6) (1996) 305–311
Canetti, R., More on BPP and the Polynomial-time Hierarchy **57** (5) (1996) 237–241
Canetti, R., G. Even and **O. Goldreich,** Lower bounds for sampling algorithms for estimating the average **53** (1) (1995) 17–25
Capovani, M., *see* **Bini, D.** **8** (5) (1979) 234–235
Capovani, M., *see* **Bini, D.** **9** (1) (1979) 46–47
Caprara, A., H. Kellerer and **U. Pferschy,** A PTAS for the Multiple Subset Sum Problem with different knapsack capacities **73** (3–4) (2000) 111–118
Caprara, A. and **R. Rizzi,** Improving a family of approximation algorithms to edge color multigraphs **68** (1) (1998) 11–15
Cardinael, J.P., *see* **Branquart, P.** **1** (4) (1972) 141–148
Carlisle, M.C., *see* **Buchsbaum, A.L.** **48** (1) (1993) 9–12
Carlson, D.A. and **J.E. Savage,** Extreme time-space tradeoffs for graphs with small space requirements **14** (5) (1982) 223–227
Carlsson, S., Splitmerge—A fast stable merging algorithm **22** (4) (1986) 189–192
Carlsson, S., A variant of Heapsort with almost optimal number of comparisons **24** (4) (1987) 247–250
Carlsson, S., The Deap—A double-ended heap to implement double-ended priority queues **26** (1) (1987) 33–36
Carlsson, S., An optimal algorithm for deleting the root of a heap **37** (2) (1991) 117–120
Carlsson, S. and **J. Chen,** An optimal parallel adaptive sorting algorithm **39** (4) (1991) 195–200
Carlsson, S., J. Chen and **T. Strothotte,** A note on the construction of the data structure "deap" **31** (6) (1989) 315–317
Carlsson, S., *see* **Andersson, A.** **34** (1) (1990) 21–25
Carpi, A., On the size of a square-free morphism on a three letter alphabet **16** (5) (1983) 231–235
Carpi, A., On the centers of the set of weakly square-free words on a two letter alphabet **19** (4) (1984) 187–190
Carpi, A., On repeated factors in C^{∞}-words **52** (6) (1994) 289–294
Carpi, A. and **A. De Luca,** Square-free words on partially commutative free monoids **22** (3) (1986) 125–131
Carrasco, R.C., *see* **Calera-Rubio, J.** **68** (6) (1998) 283–289
Carroll, J.M., W. Fraser and **G. Gill,** Automatic content analysis in an on-line environment **1** (4) (1972) 134–140

Carson, S.D., V. Nirkhe and **P. Vongsathorn,** A discrete-state model of the two-headed disk **41** (6) (1992) 341–345
Carson, S.D. and **P. Vongsathorn,** Error bounds on disk arrangement using frequency information **31** (4) (1989) 209–213
Casanova, M.A., The theory of functional and subset dependencies over relational expressions **16** (3) (1983) 153–160
Casas, R., J. Díaz and **J.M. Steyaert,** Average-case analysis of Robinson's unification algorithm with two different variables **31** (5) (1989) 227–232
Castan, M., M.-H. Durand and **M. Lemaître,** A set of combinators for abstraction in linear space **24** (3) (1987) 183–188
Castro, J. and **D. Guijarro,** PACS, simple-PAC and query learning **73** (1–2) (2000) 11–16
Castro, J., D. Guijarro and **V. Lavín,** Learning nearly monotone k-term DNF **67** (2) (1998) 75–79
Catania, B., *see* **Bertino, E.** **64** (1) (1997) 1–8
Catania, B., *see* **Bertino, E.** **70** (4) (1999) 165–173
Cattell, K., M.J. Dinneen and **M.R. Fellows,** A simple linear-time algorithm for finding path-decompositions of small width **57** (4) (1996) 197–203
Caussinus, H., A note on a theorem of Barrington, Straubing and Thérien **58** (1) (1996) 31–33
Caviness, B.F. and **H.I. Epstein,** A note on the complexity of algebraic differentiation **7** (2) (1978) 122–124
Caviness, B.F., P.L. Pollack and **C.M. Rubald,** An existence lemma for canonical forms in symbolic mathematics **1** (2) (1971) 45–46
Cayssials, R., *see* **Orozco, J.** **62** (1) (1997) 47–55
Cellary, W., A new safety test for deadlock avoidance **8** (3) (1979) 115–120
Cellary, W. and **D. Mayer,** A simple model of query scheduling in distributed data base systems **10** (3) (1980) 137–147
Ceri, S., G. Gottlob, L. Tanca and **G. Wiederhold,** Magic semi-joins **33** (2) (1989) 97–107
Ceri, S. and **G. Pelagatti,** An upper bound on the number of execution nodes for a distributed join **12** (1) (1981) 46–48
Ceri, S. and **G. Pelagatti,** A solution method for the non-additive resource allocation problem in distributed system design **15** (4) (1982) 174–178
Cerioli, M.R., H. Everett, C.M.H. de Figueiredo and **S. Klein,** The homogeneous set sandwich problem **67** (1) (1998) 31–35
Cesa-Bianchi, N., *see* **Bertoni, A.** **56** (1) (1995) 15–17
Cesarini, F. and **G. Soda,** An algorithm to construct a compact B-tree in case of ordered keys **17** (1) (1983) 13–16
Cesati, M. and **L. Trevisan,** On the efficiency of polynomial time approximation schemes **64** (4) (1997) 165–171
Cha, G.-H., *see* **Lee, J.-H.** **69** (2) (1999) 69–76
Cha, G.-H., *see* **Lee, J.-H.** **75** (1–2) (2000) 35–42
Cha, S., I.S. Chung and **Y.R. Kwon,** Complexity measures for concurrent programs based on information-theoretic metrics **46** (1) (1993) 43–50
Chaiken, S., *see* **Wee, Y.C.** **34** (2) (1990) 71–76
Chakrabarti, P.P., S. Ghose, A. Pandey and **S.C. De Sarkar,** Increasing search efficiency using multiple heuristics **30** (1) (1989) 33–36
Chakrabarti, P.P., S. Ghose, A. Pandey and **S.C. De Sarkar,** Increasing search efficiency using multiple heuristics (*Corrigendum*) **32** (5) (1989) 275
Chakrabarti, P.P., *see* **Dasgupta, P.** **55** (6) (1995) 317–322
Chakrabarti, P.P., *see* **Dasgupta, P.** **58** (6) (1996) 311–318
Chakrabarti, P.P., *see* **Sarkar, U.K.** **37** (1) (1991) 43–48
Chakrabarti, P.P., *see* **Sarkar, U.K.** **42** (1) (1992) 47–52
Chakrabarti, P.P., *see* **Sarkar, U.K.** **42** (3) (1992) 173–177
Chakrabarty, K., *see* **Iyengar, V.** **64** (6) (1997) 271–275
Chakrabarty, K., *see* **Karpovsky, M.G.** **69** (2) (1999) 99–103
Chakraborty, U.K., A simpler derivation of schema hazard in genetic algorithms **56** (2) (1995) 77–78
Chakraborty, U.K., A branching process model for genetic algorithms **56** (5) (1995) 281–292
Chakraborty, U.K. and **D.G. Dastidar,** Using reliability analysis to estimate the number of generations to convergence in genetic algorithms **46** (4) (1993) 199–209
Chalamaiah, N. and **B. Ramamurthy,** Finding shortest paths in distributed loop networks **67** (3) (1998) 157–161
Chamberlain, R., *see* **Varghese, G.** **54** (2) (1995) 121–126
Chan, E.P.F. and **H.J. Hernández,** Testing unboundedness of database schemes and functional dependencies **28** (6) (1988) 317–326
Chan, H.W., *see* **Li, Z.** **75** (5) (2000) 187–189
Chan, M.Y., A note on redundant Disk Modulo allocation **20** (3) (1985) 121–123
Chan, M.Y. and **W.L. Chung,** Optimal multidisk partial match file designs **28** (3) (1988) 149–155
Chan, T.-H., Deciding freeness for program schemes with a single unary function **13** (3) (1981) 98–102
Chan, T.-H., The boundedness problem for three-dimensional vector addition systems with states **26** (6) (1988) 287–289
Chan, T.M., Backwards analysis of the Karger–Klein–Tarjan algorithm for minimum spanning trees **67** (6) (1998) 303–304
Chandra, A.K., *see* **Blum, M.** **10** (2) (1980) 80–82
Chandra, B., Does randomization help in on-line bin packing? **43** (1) (1992) 15–19
Chandra, B., Constructing sparse spanners for most graphs in higher dimensions **51** (6) (1994) 289–294
Chandra, T.D., *see* **Jayanti, P.** **71** (3–4) (1999) 167–172
Chandran, S. and **A. Rosenfeld,** Order statistics on a hypercube **27** (3) (1988) 129–132
Chandrasekharan, N., Isomorphism testing of k-trees is in NC, for fixed k **34** (6) (1990) 283–287
Chandru, V. and **J.N. Hooker,** Detecting embedded Horn structure in propositional logic **42** (2) (1992) 109–111
Chandy, K.M. and **J. Misra,** Deadlock absence proofs for networks of communicating processes **9** (4) (1979) 185–189
Chandy, K.M., *see* **Herman, T.** **21** (3) (1985) 129–133
Chang, B.-M., K.-M. Choe and **T. Han,** Efficient bottom–up execution of logic programs using abstract interpretation **47** (3) (1993) 149–157
Chang, B.-M., K.-M. Choe and **T. Han,** Static filtering on stratified programs **47** (5) (1993) 237–244
Chang, C.-C. and **S.-J. Hwang,** A simple approach for generating RSA keys **63** (1) (1997) 19–21
Chang, C.-C., *see* **Chen, C.-Y.** **72** (3–4) (1999) 77–81
Chang, C.-C., *see* **Hwang, S.-J.** **58** (4) (1996) 189–194
Chang, C.-C., *see* **Lee, W.-B.** **57** (1) (1996) 49–52
Chang, C.-C., *see* **Lee, W.-B.** **63** (5) (1997) 247–250
Chang, C.-H., *see* **Choe, K.-M.** **23** (6) (1986) 311–316

Chang, C.-H., *see* **Tsai, C.-H.** **72** (3–4) (1999) 109–111
Chang, C.-K. and **M.G. Gouda,** On the minimum requirements for independent recovery in distributed systems **37** (1) (1991) 1–7
Chang, C.C. and **C.H. Chang,** An ordered minimal perfect hashing scheme with single parameter **27** (2) (1988) 79–83
Chang, C.H., *see* **Chang, C.C.** **27** (2) (1988) 79–83
Chang, E.-C., W. Wang and **M.S. Kankanhalli,** Multidimensional on-line bin-packing: An algorithm and its average-case analysis **48** (3) (1993) 121–125
Chang, E.-C. and **C. Yap,** A note on improved deterministic time simulation of nondeterministic space for small space **55** (3) (1995) 155–157
Chang, E.J.H., G.H. Gonnet and **D. Rotem,** On the costs of self-stabilization **24** (5) (1987) 311–316
Chang, G.J., *see* **Yan, J.-H.** **52** (6) (1994) 317–322
Chang, H., *see* **Kim, J.U.** **45** (1) (1993) 33–39
Chang, H.-K. and **S.-M. Yuan,** Message complexity of hierarchical quorum consensus algorithm **50** (2) (1994) 69–73
Chang, H.-W. and **K.-L. Chung,** Fault-tolerant routing in unique-path multistage Omega network **44** (4) (1992) 201–204
Chang, H.-Y. and **R.-J. Chen,** Embedding cycles in IEH graphs **64** (1) (1997) 23–27
Chang, H.W., *see* **Atkinson, M.D.** **24** (5) (1987) 289–292
Chang, J.-M. and **C.-W. Ho,** The recognition of geodetically connected graphs **65** (2) (1998) 81–88
Chang, J.-M., *see* **Ho, C.-W.** **69** (2) (1999) 87–93
Chang, J.-Y. and **S.-G. Lee,** Extended conditions for answering an aggregate query using materialized views **72** (5–6) (1999) 205–212
Chang, J.H., O.H. Ibarra, B. Ravikumar and **L. Berman,** Some observations concerning alternating Turing machines using small space **25** (1) (1987) 1–9
Chang, J.H., O.H. Ibarra, B. Ravikumar and **L. Berman,** Some observations concerning alternating Turing machines using small space (*Erratum*) **27** (1) (1988) 53
Chang, K., H.T. Yan, Y. Varol and **J.-H. Chu,** A study on interleaving versus segmentation **65** (6) (1998) 319–324
Chang, K.-N. and **S.-C. Tsai,** Exact solution of a minimal recurrence **75** (1–2) (2000) 61–64
Chang, M.-S. and **Y.-C. Liu,** Polynomial algorithms for the weighted perfect domination problems on chordal graphs and split graphs **48** (4) (1993) 205–210
Chang, M.-S., P. Nagavamsi and **C. Pandu Rangan,** Weighted irredundance of interval graphs **66** (2) (1998) 65–70
Chang, M.-S. and **F.-H. Wang,** Efficient algorithms for the maximum weight clique and maximum weight independent set problems on permutation graphs **43** (6) (1992) 293–295
Chang, M.-S., *see* **Peng, S.-L.** **43** (6) (1992) 297–300
Chang, M.-S., *see* **Srinivasan, A.** **56** (3) (1995) 165–171
Chang, M.S., N.-F. Huang and **C.-Y. Tang,** An optimal algorithm for constructing oriented Voronoi diagrams and geographic neighborhood graphs **35** (5) (1990) 255–260
Chang, R.-S. and **S.-J. Leu,** The minimum labeling spanning trees **63** (5) (1997) 277–282
Chang, R.-S., *see* **Wei, L.-C.** **63** (5) (1997) 271–276
Chang, R.C. and **H.S. Lee,** Finding a maximum set of independent chords in a circle **41** (2) (1992) 99–102
Chang, R.C., *see* **Hsu, F.R.** **43** (2) (1992) 69–75
Chang, R.S., Single step graph search problem **40** (2) (1991) 107–111
Chang, R.S., *see* **Hsiao, J.Y.** **40** (5) (1991) 283–287
Chang, R.S., *see* **Hsiao, J.Y.** **43** (5) (1992) 229–235
Chang, S.-J., *see* **Yu, M.-S.** **46** (1) (1993) 7–11
Chang, S.-K., *see* **Tucci, M.** **39** (5) (1991) 241–243
Chang, S.C. and **M.W. Du,** Diamond deque: A simple data structure for priority deques **46** (5) (1993) 231–237
Chang, S.W., *see* **Li, T.F.** **49** (3) (1994) 129–133
Chang, Y.-C. and **L.-H. Hsu,** Element perturbation problems of optimum spanning trees with two-parameter objectives **53** (1) (1995) 55–59
Chang, Y.-I. and **B.-Y. Yang,** Efficient access methods for image databases **64** (2) (1997) 95–105
Chang, Y.-W. and **C.-B. Yang,** A parallel algorithm for circulant tridiagonal linear systems **65** (6) (1998) 331–337
Chao, C.-C., W.-T. Chen and **G.-H. Chen,** Multiple search problem on reconfigurable meshes **58** (2) (1996) 65–69
Chao, H.S., F.R. Hsu and **R.C.T. Lee,** An optimal EREW parallel algorithm for computing breadth-first search trees on permutation graphs **61** (6) (1997) 311–316
Chao, K.-M., *see* **Wu, B.Y.** **69** (2) (1999) 63–67
Chao, K.M., *see* **Wu, Q.S.** **65** (3) (1998) 119–123
Charatonik, W., An undecidable fragment of the theory of set constraints **68** (3) (1998) 147–151
Charley, D., *see* **Hensgen, D.A.** **48** (3) (1993) 131–137
Charron-Bost, B., Concerning the size of logical clocks in distributed systems **39** (1) (1991) 11–16
Chatelin, P., On transformations of algorithms to multiply 2×2 matrices **22** (1) (1986) 1–5
Chaty, G., *see* **Szwarcfiter, J.L.** **51** (3) (1994) 149–153
Chaudhuri, S., N. Garg and **R. Ravi,** The p-neighbor k-center problem **65** (3) (1998) 131–134
Chaudhuri, S. and **R.E. Ladner,** Safety and liveness of ω-context-free languages **37** (1) (1991) 13–20
Chaudhuri, S., *see* **Bilardi, G.** **51** (2) (1994) 101–105
Chauhan, S.R. and **I.A. Stewart,** On the power of built-in relations in certain classes of program schemes **69** (2) (1999) 77–82
Chazelle, B., A decision procedure for optimal polyhedron partitioning **16** (2) (1983) 75–78
Chazelle, B., An improved algorithm for the fixed-radius neighbor problem **16** (4) (1983) 193–198
Chedid, F.B., On the generalized twisted cube **55** (1) (1995) 49–52
Chedid, F.B. and **R.B. Chedid,** A new variation on hypercubes with smaller diameter **46** (6) (1993) 275–280
Chedid, R.B., *see* **Chedid, F.B.** **46** (6) (1993) 275–280
Chee, S., *see* **Son, J.J.** **65** (3) (1998) 139–144
Chee, S., *see* **Sung, S.H.** **69** (1) (1999) 21–24
Chee, Y.M. and **A. Lim,** The algorithmic complexity of colour switching **43** (2) (1992) 63–68
Chee, Y.M., *see* **Lim, A.** **47** (4) (1993) 167–172
Chekuri, C., *see* **Bender, M.A.** **73** (1–2) (2000) 17–21
Chen, B., A. van Vliet and **G.J. Woeginger,** A lower bound for randomized on-line scheduling algorithms **51** (5) (1994) 219–222
Chen, C.-C. and **R.-J. Chen,** Compact embedding of binary trees into hypercubes **54** (2) (1995) 69–72

Chen, C.-C. and **I.-P. Lin,** The computational complexity of satisfiability of temporal Horn formulas in propositional linear-time temporal logic **45** (3) (1993) 131–136
Chen, C.-L., *see* **Wang, B.-F.** **37** (6) (1991) 327–329
Chen, C.-W., *see* **Guan, D.J.** **75** (3) (2000) 113–117
Chen, C.-Y. and **C.-C. Chang,** A fast modular multiplication algorithm for calculating the product AB modulo N **72** (3–4) (1999) 77–81
Chen, C.C.-Y. and **S.K. Das,** Breadth-first traversal of trees and integer sorting in parallel **41** (1) (1992) 39–49
Chen, C.C.-Y., S.K. Das and **S.G. Akl,** A unified approach to parallel depth-first traversals of general trees **38** (1) (1991) 49–55
Chen, D.-J., *see* **Lin, M.-S.** **64** (3) (1997) 143–147
Chen, D.Z. and **O. Daescu,** Maintaining visibility of a polygon with a moving point of view **65** (5) (1998) 269–275
Chen, D.Z. and **S. Guha,** Testing a simple polygon for monotonicity optimally in parallel **47** (6) (1993) 325–331
Chen, D.Z. and **K.S. Klenk,** Rectilinear short path queries among rectangular obstacles **57** (6) (1996) 313–319
Chen, D.Z. and **K.S. Klenk,** Erratum to "Rectilinear short path queries among rectangular obstacles" **60** (2) (1996) 105
Chen, D.Z., *see* **Atallah, M.J.** **32** (4) (1989) 159–165
Chen, G. and **M.H. Williams,** The value of an array facility in Prolog **23** (5) (1986) 247–251
Chen, G.-H. and **Y.-C. Hung,** On the quickest path problem **46** (3) (1993) 125–128
Chen, G.-H., M.S. Yu and **L.T. Liu,** Two algorithms for constructing a binary tree from its traversals **28** (6) (1988) 297–299
Chen, G.-H., *see* **Chao, C.-C.** **58** (2) (1996) 65–69
Chen, G.-H., *see* **Duh, D.-R.** **57** (1) (1996) 41–45
Chen, G.-H., *see* **Hwang, S.-C.** **72** (3–4) (1999) 131–135
Chen, G.-H., *see* **Liu, L.-T.** **46** (3) (1993) 129–133
Chen, G.-H., *see* **Wang, B.-F.** **34** (4) (1990) 187–192
Chen, G.-H., *see* **Wang, B.-F.** **36** (1) (1990) 31–36
Chen, G.-H., *see* **Wang, B.-F.** **37** (6) (1991) 327–329
Chen, G.-I. and **T.-H. Lai,** Preemptive scheduling of independent jobs on a hypercube **28** (4) (1988) 201–206
Chen, G.H., *see* **Chen, Y.C.** **32** (2) (1989) 89–93
Chen, G.H., *see* **Chern, M.-S.** **32** (2) (1989) 61–71
Chen, H., X. Yu, K. Yamaguchi, H. Kitagawa, N. Ohbo and **Y. Fujiwara,** Decomposition – An approach for optimizing queries including ADT functions **43** (6) (1992) 327–333
Chen, H.-C. and **Y.-L. Wang,** A linear time algorithm for finding depth-first spanning trees on trapezoid graphs **63** (1) (1997) 13–18
Chen, H.-C., Y.-L. Wang and **Y.-F. Lan,** A memory-efficient and fast Huffman decoding algorithm **69** (3) (1999) 119–122
Chen, H.-C., *see* **Wang, Y.-L.** **56** (2) (1995) 83–87
Chen, I.-R., D.-C. Wang and **C.-P. Chu,** Response time behavior of distributed voting algorithms for managing replicated data **75** (6) (2000) 247–253
Chen, J., Characterizing parallel hierarchies by reducibilities **39** (6) (1991) 303–307
Chen, J., J. Cox and **B. Mishra,** An NL hierarchy **39** (1) (1991) 21–26
Chen, J., S.P. Kanchi and **A. Kanevsky,** A note on approximating graph genus **61** (6) (1997) 317–322
Chen, J., *see* **Carlsson, S.** **31** (6) (1989) 315–317
Chen, J., *see* **Carlsson, S.** **39** (4) (1991) 195–200
Chen, J.-L. and **F.-J. Wang,** An inheritance flow model for class hierarchy analysis **66** (6) (1998) 309–315
Chen, L., O(1) space complexity deletion for AVL trees **22** (3) (1986) 147–149
Chen, L., Optimal parallel time bounds for the maximum clique problem on intervals **42** (4) (1992) 197–201
Chen, L., Solving the shortest-paths problem on bipartite permutation graphs efficiently **55** (5) (1995) 259–264
Chen, L. and **H.Y.H. Chuang,** A fast algorithm for Euclidean distance maps of a 2-D binary image **51** (1) (1994) 25–29
Chen, L. and **N. Tokuda,** A note on "Category and measure in complexity classes" **73** (5–6) (2000) 167–168
Chen, L.-B. and **I.-C. Wu,** On the time complexity of minimum and maximum global snapshot problems **67** (3) (1998) 151–156
Chen, N.-S., H.-P. Yu and **S.-T. Huang,** A self-stabilizing algorithm for constructing spanning trees **39** (3) (1991) 147–151
Chen, N.-S., *see* **Huang, S.-T.** **41** (2) (1992) 109–117
Chen, P.D., *see* **Hu, X.D.** **51** (4) (1994) 213–218
Chen, R.-J. and **Y.-S. Hou,** Non-associative parallel prefix computation **44** (2) (1992) 91–94
Chen, R.-J., *see* **Chang, H.-Y.** **64** (1) (1997) 23–27
Chen, R.-J., *see* **Chen, C.-C.** **54** (2) (1995) 69–72
Chen, R.-J., *see* **Chiang, W.-K.** **56** (5) (1995) 259–264
Chen, R.-J., *see* **Chiang, W.-K.** **66** (4) (1998) 215–219
Chen, R.-J., *see* **Wu, J.-S.** **44** (5) (1992) 241–243
Chen, R.-J., *see* **Wu, J.-S.** **46** (1) (1993) 1–6
Chen, S.D., H. Shen and **R. Topor,** An efficient permutation-based parallel range-join algorithm on N-dimensional torus computers **52** (1) (1994) 35–38
Chen, T.-S., *SIMPLE*: An optimal disk system with two restricted heads **55** (5) (1995) 273–277
Chen, T.-S., Task migration in 2D wormhole-routed mesh multicomputers **73** (3–4) (2000) 103–110
Chen, T.-S., *see* **Sheu, J.-P.** **48** (5) (1993) 237–241
Chen, T.F. and **M.F. Lau,** Dividing strategies for the optimization of a test suite **60** (3) (1996) 135–141
Chen, T.Y. and **Y.T. Yu,** A more general sufficient condition for partition testing to be better than random testing **57** (3) (1996) 145–149
Chen, W., Multi-subsequence searching **74** (5–6) (2000) 229–233
Chen, W.-C. and **W.-C. Ni,** Internal path length of the binary representation of heap-ordered trees **51** (3) (1994) 129–132
Chen, W.-C., *see* **Chung, K.-L.** **33** (2) (1989) 67–72
Chen, W.-H., Test sequence generation from the protocol data portion based on the Selecting Chinese Postman algorithm **65** (5) (1998) 261–268
Chen, W.-H., C.-S. Lu, E.R. Brozovsky and **J.-T. Wang,** An optimization technique for protocol conformance testing using multiple UIO sequences **36** (1) (1990) 7–11
Chen, W.-H. and **C.Y. Tang,** Computing the optimal IO sequences of a protocol in polynomial time **40** (3) (1991) 145–148
Chen, W.-H. and **C.Y. Tang,** A $2 \cdot |E|$-bit distributed algorithm for the directed Euler trail problem **47** (1) (1993) 43–49
Chen, W.-T. and **K.-R. Hsieh,** A neural sorting network with O(1) time complexity **45** (6) (1993) 309–313
Chen, W.-T., *see* **Chao, C.-C.** **58** (2) (1996) 65–69
Chen, W.-T., *see* **Horng, S.-J.** **38** (1) (1991) 29–37

Chen, Y., Arc consistency revisited **70** (4) (1999) 175–184
Chen, Y.-C., *see* **Lu, E.-H.** **51** (3) (1994) 117–120
Chen, Y.-H., *see* **Hwang, T.** **53** (2) (1995) 97–101
Chen, Y.-H., *see* **Hwang, T.** **53** (2) (1995) 103–107
Chen, Y.C., Z.C. Yeh and **G.H. Chen,** Using fewer processors to reduce time complexities of semigroup computations **32** (2) (1989) 89–93
Chen, Y.L., Finding the k quickest simple paths in a network **50** (2) (1994) 89–92
Chen, Y.Y., *see* **Tsai, Y.T.** **51** (6) (1994) 275–282
Chen, Z.-Z., A randomized NC algorithm for the maximal tree cover problem **40** (5) (1991) 241–246
Chen, Z.-Z., A simple parallel algorithm for computing the diameters of all vertices in a tree and its application **42** (5) (1992) 243–248
Chen, Z.-Z., A fast and efficient parallel algorithm for finding a satisfying truth assignment to a 2-CNF formula **43** (4) (1992) 191–193
Chen, Z.-Z., A parallel algorithm for finding a triconnected component separator with an application **52** (5) (1994) 265–271
Chen, Z.-Z., A fast and efficient NC algorithm for maximal matching **55** (6) (1995) 303–307
Cheng, E. and **W.H. Cunningham,** A faster algorithm for computing the strength of a network **49** (4) (1994) 209–212
Cheng, E. and **M.J. Lipman,** On the Day–Tripathi orientation of the star graphs: Connectivity **73** (1–2) (2000) 5–10
Cheng, J., An algebraic semantics of notional entailment logic Cn **36** (3) (1990) 117–121
Cheng, K.H., *see* **Wang, Q.** **37** (5) (1991) 291–297
Cheng, P. and **S. Masuyama,** On the equivalence in complexity among three computation problems on maximum number of edge-disjoint s–t paths in a probabilistic graph **51** (4) (1994) 195–199
Cheng, S.-W., Widest empty L-shaped corridor **58** (6) (1996) 277–283
Cheng, S.-W., *see* **Lim, A.** **47** (4) (1993) 167–172
Cheng, S.W. and **R. Janardan,** Efficient dynamic algorithms for some geometric intersection problems **36** (5) (1990) 251–258
Cheng, T.C.E. and **Q. Ding,** The complexity of scheduling starting time dependent tasks with release times **65** (2) (1998) 75–79
Cheng, T.C.E. and **G. Wang,** Two-machine flowshop scheduling with consecutive availability constraints **71** (2) (1999) 49–54
Cheng, T.C.E., *see* **Liu, Z.** **69** (6) (1999) 275–281
Cheng, X., A graph transformation algorithm for concurrency control in a partitioned database **38** (1) (1991) 43–48
Cheng, Y.-C., *see* **Lu, E.-H.** **52** (6) (1994) 341
Cheng, Y.C., E.H. Lu and **S.W. Wu,** A modified version of the Rao–Nam algebraic-code encryption scheme **68** (4) (1998) 215–217
Chepoi, V. and **F. Dragan,** Computing a median point of a simple rectilinear polygon **49** (6) (1994) 281–285
Cherief, F. and **Ph. Schnoebelen,** τ-bisimulations and full abstraction for refinement of actions **40** (4) (1991) 219–222
Cheriyan, J. and **S.N. Maheshwari,** The parallel complexity of finding a blocking flow in a 3-layer network **31** (3) (1989) 157–161
Cheriyan, J. and **K. Mehlhorn,** An analysis of the highest-level selection rule in the preflow-push max-flow algorithm **69** (5) (1999) 239–242
Chern, M.-S., G.H. Chen and **P. Liu,** An LC branch-and-bound algorithm for the module assignment problem **32** (2) (1989) 61–71
Chern, M.-S., *see* **Hsu, L.-H.** **39** (5) (1991) 277–281
Chern, M.-S., *see* **Lin, K.-C.** **45** (1) (1993) 25–31
Cherniavsky, J.C., On finding test data sets for loop free programs **8** (2) (1979) 106–107
Cherniavsky, J.C., J. Keohane and **P.B. Henderson,** A note concerning top down program development and restricted exit control structures **9** (1) (1979) 8–12
Cheston, G.A., A correction to a unilaterally connected components algorithm **7** (2) (1978) 125
Cheston, G.A., A. Farley, S.T. Hedetniemi and **A. Proskurowski,** Centering a spanning tree of a biconnected graph **32** (5) (1989) 247–250
Cheston, G.A., *see* **Easwarakumar, K.S.** **51** (3) (1994) 121–124
Chetto, H. and **M. Chetto,** Scheduling periodic and sporadic tasks in a real-time system **30** (4) (1989) 177–184
Chetto, M., *see* **Chetto, H.** **30** (4) (1989) 177–184
Cheung, S. and **F.C.M. Lau,** Mesh permutation routing with locality **43** (2) (1992) 101–105
Cheung, S. and **F.C.M. Lau,** A lower bound for permutation routing on two-dimensional bused meshes **45** (5) (1993) 225–228
Cheung, S.Y., *see* **Kumar, A.** **40** (6) (1991) 311–316
Cheung, T.-Y., A statistical model for estimating the number of records in a relational database **15** (3) (1982) 115–118
Cheung, T.-Y., *see* **Zhu, Y.** **25** (5) (1987) 329–333
Chiang, W.-K. and **R.-J. Chen,** The (n, k)-star graph: A generalized star graph **56** (5) (1995) 259–264
Chiang, W.-K. and **R.-J. Chen,** On the arrangement graph **66** (4) (1998) 215–219
Chiang, Z.-F., *see* **Sheu, J.-P.** **36** (5) (1990) 241–245
Chickering, D.M., D. Geiger and **D. Heckerman,** On finding a cycle basis with a shortest maximal cycle **54** (1) (1995) 55–58
Chien, B.-C. and **W.-P. Yang,** The worst case analysis of algorithm on multiple stacks manipulation **44** (2) (1992) 107–111
Chin, A., On the depth complexity of the counting functions **35** (6) (1990) 325–328
Chin, A., Permutations on the Block PRAM **45** (2) (1993) 69–73
Chin, F. and **K. Steiglitz,** A fast error evaluation algorithm for polynomial approximation **6** (1) (1977) 18–21
Chin, F. and **C.A. Wang,** Minimum vertex distance between separable convex polygons **18** (1) (1984) 41–45
Chin, F., *see* **Poon, C.K.** **65** (4) (1998) 201–207
Chin, F.Y., *see* **Tsin, Y.H.** **17** (5) (1983) 269–272
Chin, F.Y., *see* **Wang, C.A.** **70** (1) (1999) 17–22
Chin, F.Y., *see* **Wang, C.A.** **74** (5–6) (2000) 183–189
Chin, W.-P. and **S. Ntafos,** Optimum watchman routes **28** (1) (1988) 39–44
Chin, Y.H., *see* **Yan, K.Q.** **69** (5) (1999) 243–248
Ching, Y.-T., K. Mehlhorn and **M.H.M. Smid,** Dynamic deferred data structuring **35** (1) (1990) 37–40
Ching, Y.T., *see* **Lee, D.T.** **21** (3) (1985) 117–122
Chinn, D.D. and **R.K. Sinha,** Bounds on sample space size for matrix product verification **48** (2) (1993) 87–91
Chiu, G.-M., A fault-tolerant broadcasting algorithm for hypercubes **66** (2) (1998) 93–99

Chlebíková, J., Approximating the Maximally Balanced Connected Partition Problem in graphs **60** (5) (1996) 225–230
Chlebus, B.S., A parallel bucket sort **27** (2) (1988) 57–61
Chlebus, B.S., Parallel iterated bucket sort **31** (4) (1989) 181–183
Chlebus, B.S., *see* **Altman, T.** **33** (6) (1990) 297–300
Chlebus, B.S., *see* **Chrobak, M.** **19** (4) (1984) 167–171
Chmeiss, A. and **P. Jégou,** A generalization of chordal graphs and the maximum clique problem **62** (2) (1997) 61–66
Ch'ng, H.T., B. Srinivasan and **B.C. Ooi,** Study of selforganizing heuristics for skewed access patterns **30** (5) (1989) 237–244
Cho, J.-W., *see* **Chung, T.-C.** **25** (3) (1987) 183–188
Cho, S. and **D.T. Huynh,** On a complexity hierarchy between L and NL **29** (4) (1988) 177–182
Cho, S. and **D.T. Huynh,** The parallel complexity of coarsest set partition problems **42** (2) (1992) 89–94
Cho, Y., *see* **Park, K.** **63** (4) (1997) 183–188
Choe, K.-M. and **C.-H. Chang,** Efficient computation of the locally least-cost insertion string for the LR error repair **23** (6) (1986) 311–316
Choe, K.-M., *see* **Chang, B.-M.** **47** (3) (1993) 149–157
Choe, K.-M., *see* **Chang, B.-M.** **47** (5) (1993) 237–244
Choe, K.-M., *see* **Jung, M.-S.** **49** (2) (1994) 63–71
Choe, K.-M., *see* **Kim, D.-H.** **40** (4) (1991) 201–211
Choe, K.-M., *see* **Kim, D.-H.** **43** (3) (1992) 165
Choe, K.-M., *see* **Lee, D.** **48** (4) (1993) 163–170
Choe, K.-M., *see* **Lee, E.-J.** **51** (2) (1994) 85–92
Choe, K.-M., *see* **Lee, G.-O.** **72** (5–6) (1999) 189–196
Choe, K.-M., *see* **Lee, M.-J.** **37** (6) (1991) 337–347
Choe, K.-M., *see* **Lee, M.-J.** **38** (5) (1991) 281
Choe, K.-M., *see* **Lee, S.-H.** **52** (4) (1994) 191–199
Choe, K.-M., *see* **Park, W.-J.** **47** (5) (1993) 245–251
Choe, K.-M., *see* **Shin, H.-C.** **47** (3) (1993) 123–129
Choe, K.-M., *see* **Yun, I.-S.** **47** (4) (1993) 189–196
Choffrut, C., A closure property of deterministic context-free languages **12** (1) (1981) 13–16
Choffrut, C. and **K. Culik II,** Folding of the plane and the design of systolic arrays **17** (3) (1983) 149–153
Choi, H.-A., *see* **Han, Y.** **44** (3) (1992) 141–148
Choi, H.K. and **M. Kim,** Hybrid join: An improved sort-based join algorithm **32** (2) (1989) 51–56
Choi, H.K., *see* **Park, U.K.** **55** (5) (1995) 283–289
Choi, K., G. Jung, T. Kim and **S. Jung,** Real-time scheduling algorithm for minimizing maximum weighted error with $O(N \log N + cN)$ complexity **67** (6) (1998) 311–315
Choi, K.-S. and **G.C. Kim,** A controlled quantification in parsing of Montague grammar **22** (4) (1986) 207–216
Choi, S.-H., *see* **Kim, S.-H.** **53** (6) (1995) 359–365
Choi, Y. and **T.W. Lam,** Dynamic suffix tree and two-dimensional texts management **61** (4) (1997) 213–220
Choi, Y., *see* **Tscha, Y.** **48** (3) (1993) 107–112
Chomicki, J. and **V.S. Subrahmanian,** Generalized closed world assumption is Π_2^0-complete **34** (6) (1990) 289–291
Chon, K., *see* **Hur, J.H.** **36** (5) (1990) 225–230
Chong, C.F., *see* **Li, Z.** **75** (5) (2000) 187–189
Chor, B. and **E. Kushilevitz,** A communication-privacy tradeoff for modular addition **45** (4) (1993) 205–210
Chor, B.-Z., Arithmetic of finite fields **14** (1) (1982) 4–6
Chou, C.-T., Simple proof techniques for property preservation via simulation **60** (3) (1996) 129–134
Chou, C.-Y., D.J. Guan and **K.-L. Wang,** A dynamic fault-tolerant message routing algorithm for double-loop networks **70** (6) (1999) 259–264
Chou, C.-Y., D.J. Guan and **K.-L. Wang,** Erratum to "A dynamic fault-tolerant message routing algorithm for double-loop networks" **71** (5–6) (1999) 241
Chou, C.-Y., *see* **Guan, D.J.** **75** (3) (2000) 113–117
Chow, K.P., *see* **Li, Z.** **75** (5) (2000) 187–189
Chow, Y.-C., *see* **Luo, K.** **38** (6) (1991) 307–313
Chowdhury, R.A., *see* **Nath, S.K.** **70** (5) (1999) 241–243
Christensen, R., Crossvalidation: Minimizing the entropy of the future **4** (3) (1975) 73–76
Christie, D.A., Sorting permutations by block-interchanges **60** (4) (1996) 165–169
Chrobak, M., A note on bounded-reversal multipushdown machines **19** (4) (1984) 179–180
Chrobak, M. and **B.S. Chlebus,** Probabilistic Turing machines and recursively enumerable Dedekind cuts **19** (4) (1984) 167–171
Chrobak, M. and **C. Dürr,** Reconstructing hv-convex polyominoes from orthogonal projections **69** (6) (1999) 283–289
Chrobak, M. and **R. Harter,** A note on random sampling **29** (5) (1988) 255–256
Chrobak, M. and **L.L. Larmore,** A note on the server problem and a benevolent adversary **38** (4) (1991) 173–175
Chrobak, M., L.L. Larmore, C. Lund and **N. Reingold,** A better lower bound on the competitive ratio of the randomized 2-server problem **63** (2) (1997) 79–83
Chrobak, M. and **T.H. Payne,** A linear-time algorithm for drawing a planar graph on a grid **54** (4) (1995) 241–246
Chrobak, M. and **W. Rytter,** Remarks on string-matching and one-way multihead automata **24** (5) (1987) 325–329
Chrobak, M. and **J. Sgall,** A simple analysis of the harmonic algorithm for two servers **75** (1–2) (2000) 75–77
Chrobot, S., Layer – a language construction for concurrent structural program design **4** (5) (1976) 113–117
Chroust, G., Expression evaluation with minimum average working storage **1** (3) (1972) 111–114
Chu, C.-P., *see* **Chen, I.-R.** **75** (6) (2000) 247–253
Chu, F., Reducing Ω to $\Diamond\mathcal{W}$ **67** (6) (1998) 289–293
Chu, J.-H., *see* **Chang, K.** **65** (6) (1998) 319–324
Chu, P.-C., Evaluating clustering factor approach to estimating block selectivities **40** (6) (1991) 329–334
Chu, P.C., Verbs are not cases: Applying case grammar to document retrieval **71** (1) (1999) 29–34
Chuang, H.Y.H., *see* **Chen, L.** **51** (1) (1994) 25–29
Chuang, H.Y.H., *see* **Kannan, C.S.** **33** (5) (1990) 243–248
Chuang, Y.-C., *see* **Sung, T.-Y.** **66** (4) (1998) 201–207
Chudak, F.A., *see* **Aardal, K.** **72** (5–6) (1999) 161–167
Chung, C.-W., *see* **Lee, J.-H.** **69** (2) (1999) 69–76
Chung, C.-W., *see* **Lee, J.-H.** **75** (1–2) (2000) 35–42
Chung, I., *see* **Kim, S.** **66** (3) (1998) 141–147
Chung, I.S., *see* **Cha, S.** **46** (1) (1993) 43–50
Chung, K.-L., Efficient Huffman decoding **61** (2) (1997) 97–99
Chung, K.-L., A fast algorithm for stereo matching **63** (2) (1997) 57–61
Chung, K.-L., On finding medians of weighted discrete points **74** (3–4) (2000) 103–106

Chung, K.-L., W.-C. Chen and **F.-C. Lin,** Fast computation of periodic continued fractions **33** (2) (1989) 67–72
Chung, K.-L., *see* **Chang, H.-W.** **44** (4) (1992) 201–204
Chung, K.-L., *see* **Yan, W.-M.** **68** (6) (1998) 295–298
Chung, K.M., F. Luccio and **C.K. Wong,** A new permutation algorithm for bubble memories **10** (4–5) (1980) 226–230
Chung, K.M., F. Luccio and **C.K. Wong,** Minimum number of steps for permutation in a bubble memory **11** (2) (1980) 81–83
Chung, M.J. and **M.S. Krishnamoorthy,** Algorithms of placing recovery points **28** (4) (1988) 177–181
Chung, S.M., Indexed extendible hashing **44** (1) (1992) 1–6
Chung, S.M. and **P.S. Mah,** Semantics-based transaction management for multidatabase systems **59** (2) (1996) 109–115
Chung, T.-C. and **J.-W. Cho,** History sensitive string for multiple alphabets **25** (3) (1987) 183–188
Chung, W.L., *see* **Chan, M.Y.** **28** (3) (1988) 149–155
Chwa, K.-Y., *see* **Kim, S.-H.** **53** (6) (1995) 359–365
Chwa, K.-Y., *see* **Kim, T.** **24** (1) (1987) 15–17
Chwa, K.-Y., *see* **Lee, J.-H.** **69** (1) (1999) 39–45
Chwa, K.-Y., *see* **Shin, C.-S.** **66** (3) (1998) 133–139
Chwa, K.-Y., *see* **Shin, C.-S.** **68** (1) (1998) 25–31
Ciaccia, P., D. Maio and **P. Tiberio,** A unifying approach to evaluating block accesses in database organizations **28** (5) (1988) 253–257
Cialdea, M., Some remarks on the possibility of extending resolution proof procedures to intuitionistic logic **22** (2) (1986) 87–90
Ciampolini, A., E. Lamma and **P. Mello,** An abstract interpretation framework for optimizing dynamic modular logic languages **58** (4) (1996) 163–170
Ciampolini, A., *see* **Brogi, A.** **42** (6) (1992) 331–338
Cicalese, F. and **U. Vaccaro,** An improved heuristic for "Ulam–Rényi game" **73** (3–4) (2000) 119–124
Ciciani, B., *see* **Baldoni, R.** **50** (3) (1994) 165–172
Cidon, I., Yet another distributed depth-first-search algorithm **26** (6) (1988) 301–305
Cidon, I. and **Y. Shavitt,** Message terminating algorithms for anonymous rings of unknown size **54** (2) (1995) 111–119
Cimikowski, R.J., Finding Hamiltonian cycles in certain planar graphs **35** (5) (1990) 249–254
Cintioli, P. and **R. Silvestri,** Revisiting a result of Ko **61** (4) (1997) 189–194
Cioni, G. and **A. Kreczmar,** Programmed deallocation without dangling reference **18** (4) (1984) 179–187
Clark, D.W., A fast algorithm for copying binary trees **4** (3) (1975) 62–63
Clark, D.W. and **C.C. Green,** A note on shared list structure in LISP **7** (6) (1978) 312–314
Clark, J. and **J. Jacob,** On the security of recent protocols **56** (3) (1995) 151–155
Clark, L.H., F. Shahrokhi and **L.A. Székely,** A linear time algorithm for graph partition problems **42** (1) (1992) 19–24
Clarke, E.M., I.A. Draghicescu and **R.P. Kurshan,** A unified approach for showing language inclusion and equivalence between various types of ω-automata **46** (6) (1993) 301–308
Clarkson, K.L., A modification of the greedy algorithm for vertex cover **16** (1) (1983) 23–25
Clarkson, K.L., Linear programming in $O(n \times 3^{d^2})$ time **22** (1) (1986) 21–24
Clausen, J., *see* **Alstrup, S.** **59** (1) (1996) 9–11
Clausen, M., Almost all boolean functions have no linear symmetries **41** (6) (1992) 291–292
Clementi, A. and **R. Impagliazzo,** The reachability problem for finite cellular automata **53** (1) (1995) 27–31
Clerbout, M. and **M. Latteux,** The inclusion of D0L in MULTI-RESET **13** (2) (1981) 45–47
Clermont, Ph., *see* **Apt, K.R.** **26** (4) (1987) 165–171
Clocksin, W.F., Real-time functional queue operations using the logical variable **17** (4) (1983) 173–175
Clote, P., A note on the monotone complexity of 2-REF **57** (3) (1996) 117–123
Clouâtre, A., N. Laliberté and **T.H. Merrett,** A general implementation of relational recursion with speedup techniques for programmers **32** (5) (1989) 257–262
Coan, B.A., *see* **Turpin, R.** **18** (2) (1984) 73–76
Cocco, N., *see* **Bossi, A.** **16** (4) (1983) 203–208
Cockayne, E., S. Goodman and **S. Hedetniemi,** A linear algorithm for the domination number of a tree **4** (2) (1975) 41–44
Cockayne, E.J. and **D.E. Hewgill,** Exact computation of Steiner minimal trees in the plane **22** (3) (1986) 151–156
Cockayne, E.J., F. Ruskey and **A.G. Thomason,** An algorithm for the most economic link addition in a tree communications network **9** (4) (1979) 171–175
Codenotti, B. and **G. Lotti,** A note on the VLSI counter **22** (4) (1986) 193–195
Codenotti, B. and **G. Lotti,** Area-time tradeoffs for bilinear forms computations in VLSI **23** (2) (1986) 107–109
Codenotti, B. and **G. Lotti,** A VLSI fast solver for tridiagonal linear systems **23** (3) (1986) 111–114
Codenotti, B., G. Manzini and **L. Margara,** Algebraic techniques in communication complexity **56** (4) (1995) 191–195
Codenotti, B., F. Romani and **G. Lotti,** VLSI implementation of fast solvers for band linear systems with constant coefficient matrix **21** (3) (1985) 159–163
Coffman Jr., E.G., L. Flatto, E.N. Gilbert and **A.G. Greenberg,** An approximate model of processor communication rings under heavy load **64** (2) (1997) 61–67
Coffman Jr., E.G. and **C.J.M. Turnbull,** A note on the relative performance of two disk scanning policies **2** (1) (1973) 15–17
Coffy, J., On computing the time complexity of transitive closure algorithms **2** (2) (1973) 39–42
Cohen, D.A. and **E.A. Scott,** Rationality of division orderings **44** (6) (1992) 307–311
Cohen, E., The convergence span of greedy load balancing **52** (4) (1994) 181–182
Cohen, J., Syntax-directed unit conversion **2** (4) (1973) 100–102
Cohen, J., Interpretation of non-deterministic algorithms in higher-level languages **3** (4) (1975) 104–109
Cohen, J., A note on a fast algorithm for sparse matrix multiplication **16** (5) (1983) 247–248
Cohen, J. and **J. Katcoff,** Automatic solution of a certain class of combinatorial problems **6** (4) (1977) 101–104
Cohen, M., *see* **Afek, Y.** **63** (2) (1997) 109–112
Colbourn, C.J., The complexity of symmetrizing matrices **9** (3) (1979) 108–109
Colbourn, C.J. and **A.C.H. Ling,** Quorums from difference covers **75** (1–2) (2000) 9–12

Colbourn, C.J. and **B.D. McKay,** A correction to Colbourn's paper on the complexity of matrix symmetrizability **11** (2) (1980) 96–97

Colbourn, C.J., D.R. Stinson and **L. Teirlinck,** A parallelization of Miller's $n^{\log n}$ isomorphism technique **42** (4) (1992) 223–228

Coldwell, J., *see* **Wrightson, G.** **42** (5) (1992) 273–281

Cole, R. and **C.K. Yap,** A parallel median algorithm **20** (3) (1985) 137–139

Cole, R.J., An optimally efficient selection algorithm **26** (6) (1988) 295–299

Collette, P., An explanatory presentation of composition rules for assumption-commitment specifications **50** (1) (1994) 31–35

Collin, Z. and **S. Dolev,** Self-stabilizing depth-first search **49** (6) (1994) 297–301

Collins, G.E. and **D.R. Musser,** Analysis of the Pope-Stein division algorithm **6** (5) (1977) 151–155

Collins, M.J. and **B.M.E. Moret,** Improved lower bounds for the link length of rectilinear spanning paths in grids **68** (6) (1998) 317–319

Colussi, L. and **A. De Col,** A time and space efficient data structure for string searching on large texts **58** (5) (1996) 217–222

Colussi, L., *see* **Bossi, A.** **16** (4) (1983) 203–208

Colussi, L., *see* **Breslauer, D.** **47** (1) (1993) 51–57

Complak, W., *see* **Nawrocki, J.R.** **65** (4) (1998) 173–178

Cong, B., *see* **Shen, X.** **45** (4) (1993) 199–203

Consel, C. and **O. Danvy,** Partial evaluation of pattern matching in strings **30** (2) (1989) 79–86

Constable, R.L., Programs as proofs: A synopsis **16** (3) (1983) 105–112

Cook, S. and **T. Pitassi,** A feasibly constructive lower bound for resolution proofs **34** (2) (1990) 81–85

Cook, S.A., Short propositional formulas represent nondeterministic computations (*Note*) **26** (5) (1988) 269–270

Cook, S.A. and **M. Luby,** A simple parallel algorithm for finding a satisfying truth assignment to a 2-CNF formula **27** (3) (1988) 141–145

Cooklev, T.V., *see* **Dimitrov, V.S.** **43** (3) (1992) 161–164

Cooper, J. and **S.G. Akl,** Efficient selection on a binary tree **23** (3) (1986) 123–126

Cooper, J. and **L. Kitchen,** CASOP: A fast algorithm for computing the n-ary composition of a binary associative operator **34** (4) (1990) 209–213

Cooprider, L.W., F. Heymans, P.J. Courtois and **D.L. Parnas,** Information streams sharing a finite buffer: Other solutions **3** (1) (1974) 16–21

Coppersmith, D., *see* **Aggarwal, A.** **30** (4) (1989) 205–208

Corbett, J., *see* **Barrington, D.A.M.** **32** (5) (1989) 251–256

Corbett, P.F. and **I.D. Scherson,** A unified algorithm for sorting on multidimensional mesh-connected processors **37** (4) (1991) 225–231

Cormack, G.V. and **R.N. Horspool,** Algorithms for adaptive Huffman codes **18** (3) (1984) 159–165

Corneil, D.G., An n^2 algorithm for determining the bridges of a graph **1** (2) (1971) 51–55

Corneil, D.G., H. Kim, S. Natarajan, S. Olariu and **A.P. Sprague,** Simple linear time recognition of unit interval graphs **55** (2) (1995) 99–104

Corneil, D.G., S. Olariu and **L. Stewart,** A linear time algorithm to compute a dominating path in an AT-free graph **54** (5) (1995) 253–257

Cosmadakis, S.S., *see* **Bhatt, S.N.** **25** (4) (1987) 263–267

Cosnard, M., J. Duprat and **A.G. Ferreira,** The complexity of searching in $X + Y$ and other multisets **34** (2) (1990) 103–109

Costagliola, G., *see* **Tucci, M.** **39** (5) (1991) 241–243

Cotronis, Y., *see* **Spiliopoulou, M.** **53** (6) (1995) 301–306

Coupry, L., A simple linear algorithm for the edge-disjoint (s,t)-paths problem in undirected planar graphs **64** (2) (1997) 83–86

Courcelle, B., The simultaneous accessibility of two configurations of two equivalent DPDA's **12** (3) (1981) 111–114

Courcelle, B., Some negative results concerning DPDA's **18** (5) (1984) 285–289

Courtois, P.J., *see* **Cooprider, L.W.** **3** (1) (1974) 16–21

Cowan, D.D., *see* **Lucena, C.J.** **5** (2) (1976) 35–40

Cox, J., *see* **Chen, J.** **39** (1) (1991) 21–26

Coy, W., The logical meaning of programs of a subrecursive language **4** (5) (1976) 121–126

Craig, K.C., *see* **Sridharan, K.** **51** (4) (1994) 181–188

Crégut, P. and **B. Heyd,** Progress properties for empty UNITY programs **69** (3) (1999) 107–109

Creignou, N., Complexity versus stability for classes of propositional formulas **68** (4) (1998) 161–165

Cremers, A.B., H.A. Maurer and **O. Mayer,** A note on leftmost restricted random context grammars **2** (2) (1973) 31–33

Crescenzi, P., C. Fiorini and **R. Silvestri,** A note on the approximation of the MAX CLIQUE problem **40** (1) (1991) 1–5

Crescenzi, P. and **R. Silvestri,** Relative complexity of evaluating the optimum cost and constructing the optimum for maximization problems **33** (5) (1990) 221–226

Crescenzi, P. and **R. Silvestri,** A note on the descriptive complexity of maximization problems **47** (1) (1993) 11–15

Crespi-Reghizzi, S. and **D. Mandrioli,** A decidability theorem for a class of vector-addition systems **3** (3) (1975) 78–80

Crespi-Reghizzi, S. and **D. Mandrioli,** A decidability theorem for a class of vector addition systems (*Erratum*) **3** (5) (1975) 164

Crespi-Reghizzi, S. and **D. Mandrioli,** A class of grammar generating non-counting languages **7** (1) (1978) 24–26

Crippa, D., A special case of the dynamization problem for least cost paths **39** (6) (1991) 297–302

Crochemore, M., An optimal algorithm for computing the repetitions in a word **12** (5) (1981) 244–250

Crochemore, M., A. Czumaj, L. Gąsieniec, T. Lecroq, W. Plandowski and **W. Rytter,** Fast practical multi-pattern matching **71** (3–4) (1999) 107–113

Crochemore, M., L. Gąsieniec and **W. Rytter,** Two-dimensional pattern matching by sampling **46** (4) (1993) 159–162

Crochemore, M. and **T. Lecroq,** Tight bounds on the complexity of the Apostolico–Giancarlo algorithm **63** (4) (1997) 195–203

Crochemore, M., M. Le Rest and **P. Wender,** An optimal test on finite unavoidable sets of words **16** (4) (1983) 179–180

Crochemore, M., F. Mignosi and **A. Restivo,** Automata and forbidden words **67** (3) (1998) 111–117

Crochemore, M. and **W. Rytter,** Parallel construction of minimal suffix and factor automata **35** (3) (1990) 121–128

Crochemore, M. and **W. Rytter,** Efficient parallel algorithms to test square-freeness and factorize strings **38** (2) (1991) 57–60

Croitoru, C. and **E. Suditu,** Perfect stables in graphs **17** (1) (1983) 53–56
Cross, D., R. Drefenstedt and **J. Keller,** Reduction of network cost and wiring in Ranade's butterfly routing **45** (2) (1993) 63–67
Crubille, P., *see* **Arnold, A.** **29** (2) (1988) 57–66
Crvenković, S., I. Dolinka and **Z. Ésik,** A note on equations for commutative regular languages **70** (6) (1999) 265–267
Csirik, J. and **G.J. Woeginger,** Shelf algorithms for on-line strip packing **63** (4) (1997) 171–175
Csirik, J., *see* **Bunke, H.** **54** (2) (1995) 93–96
Cucker, F., P. Koiran and **M. Matamala,** Complexity and dimension **62** (4) (1997) 209–212
Culberson, J.C. and **P. Rudnicki,** A fast algorithm for constructing trees from distance matrices **30** (4) (1989) 215–220
Culik II, K., The decidability of v-local catenativity and of other properties of DOL systems **7** (1) (1978) 33–35
Culik II, K., Some decidability results about regular and pushdown translations **8** (1) (1979) 5–8
Culik II, K., Variations of the firing squad problem and applications **30** (3) (1989) 153–157
Culik II, K. and **J. Karhumäki,** A note on the equivalence problem of rational formal power series **23** (1) (1986) 29–31
Culik II, K. and **J. Karhumäki,** On totalistic systolic networks **26** (5) (1988) 231–236
Culik II, K. and **J. Kari,** Parametrized recurrent systems for image generation **48** (6) (1993) 267–274
Culik II, K. and **H.A. Maurer,** Secure information storage and retrieval using new results in cryptography **8** (4) (1979) 181–186
Culik II, K. and **D. Wood,** A note on some tree similarity measures **15** (1) (1982) 39–42
Culik II, K., *see* **Choffrut, C.** **17** (3) (1983) 149–153
Cull, P. and **J.L. Holloway,** Computing Fibonacci numbers quickly **32** (3) (1989) 143–149
Cull, P. and **S.M. Larson,** On generalized twisted cubes **55** (1) (1995) 53–55
Cunningham, R.J. and **M.E.J. Gilford,** A note on the semantic definition of side effects **4** (5) (1976) 118–120
Cunningham, W.H., *see* **Cheng, E.** **49** (4) (1994) 209–212
Cusick, T.W., Cryptanalysis of a public key system based on Diophantine equations **56** (2) (1995) 73–75
Cusick, T.W., Bounds on the number of functions satisfying the Strict Avalanche Criterion **57** (5) (1996) 261–263
Cusick, T.W. and **P. Stănică,** Bounds on the number of functions satisfying the Strict Avalanche Criterion **60** (4) (1996) 215–219
Cybenko, G., D.W. Krumme and **K.N. Venkataraman,** Fixed hypercube embedding **25** (1) (1987) 35–39
Czabarka, É., *see* **Viswanathan, S.** **57** (5) (1996) 265–271
Czaja, L., Implementation approach to parallel systems **7** (5) (1978) 244–249
Czaja, L., Parallel implementation of path expressions **7** (6) (1978) 291–295
Czaja, L., A specification of parallel problems **8** (4) (1979) 162–167
Czaja, L., Parallel system schemas and their relation to automata **10** (3) (1980) 153–158
Czaja, L., Deadlock and fairness in parallel schemas: A set-theoretic characterization and decision problems **10** (4–5) (1980) 234–239
Czaja, L., Cause-effect structures **26** (6) (1988) 313–319
Czaja, L., Finite processes in cause–effect structures and their composition **31** (6) (1989) 305–310
Czajka, A., *see* **Nawrocki, J.R.** **65** (4) (1998) 173–178
Czech, Z.J., G. Havas and **B.S. Majewski,** An optimal algorithm for generating minimal perfect hash functions **43** (5) (1992) 257–264
Czumaj, A., K. Diks and **T.M. Przytycka,** Parallel maximum independent set in convex bipartite graphs **59** (6) (1996) 289–294
Czumaj, A., *see* **Breslauer, D.** **62** (2) (1997) 103–110
Czumaj, A., *see* **Crochemore, M.** **71** (3–4) (1999) 107–113
Czyzowicz, J., E. Kranakis and **J. Urrutia,** A simple proof of the representation of bipartite planar graphs as the contact graphs of orthogonal straight line segments **66** (3) (1998) 125–126
Czyzowicz, J., K.B. Lakshmanan and **A. Pelc,** Searching with a forbidden lie pattern in responses **37** (3) (1991) 127–132

Daescu, O., *see* **Chen, D.Z.** **65** (5) (1998) 269–275
Dahlhaus, E., M. Karpinski and **P. Kelsen,** An efficient parallel algorithm for computing a maximal independent set in a hypergraph of dimension 3 **42** (6) (1992) 309–313
Dahlhaus, E., P.D. Manuel and **M. Miller,** Maximum h-colourable subgraph problem in balanced graphs **65** (6) (1998) 301–303
Dai, K.-C., EDISON-80, A language for modular programming of parallel processes **22** (2) (1986) 61–72
Dai, Y., K. Iwano and **N. Katoh,** A new probabilistic analysis of Karger's randomized algorithm for minimum cut problems **64** (5) (1997) 255–261
Dalal, M. and **D.W. Etherington,** A hierarchy of tractable satisfiability problems **44** (4) (1992) 173–180
Dal Bono, I., M. Diligenti, C. Mosca, A. Ricci and **A. Villani,** A simple FORTRAN support for computer-assisted instruction **3** (3) (1975) 88–90
Daley, R., *see* **Ramarao, K.V.S.** **27** (4) (1988) 169–174
Dam, M., R-generability, and definability in branching time logics **41** (5) (1992) 281–287
Damaschke, P., The Hamiltonian circuit problem for circle graphs is NP-complete **32** (1) (1989) 1–2
Damaschke, P., A parallel algorithm for nearly optimal edge search **56** (4) (1995) 233–236
Damaschke, P., Randomized group testing for mutually obscuring defectives **67** (3) (1998) 131–135
Damaschke, P., H. Müller and **D. Kratsch,** Domination in convex and chordal bipartite graphs **36** (5) (1990) 231–236
Damm, C., Problems complete for $\oplus$L **36** (5) (1990) 247–250
Damm, C., Depth-efficient simulation of Boolean semi-unbounded circuits by arithmetic ones **69** (4) (1999) 175–179
d'Amore, F. and **P.G. Franciosa,** On the optimal binary plane partition for sets of isothetic rectangles **44** (5) (1992) 255–259
Dančík, V., Complexity of Boolean functions over bases with unbounded fan-in gates **57** (1) (1996) 31–34
Danhof, K.J., *see* **Zargham, M.R.** **34** (6) (1990) 299–305
Danicic, S., M. Harman and **Y. Sivagurunathan,** A parallel algorithm for static program slicing **56** (6) (1995) 307–313
Dankelmann, P., Computing the average distance of an interval graph **48** (6) (1993) 311–314

Dannoura, E. and **K. Sakurai,** An improvement on El-Yaniv–Fiat–Karp–Turpin's money-making bi-directional trading strategy **66** (1) (1998) 27–33
Danvy, O., Semantics-directed compilation of nonlinear patterns **37** (6) (1991) 315–322
Danvy, O., *see* **Consel, C.** **30** (2) (1989) 79–86
Dányi, G. and **Z. Fülöp,** A note on the equivalence problem of E-patterns **57** (3) (1996) 125–128
Dányi, G. and **Z. Fülöp,** Letter to the Editor **58** (6) (1996) 327
Danzig, P.B., A cooperative game with applications to computer networks **38** (6) (1991) 283–289
Dar, E., *see* **Amir, A.** **62** (2) (1997) 95–101
Dare, V.R., *see* **Siromoney, R.** **50** (2) (1994) 101–104
Darondeau, Ph., Bisimulation and effectiveness **30** (1) (1989) 19–20
Darondeau, Ph. and **L. Kott,** Towards a formal proof system for ω-rational expressions **19** (4) (1984) 173–177
Das, A., *see* **Luo, G.** **44** (6) (1992) 333–343
Das, G. and **M. Smid,** A lower bound for approximating the geometric minimum weight matching **74** (5–6) (2000) 253–255
Das, P.K. and **D.Q.M. Fay,** Fault-tolerant and flexible interconnection of multiple processors **28** (5) (1988) 259–268
Das, P.K., *see* **Pramanik, P.** **38** (3) (1991) 157–161
Das, S.K., Modal logics in the theory of relational databases **57** (1) (1996) 1–7
Das, S.K., *see* **Chen, C.C.-Y.** **38** (1) (1991) 49–55
Das, S.K., *see* **Chen, C.C.-Y.** **41** (1) (1992) 39–49
Dasgupta, B. and **C.E. Veni Madhavan,** An approximate algorithm for the Minimal Vertex Nested Polygon Problem **33** (1) (1989) 35–44
Dasgupta, P., Agreement under faulty interfaces **65** (3) (1998) 125–129
Dasgupta, P., P.P. Chakrabarti and **S.C. DeSarkar,** Utility of *pathmax* in partial order heuristic search **55** (6) (1995) 317–322
Dasgupta, P., P.P. Chakrabarti and **S.C. DeSarkar,** Agent search in uniform *b*-ary trees: Multiple goals and unequal costs **58** (6) (1996) 311–318
Dasgupta, S. and **J. Tartar,** On the minimization of control memories **3** (3) (1975) 71–74
Dasgupta, S., *see* **Jackson, L.W.** **2** (6) (1974) 180–184
Dassow, J. and **G. Păun,** Min of Mat is not necessarily Mat **71** (5–6) (1999) 175–177
Dassow, J., G. Păun and **A. Salomaa,** On the union of 0L languages **47** (2) (1993) 59–63
Dastidar, D.G., *see* **Chakraborty, U.K.** **46** (4) (1993) 199–209
D'Atri, A. and **M. Moscarini,** On hypergraph acyclicity and graph chordality **29** (5) (1988) 271–274
Datta, A.K. and **R.K. Sen,** 1-Approximation algorithm for bottleneck disjoint path matching **55** (1) (1995) 41–44
Datta, A.K. and **R.K. Sen,** An efficient scheme to solve two problems for two-terminal series parallel graphs **71** (1) (1999) 9–15
Davis, J., *see* **Barden, B.** **70** (1) (1999) 13–16
Davis, R. and **A. Burns,** Optimal priority assignment for aperiodic tasks with firm deadlines in fixed priority pre-emptive systems **53** (5) (1995) 249–254
Davis, R. and **A. Prieditis,** The expected length of a shortest path **46** (3) (1993) 135–141
Davis, R., *see* **Burns, A.** **58** (5) (1996) 223–229
Davis, R., *see* **McKellar, S.** **73** (5–6) (2000) 169–173
Davis, R.H., C. Rinaldi and **C.J. Trebilcock,** Data compression in limited capacity microcomputer systems **13** (4–5) (1981) 138–141
Davis, R.H., *see* **Valentine, M.** **24** (5) (1987) 317–324
Dawes, R., *see* **Lamb, D.A.** **28** (1) (1988) 21–25
Dawes, R.W., Some pursuit–evasion problems on grids **43** (5) (1992) 241–247
Dawson, E., *see* **Golić, J.Dj.** **64** (1) (1997) 37–42
Dawson, E., *see* **Simpson, L.** **70** (2) (1999) 89–93
Day, J.D., On the internal S-stability of Rosenbrock methods **11** (1) (1980) 27–30
Day, J.D., Comments on: T.D. Bui, "On an L-stable method for stiff differential equations" **11** (1) (1980) 31–32
Day, K. and **A. Tripathi,** Arrangement graphs: A class of generalized star graphs **42** (5) (1992) 235–241
Day, K. and **A. Tripathi,** Unidirectional star graphs **45** (3) (1993) 123–129
De Agostino, S. and **J.A. Storer,** On-line versus off-line computation in dynamic text compression **59** (3) (1996) 169–174
De Agostino, S., *see* **Bovet, D.P.** **28** (2) (1988) 81–85
de Almeida Jr., N.F. and **V.C. Barbosa,** A string-matching algorithm for the CREW PRAM **47** (5) (1993) 257–259
Dearle, A., *see* **Morrison, R.** **34** (1) (1990) 51–55
de Azevedo, M.M., N. Bagherzadeh, M. Dowd and **S. Latifi,** Some topological properties of star connected cycles **58** (2) (1996) 81–85
Deb, A., Conflict-free access of arrays – A counter example **10** (1) (1980) 20
de Berg, M., O. Devillers, K. Dobrindt and **O. Schwarzkopf,** Computing a single cell in the overlay of two simple polygons **63** (4) (1997) 215–219
de Berg, M. and **M. van Kreveld,** Rectilinear decompositions with low stabbing number **52** (4) (1994) 215–221
De Bonis, A. and **U. Vaccaro,** Improved algorithms for group testing with inhibitors **67** (2) (1998) 57–64
De Bra, P. and **J. Paredaens,** An algorithm for horizontal decompositions **17** (2) (1983) 91–95
Decatur, S.E., *see* **Aslam, J.A.** **57** (4) (1996) 189–195
de Champeaux, D., SUBSTAD: For fast substitution in LISP, with an application on unification **7** (1) (1978) 58–62
Deco, G., *see* **Schittenkopf, C.** **63** (3) (1997) 137–141
De Col, A., *see* **Colussi, L.** **58** (5) (1996) 217–222
Dederichs, F. and **R. Weber,** Safety and liveness from a methodological point of view **36** (1) (1990) 25–30
Dederichs, F. and **R. Weber,** Reply to the comments by M. Abadi et al. **40** (3) (1991) 143
De Felice, C., On the triangle conjecture **14** (5) (1982) 197–200
de Figueiredo, C.M.H., J. Meidanis and **C.P. de Mello,** A linear-time algorithm for proper interval graph recognition **56** (3) (1995) 179–184
de Figueiredo, C.M.H., J. Meidanis and **C.P. de Mello,** Total-chromatic number and chromatic index of dually chordal graphs **70** (3) (1999) 147–152
de Figueiredo, C.M.H., *see* **Cerioli, M.R.** **67** (1) (1998) 31–35
De Francesco, N., *see* **Barbuti, R.** **70** (2) (1999) 69–78
de Fraysseix, H. and **H. Imai,** Notes on oriented depth-first search and longest paths **31** (1) (1989) 53–56

Degenhardt, W., *see* **Becker, M.** **15** (3) (1982) 135–136
de Groote, H.F., On the complexity of quaternion multiplication **3** (6) (1975) 177–179
Dehne, F., $O(n^{1/2})$ algorithms for the maximal elements and ECDF searching problem on a mesh-connected parallel computer **22** (6) (1986) 303–306
Dehne, F. and **K. Guimarães**, Exact and approximate computational geometry solutions of an unrestricted point set stereo matching problem **64** (3) (1997) 107–114
Dehne, F. and **I. Stojmenovic**, An $O(\sqrt{n})$ time algorithm for the ECDF searching problem for arbitrary dimensions on a mesh-of-processors **28** (2) (1988) 67–70
Dehornoy, P., Turing complexity on the ordinals **23** (4) (1986) 167–170
De Iaco, B. and **F. Luccio**, Finding all the palindromes in a binary tree in linear time and space **44** (2) (1992) 73–77
Deimel Jr., L.E., Remark on the computational power of a Turing machine variant **3** (2) (1974) 43–45
Deineko, V.G., R. van Dal and **G. Rote**, The convex-hull-and-line Traveling Salesman Problem: A solvable case **51** (3) (1994) 141–148
Deĭneko, V.G. and **G.J. Woeginger**, The Convex-hull-and-k-line Travelling Salesman Problem **59** (6) (1996) 295–301
Deĭneko, V.G., *see* **Burkard, R.E.** **67** (5) (1998) 231–237
Dekel, E., J. Hu and **W. Ouyang**, An optimal algorithm for finding compact sets **44** (5) (1992) 285–289
Delcour, K. and **A.J.W. Duijvestein**, Enclosures: An access control mechanism with applications in parallel programming and other areas of system programming **5** (5) (1976) 125–135
Deléage, J.L., An application of a transfer lemma **16** (4) (1983) 161–163
Delescaille, J.P., *see* **Branquart, P.** **1** (4) (1972) 141–148
Dell'Olmo, P., S. Giordani and **M.G. Speranza**, An approximation result for a duo-processor task scheduling problem **61** (4) (1997) 195–200
Dell'Olmo, P., H. Kellerer, M.G. Speranza and **Z. Tuza**, A 13/12 approximation algorithm for bin packing with extendable bins **65** (5) (1998) 229–233
Dell'Olmo, P., *see* **Bianco, L.** **46** (3) (1993) 109–113
Dell'Olmo, P., *see* **Błażewicz, J.** **41** (5) (1992) 275–280
Dell'Olmo, P., *see* **Błażewicz, J.** **49** (5) (1994) 269–270
Dell'Olmo, P., *see* **Dror, M.** **61** (6) (1997) 297–301
Del Lungo, A., M. Nivat, R. Pinzani and **L. Sorri**, The medians of discrete sets **65** (6) (1998) 293–299
Delorme, C., *see* **Bermond, J.-C.** **15** (1) (1982) 10–13
De Luca, A., A combinatorial property of the Fibonacci words **12** (4) (1981) 193–195
De Luca, A., A division property of the Fibonacci word **54** (6) (1995) 307–312
De Luca, A. and **L. Mione**, On bispecial factors of the Thue–Morse word **49** (4) (1994) 179–183
De Luca, A., M. Pelagalli and **S. Varricchio**, Test sets for languages of infinite words **29** (2) (1988) 91–95
De Luca, A. and **S. Varricchio**, On the factors of the Thue–Morse word on three symbols **27** (6) (1988) 281–285
De Luca, A. and **S. Varricchio**, Factorial languages whose growth function is quadratically upper bounded **30** (6) (1989) 283–288
De Luca, A., *see* **Carpi, A.** **22** (3) (1986) 125–131
Demange, M., P. Grisoni and **V.Th. Paschos**, Approximation results for the minimum graph coloring problem **50** (1) (1994) 19–23
De Marco, G. and **U. Vaccaro**, Broadcasting in hypercubes and star graphs with dynamic faults **66** (6) (1998) 321–326
de Mello, C.P., *see* **de Figueiredo, C.M.H.** **56** (3) (1995) 179–184
de Mello, C.P., *see* **de Figueiredo, C.M.H.** **70** (3) (1999) 147–152
Demers, A., *see* **Liu, L.** **11** (2) (1980) 73–76
Demers, A.J., *see* **Alpern, B.** **23** (4) (1986) 177–180
Demetrovics, J., On the number of candidate keys **7** (6) (1978) 266–269
Demetrovics, J. and **V.D. Thi**, Some problems concerning keys for relation schemes and relations in the relational datamodel **46** (4) (1993) 179–184
De Mey, G., *see* **De Wolf, S.** **3** (4) (1975) 121–124
De Mey, G., *see* **De Wolf, S.** **4** (5) (1976) 136–139
Demillo, R.A. and **R.J. Lipton**, A probabilistic remark on algebraic program testing **7** (4) (1978) 193–195
De Millo, R.A. and **R.E. Miller**, Implicit computation of synchronization primitives **9** (1) (1979) 35–38
Demner, J., *see* **Král, J.** **2** (1) (1973) 22–23
Demolombe, R., Generalized division for relational algebraic language **14** (4) (1982) 174–178
Demolombe, R. and **A. Illarramendi**, Heuristics for syntactical optimization of relational queries **32** (6) (1989) 313–316
de Moor, O., Inductive data types for predicate transformers **43** (3) (1992) 113–117
Demri, S., 3-SAT = SAT for a class of normal modal logics **54** (5) (1995) 281–287
Deng, H., *see* **Sen, A.** **43** (2) (1992) 87–94
Deng, X., An optimal parallel algorithm for linear programming in the plane **35** (4) (1990) 213–217
Deng, X., A lower bound for communication on the crossbar **57** (2) (1996) 103–108
Deng, X. and **S. Mahajan**, Server problems and resistive spaces **37** (4) (1991) 193–196
Denis, F., Finding a minimal 1-DNF consistent with a positive sample is LOGSNP-complete **69** (1) (1999) 1–5
Denning, D.E., H. Meijer and **F.B. Schneider**, More on master keys for group sharing **13** (3) (1981) 125–126
Denning, D.E. and **F.B. Schneider**, Master keys for group sharing **12** (1) (1981) 23–25
Deo, N., A. Jain and **M. Medidi**, An optimal parallel algorithm for merging using multiselection **50** (2) (1994) 81–87
Deo, N., M.S. Krishnamoorthy and **A.B. Pai**, Generalizations of line graphs and applications **6** (1) (1977) 14–17
Deo, N., *see* **Nievergelt, J.** **55** (6) (1995) 309–315
Deo, N., *see* **Nievergelt, J.** **72** (1–2) (1999) 47–53
Deogun, J.S. and **K. Gopalakrishnan**, Consecutive retrieval property — revisited **69** (1) (1999) 15–20
Deogun, J.S., D. Kratsch and **G. Steiner**, An approximation algorithm for clustering graphs with dominating diametral path **61** (3) (1997) 121–127
De Prisco, R. and **A. De Santis**, On binary search trees **45** (5) (1993) 249–253

De Prisco, R., G. Parlati and **G. Persiano,** A note on the expected path length of trees with known fringe **59** (6) (1996) 309–315
De Prisco, R. and **G. Persiano,** Characteristic inequalities for binary trees **53** (4) (1995) 201–207
Derigs, U., An efficient Dijkstra-like labeling method for computing shortest odd/even paths **21** (5) (1985) 253–258
Dermouche, A., A fast algorithm for string matching with mismatches **55** (2) (1995) 105–110
de Roever, W.P., *see* **Huizing, C. 37** (4) (1991) 205–213
De Roure, D., *see* **Salhi, A. 66** (6) (1998) 299–307
Dershowitz, N., A note on simplification orderings **9** (5) (1979) 212–215
Dershowitz, N., The Schorr–Waite marking algorithm revisited **11** (3) (1980) 141–143
Dervos, D., Y. Manolopoulos and **P. Linardis,** Comparison of signature file models with superimposed coding **65** (2) (1998) 101–106
De Santis, A., G. Di Crescenzo, O. Goldreich and **G. Persiano,** The graph clustering problem has a perfect zero-knowledge interactive proof **69** (4) (1999) 201–206
De Santis, A. and **B. Masucci,** On secret set schemes **74** (5–6) (2000) 243–251
De Santis, A., *see* **Blundo, C. 63** (6) (1997) 317–321
De Santis, A., *see* **Blundo, C. 65** (1) (1998) 25–32
De Santis, A., *see* **Blundo, C. 72** (5–6) (1999) 169–175
De Santis, A., *see* **Blundo, C. 75** (6) (2000) 255–259
De Santis, A., *see* **De Prisco, R. 45** (5) (1993) 249–253
De Sarkar, S.C., *see* **Chakrabarti, P.P. 30** (1) (1989) 33–36
De Sarkar, S.C., *see* **Chakrabarti, P.P. 32** (5) (1989) 275
DeSarkar, S.C., *see* **Dasgupta, P. 55** (6) (1995) 317–322
DeSarkar, S.C., *see* **Dasgupta, P. 58** (6) (1996) 311–318
De Sarkar, S.C., *see* **Sarkar, U.K. 37** (1) (1991) 43–48
De Sarkar, S.C., *see* **Sarkar, U.K. 42** (1) (1992) 47–52
De Sarkar, S.C., *see* **Sarkar, U.K. 42** (3) (1992) 173–177
Desel, J., E. Kindler, T. Vesper and **R. Walter,** A simplified proof for a self-stabilizing protocol: A Game of Cards **54** (6) (1995) 327–328
Dessmark, A., O. Garrido and **A. Lingas,** A note on parallel complexity of maximum f-matching **65** (2) (1998) 107–109
Dévai, F. and **T. Szendrényi,** Comments on "Convex hull of a finite set of points in two dimensions" **9** (3) (1979) 141–142
De Vel, O.Y. and **E.V. Krishnamurthy,** An iterative pipelined array architecture for the generalized matrix inversion **26** (5) (1988) 263–267
Devillers, O. and **M.J. Golin,** Incremental algorithms for finding the convex hulls of circles and the lower envelopes of parabolas **56** (3) (1995) 157–164
Devillers, O., *see* **de Berg, M. 63** (4) (1997) 215–219
Devillers, R. and **J. Goossens,** Liu and Layland's schedulability test revisited **73** (5–6) (2000) 157–161
Devillers, R. and **G. Louchard,** Realization of Petri nets without conditional statements **2** (4) (1973) 105–107
Devillers, R.E. and **P.E. Lauer,** A general mechanism for avoiding starvation with distributed control **7** (3) (1978) 156–158
de Vrijer, R., *see* **Klop, J.W. 49** (2) (1994) 101–109
Devroye, L., A note on finding convex hulls via maximal vectors **11** (1) (1980) 53–56
Devroye, L., A note on the expected time required to construct the outer layer **20** (5) (1985) 255–257
Devroye, L., On the richness of the collection of subtrees in random binary search trees **65** (4) (1998) 195–199
Devroye, L. and **P. Kruszewski,** A note on the Horton–Strahler number for random trees **52** (3) (1994) 155–159
Devroye, L. and **P. Kruszewski,** A note on the Horton–Strahler number for random trees **56** (2) (1995) 95–99
Devroye, L., *see* **Avis, D. 73** (3–4) (2000) 137–143
Dewar, R.B.K., A stable minimum storage sorting algorithm **2** (6) (1974) 162–164
DeWitt, D.J., *see* **Agrawal, R. 16** (3) (1983) 145–146
de Wolf, R., *see* **Buhrman, H. 70** (5) (1999) 205–209
De Wolf, S. and **G. De Mey,** Numerical methods for solving integral equations of potential problems **3** (4) (1975) 121–124
De Wolf, S. and **G. De Mey,** Numerical solution of integral equations for potential problems by a variational principle **4** (5) (1976) 136–139
Dey, P., B.R. Bryant and **T. Takaoka,** Lexical ambiguity in tree adjoining grammars **34** (2) (1990) 65–69
Dey, T., *see* **Bajaj, C.L. 35** (1) (1990) 23–32
Dey, T.K. and **N.R. Shah,** Many-face complexity in incremental convex arrangements **51** (5) (1994) 227–231
Dhall, S.K., *see* **Liang, Y. 37** (4) (1991) 219–224
Dhall, S.K., *see* **Rhee, C. 49** (1) (1994) 45–50
Dhall, S.K., *see* **Yang, S.B. 49** (3) (1994) 157–163
Dhamdhere, D.M. and **S.S. Kulkarni,** A token based k-resilient mutual exclusion algorithm for distributed systems **50** (3) (1994) 151–157
Díaz, J., *see* **Balcazar, J.L. 15** (2) (1982) 84–86
Díaz, J., *see* **Casas, R. 31** (5) (1989) 227–232
Di Battista, G., W.-P. Liu and **I. Rival,** Bipartite graphs, upward drawings, and planarity **36** (6) (1990) 317–322
Di Battista, G., R. Tamassia and **I.G. Tollis,** Constrained visibility representations of graphs **41** (1) (1992) 1–7
Dickerson, M.T. and **R.L. Drysdale,** Fixed-radius near neighbors search algorithms for points and segments **35** (5) (1990) 269–273
Dickerson, M.T. and **J. Shugart,** A simple algorithm for enumerating longest distances in the plane **45** (5) (1993) 269–274
Di Crescenzo, G. and **G. Persiano,** Round-optimal perfect zero-knowledge proofs **50** (2) (1994) 93–99
Di Crescenzo, G., *see* **De Santis, A. 69** (4) (1999) 201–206
Diekert, V. and **R.V. Book,** On "inherently context-sensitive" languages – An application of complexity cores **40** (1) (1991) 21–23
Dielissen, V.J. and **A. Kaldewaij,** Rectangular partition is polynomial in two dimensions but NP-complete in three **38** (1) (1991) 1–6
Dietz, P.F., I.I. Macarie and **J.I. Seiferas,** Bits and relative order from residues, space efficiently **50** (3) (1994) 123–127
Dietz, P.F. and **R. Raman,** A constant update time finger search tree **52** (3) (1994) 147–154
Dietzfelbinger, M., The speed of copying on one-tape off-line Turing machines **33** (2) (1989) 83–89
Dijkstra, E.J., *see* **Bron, C. 15** (1) (1982) 20–22
Dijkstra, E.W., Information streams sharing a finite buffer **1** (5) (1972) 179–180

Dijkstra, E.W., Making a fair roulette from a possibly biased coin **36** (4) (1990) 193
Dijkstra, E.W., Heuristics for a calculational proof **53** (3) (1995) 141–143
Dijkstra, E.W., W.H.J. Feijen and **A.J.M. van Gasteren,** Derivation of a termination detection algorithm for distributed computations **16** (5) (1983) 217–219
Dijkstra, E.W. and **C.S. Scholten,** Termination detection for diffusing computations **11** (1) (1980) 1–4
Dijkstra, E.W. and **A.J.M. van Gasteren,** An introduction to three algorithms for sorting in situ **15** (3) (1982) 129–134
Dijkstra, R.M., An experiment with the use of predicate transformers in UNITY **53** (6) (1995) 329–332
Dijkstra, R.M., "Everywhere" in predicate algebra and modal logic **58** (5) (1996) 237–243
Diks, K., S. Dobrev, E. Kranakis, A. Pelc and **P. Ružička,** Broadcasting in unlabeled hypercubes with a linear number of messages **66** (4) (1998) 181–186
Diks, K., E. Kranakis, D. Krizanc, B. Mans and **A. Pelc,** Optimal coteries and voting schemes **51** (1) (1994) 1–6
Diks, K., *see* **Czumaj, A. 59** (6) (1996) 289–294
Diligenti, M., *see* **Dal Bono, I. 3** (3) (1975) 88–90
Dillenburg, J.F. and **P.C. Nelson,** Improving the efficiency of depth-first search by cycle elimination **45** (1) (1993) 5–10
Dillencourt, M.B., Traveling salesman cycles are not always subgraphs of Delaunay triangulations or of minimum weight triangulations **24** (5) (1987) 339–342
Dillencourt, M.B., A non-Hamiltonian, nondegenerate Delaunay triangulation **25** (3) (1987) 149–151
Dillencourt, M.B., Realizability of Delaunay triangulations **33** (6) (1990) 283–287
Dimauro, G., S. Impedovo, G. Pirlo and **A. Salzo,** RNS architectures for the implementation of the 'diagonal function' **73** (5–6) (2000) 189–198
Dimitrakos, T. and **T. Maibaum,** On a generalized modularization theorem **74** (1–2) (2000) 65–71
Dimitrov, V.S., T.V. Cooklev and **B.D. Donevsky,** On the multiplication of reduced biquaternions and applications **43** (3) (1992) 161–164
Dimitrov, V.S., G.A. Jullien and **W.C. Miller,** An algorithm for modular exponentiation **66** (3) (1998) 155–159
Ding, C. and **T. Helleseth,** On cyclotomic generator of order r **66** (1) (1998) 21–25
Ding, Q., *see* **Cheng, T.C.E. 65** (2) (1998) 75–79
Ding, Y. and **M.A. Weiss,** On the complexity of building an interval heap **50** (3) (1994) 143–144
Dinic, E.A., A.K. Kelmans and **M.A. Zaitsev,** Nonisomorphic trees with the same T-polynomial **6** (3) (1977) 73–76
Dinitz, Y., A. Itai and **M. Rodeh,** On an algorithm of Zemlyachenko for subtree isomorphism **70** (3) (1999) 141–146
Dinneen, M.J., *see* **Cattell, K. 57** (4) (1996) 197–203
Diwan, A.A., *see* **Subramaniyam, R.V. 40** (2) (1991) 97–99
Dix, T.I., *see* **Allison, L. 23** (6) (1986) 305–310
Dix, T.I., *see* **Allison, L. 40** (6) (1991) 317–322
Dix, T.I., *see* **Powell, D.R. 70** (3) (1999) 127–139
Di Zenzo, S., P. Bottoni and **P. Mussio,** A notion of information related to computation **64** (4) (1997) 207–215
Doberkat, E.E., Asymptotic estimates for the higher moments of the expected behavior of straight insertion sort **14** (4) (1982) 179–182
Dobkin, D., R.J. Lipton and **S. Reiss,** Linear programming is log-space hard for P **8** (2) (1979) 96–97
Dobkin, D. and **J. van Leeuwen,** The complexity of vector-products **4** (6) (1976) 149–154
Dobosiewicz, W., Sorting by distributive partitioning **7** (1) (1978) 1–6
Dobosiewicz, W., Author's reply to Warren Burton's comments on distributive partitioning sorting **7** (4) (1978) 206
Dobosiewicz, W., The practical significance of D.P. Sort revisited **8** (4) (1979) 170–172
Dobosiewicz, W., An efficient variation of bubble sort **11** (1) (1980) 5–6
Dobosiewicz, W., A note on natural selection **21** (5) (1985) 239–243
Dobrev, S. and **I. Vrťo,** Optimal broadcasting in hypercubes with dynamic faults **71** (2) (1999) 81–85
Dobrev, S., *see* **Diks, K. 66** (4) (1998) 181–186
Dobrindt, K., *see* **de Berg, M. 63** (4) (1997) 215–219
Doenhardt, J., *see* **Becker, M. 15** (3) (1982) 135–136
Dolev, D. and **E. Shamir,** Commutation relations of slices characterize some synchronization primitives **7** (1) (1978) 7–9
Dolev, S., *see* **Collin, Z. 49** (6) (1994) 297–301
Dolinka, I., *see* **Crvenković, S. 70** (6) (1999) 265–267
Dolmatov, S.L., *see* **Pankov, P.S. 8** (4) (1979) 202–203
Domingo, C., T. Tsukiji and **O. Watanabe,** Partial Occam's Razor and its applications **64** (4) (1997) 179–185
Domingo-Ferrer, J., Distributed user identification by zero-knowledge access rights proving **40** (5) (1991) 235–239
Domingo i Ferrer, J., A new privacy homomorphism and applications **60** (5) (1996) 277–282
Donevsky, B.D., *see* **Dimitrov, V.S. 43** (3) (1992) 161–164
Dong, G., On the index of positive programmed formal languages **54** (2) (1995) 105–110
Dong, G. and **C. Pang,** Maintaining transitive closure in first order after node-set and edge-set deletions **62** (4) (1997) 193–199
Dong, G. and **J. Su,** Conjunctive query containment with respect to views and constraints **57** (2) (1996) 95–102
Doran, R.W. and **L.K. Thomas,** Variants of the software solution to mutual exclusion **10** (4–5) (1980) 206–208
Döring, A. and **W.J. Paul,** Decimal adjustment of long numbers in constant time **62** (3) (1997) 161–163
Doshita, S., *see* **Yamasaki, S. 18** (4) (1984) 209–213
Doshita, S., *see* **Yamasaki, S. 23** (4) (1986) 201–207
Dovier, A., E. Pontelli and **G. Rossi,** A necessary condition for Constructive Negation in Constraint Logic Programming **74** (3–4) (2000) 147–156
Dowd, M., *see* **de Azevedo, M.M. 58** (2) (1996) 81–85
Dowdy, L.W., D.L. Eager, K.D. Gordon and **L.V. Saxton,** Throughput concavity and response time convexity **19** (4) (1984) 209–212
Doyle, J. and **R.L. Rivest,** Linear expected time of a simple Union-Find algorithm **5** (5) (1976) 146–148
Drabowski, M., *see* **Błażewicz, J. 18** (5) (1984) 267–273
Dragan, F., *see* **Chepoi, V. 49** (6) (1994) 281–285
Draghicescu, I.A., *see* **Clarke, E.M. 46** (6) (1993) 301–308
Drechsler, R., *see* **Günther, W. 75** (3) (2000) 119–125

Drefenstedt, R., *see* **Cross, D.** **45** (2) (1993) 63–67
Drewes, F., NP-completeness of k-connected hyperedge-replacement languages of order k **45** (2) (1993) 89–94
Driscoll, J.R., S.-D. Lang and **L.A. Franklin,** Modeling B-tree insertion activity **26** (1) (1987) 5–18
Dromey, R.G., *see* **Bailey, T.A.** **11** (3) (1980) 130–133
Dror, M., W. Kubiak and **P. Dell'Olmo,** Scheduling chains to minimize mean flow time **61** (6) (1997) 297–301
Dror, M., W. Kubiak and **J.Y.-T. Leung,** Tree precedence in scheduling: The strong–weak distinction **71** (3–4) (1999) 127–134
Droubay, X., Palindromes in the Fibonacci word **55** (4) (1995) 217–221
Drozdowski, M., Real-time scheduling of linear speedup parallel tasks **57** (1) (1996) 35–40
Drozdowski, M., *see* **Bianco, L.** **46** (3) (1993) 109–113
Drozdowski, M., *see* **Błażewicz, J.** **41** (5) (1992) 275–280
Drozdowski, M., *see* **Błażewicz, J.** **49** (5) (1994) 269–270
Drysdale, R.L., *see* **Dickerson, M.T.** **35** (5) (1990) 269–273
Drysdale III, R.L. and **J.W. Jaromczyk,** A note on lower bounds for the maximum area and maximum perimeter k-gon problems **32** (6) (1989) 301–303
Du, D.-z., *see* **Jiang, T.** **44** (4) (1992) 195–199
Du, J. and **J.Y.-T. Leung,** Scheduling tree-structured tasks with restricted execution times **28** (4) (1988) 183–188
Du, M.W., *see* **Chang, S.C.** **46** (5) (1993) 231–237
Du, W., *see* **Elmagarmid, A.K.** **38** (1) (1991) 23–28
Duarte, C.H.C. and **T. Maibaum,** A rely–guarantee discipline for open distributed systems design **74** (1–2) (2000) 55–63
Dubhashi, D., *see* **Bilardi, G.** **51** (2) (1994) 101–105
Dubhashi, D.P., *see* **Breslauer, D.** **62** (2) (1997) 103–110
Dublish, P., An $O(n^3)$ algorithm for finding the minimal opaque forest of a convex polygon **29** (5) (1988) 275–276
Dublish, P., Some comments on the subtree isomorphism problem for ordered trees (*Comment*) **36** (5) (1990) 273–275
Duboc, C., Some properties of commutation in free partially commutative monoids **20** (1) (1985) 1–4
Duda, A., The effects of checkpointing on program execution time **16** (5) (1983) 221–229
Dudziński, K. and **A. Dydek,** On a stable minimum storage merging algorithm **12** (1) (1981) 5–8
Dufour, P., *see* **Roussille, M.** **24** (3) (1987) 159–164
Dufourd, C., *see* **Bérard, B.** **75** (1–2) (2000) 1–7
Duh, D.-R., G.-H. Chen and **D.F. Hsu,** Combinatorial properties of generalized hypercube graphs **57** (1) (1996) 41–45
Duijvestein, A.J.W., *see* **Delcour, K.** **5** (5) (1976) 125–135
Duncan, A.G. and **L. Yelowitz,** Loop unravelling: A practical tool in proving program correctness **4** (3) (1975) 70–72
Duncan, F.G. and **D. Zissos,** Programmed simulation of sequential circuits **1** (1) (1971) 4–6
Duncan, F.G., *see* **Zissos, D.** **1** (1) (1971) 11–13
Dunne, P.E., Comment on Kochol's paper "Efficient monotone circuits for threshold functions" **34** (5) (1990) 221–222
Dunne, P.E., C.J. Gittings and **P.H. Leng,** Multiprocessor simulation strategies with optimal speed-up **54** (1) (1995) 23–33
Dunne, P.E. and **M. Zito,** An improved upper bound on the non-3-colourability threshold **65** (1) (1998) 17–23
Dunten, B., J. Jones and **J. Sorenson,** A space-efficient fast prime number sieve **59** (2) (1996) 79–84
Duprat, J., *see* **Cosnard, M.** **34** (2) (1990) 103–109
Durand, I. and **B. Salinier,** Constructor equivalent term rewriting systems **47** (3) (1993) 131–137
Durand, I. and **B. Salinier,** Constructor equivalent term rewriting systems are strongly sequential: A direct proof **52** (3) (1994) 137–145
Durand, M.-H., *see* **Castan, M.** **24** (3) (1987) 183–188
Durand-Lose, J., Randomized uniform self-stabilizing mutual exclusion **74** (5–6) (2000) 203–207
Ďuriš, P., O. Sýkora, I. Vrťo and **C.D. Thompson,** Tight chip area lower bounds for discrete Fourier and Walsh–Hadamard transformations **21** (5) (1985) 245–247
Ďuriš, P. and **I. Vrťo,** Semelectivity is not sufficient **37** (3) (1991) 137–141
Dürr, C., *see* **Chrobak, M.** **69** (6) (1999) 283–289
Duske, J., R. Parchmann and **H. Schumacher,** A pattern representation of indexed languages **5** (5) (1976) 152–154
Duszak, Z. and **W.W. Koczkodaj,** Generalization of a new definition of consistency for pairwise comparisons **52** (5) (1994) 273–276
Dwelly, A., Synchronizing the I/O behavior of functional programs with feedback **28** (1) (1988) 45–51
Dwyer, B., Simple algorithms for traversing a tree without an auxiliary stack **2** (5) (1973) 143–145
Dydek, A., *see* **Dudziński, K.** **12** (1) (1981) 5–8
Dyer, C.R., A fast parallel algorithm for the closest pair problem **11** (1) (1980) 49–52
Dyer, M.E. and **A.M. Frieze,** A partitioning algorithm for minimum weighted Euclidean matching **18** (2) (1984) 59–62
Dyer, M.E., *see* **Broder, A.Z.** **56** (2) (1995) 79–81
Dymond, P.W., Input-driven languages are in $\log n$ depth **26** (5) (1988) 247–250

Eades, P., X. Lin and **W.F. Smyth,** A fast and effective heuristic for the feedback arc set problem **47** (6) (1993) 319–323
Eades, P. and **B. McKay,** An algorithm for generating subsets of fixed size with a strong minimal change property **19** (3) (1984) 131–133
Eades, P., C. Stirk and **S. Whitesides,** The techniques of Komolgorov and Bardzin for three-dimensional orthogonal graph drawings **60** (2) (1996) 97–103
Eager, D.L., *see* **Dowdy, L.W.** **19** (4) (1984) 209–212
Eastman, C.M., Optimal bucket size for nearest neighbor searching in k-d trees **12** (4) (1981) 165–167
Eastman, C.M. and **M. Zemankova,** Partially specified nearest neighbor searches using k-d trees **15** (2) (1982) 53–56
Easwarakumar, K.S., C. Pandu Rangan and **G.A. Cheston,** A linear algorithm for centering a spanning tree of a biconnected graph **51** (3) (1994) 121–124
Eberlein, P.J., A note on median selection and spider production **9** (1) (1979) 19–22
Ebert, J., A note on odd and even factors of undirected graphs **11** (2) (1980) 70–72
Ebert, J., A sensitive transitive closure algorithm **12** (5) (1981) 255–258
Ebert, J., Computing Eulerian trails **28** (2) (1988) 93–97

Ebert, J. and **G. Vossen,** I-serializability: Generalized correctness for transaction-based environments **63** (4) (1997) 221–227
Edalat, A., D. Sharp and **L. While,** Bounding the attractor of an IFS **64** (4) (1997) 197–202
Edelsbrunner, H. and **H.A. Maurer,** On the intersection of orthogonal objects **13** (4–5) (1981) 177–181
Edelsbrunner, H. and **H.A. Maurer,** Finding extreme points in three dimensions and solving the post-office problem in the plane **21** (1) (1985) 39–47
Edelsbrunner, H., H.A. Maurer and **D.G. Kirkpatrick,** Polygonal intersection searching **14** (2) (1982) 74–79
Edelsbrunner, H. and **M.H. Overmars,** On the equivalence of some rectangle problems **14** (3) (1982) 124–127
Edelsbrunner, H. and **M.H. Overmars,** Zooming by repeated range detection **24** (6) (1987) 413–417
Edelsbrunner, H. and **E. Welzl,** Halfplanar range search in linear space and $O(n^{0.695})$ query time **23** (6) (1986) 289–293
Edelsbrunner, H., *see* **Aggarwal, A.** **42** (1) (1992) 55–60
Edelsbrunner, H., *see* **Shen, X.** **26** (2) (1987) 61–64
Edenbrandt, A., Chordal graph recognition is in NC **24** (4) (1987) 239–241
Efrat, A. and **M.J. Katz,** Computing Euclidean bottleneck matchings in higher dimensions **75** (4) (2000) 169–174
Efrat, A. and **O. Schwarzkopf,** Separating and shattering long line segments **64** (6) (1997) 309–314
Eğecioğlu, Ö. and **B. Kalantari,** Approximating the diameter of a set of points in the Euclidean space **32** (4) (1989) 205–211
Eğecioğlu, Ö., *see* **Agrawal, D.** **64** (1) (1997) 9–16
Ehlers, E.M. and **S.H. von Solms,** Using random context structure grammars to represent chemical structures **30** (3) (1989) 159–166
Ehrenfeucht, A., J. Hage, T. Harju and **G. Rozenberg,** Pancyclicity in switching classes **73** (5–6) (2000) 153–156
Ehrenfeucht, A. and **G. Rozenberg,** A limit theorem for sets of subwords in deterministic T0L languages **2** (3) (1973) 70–73
Ehrenfeucht, A. and **G. Rozenberg,** An observation on scattered grammars **9** (2) (1979) 84–85
Ehrenfeucht, A. and **G. Rozenberg,** On the emptiness of the intersection of two D0S languages problem **10** (4–5) (1980) 223–225
Ehrenfeucht, A. and **G. Rozenberg,** On the subword complexity of D0L languages with a constant distribution **13** (3) (1981) 108–113
Ehrenfeucht, A. and **G. Rozenberg,** On the subword complexity of locally catenative DOL languages **16** (1) (1983) 7–9
Ehrenfeucht, A. and **G. Rozenberg,** On the subword complexity of m-free D0L languages **17** (3) (1983) 121–124
Ehrenfeucht, A., *see* **Blumer, A.** **24** (6) (1987) 377–380
Ehrenfreucht, A. and **G. Rozenberg,** Finding a homomorphism between two words is NP-complete **9** (2) (1979) 86–88
Ehrich, H.-D. and **W. Lipski Jr.,** On the storage space requirement of consecutive retrieval with redundancy **4** (4) (1976) 101–104
Eichholz, S., Optimal networks for distributing nonsequential programs **16** (2) (1983) 71–74
Eindhoven Tuesday Afternoon Club, Constructing the Galois adjoint **53** (3) (1995) 137–139
Eiselt, H.A., M. Gendreau and **G. Laporte,** Optimal location of facilities on a network with an unreliable node or link **58** (2) (1996) 71–74
Eisinger, N., A note on the completeness of resolution without self-resolution **31** (6) (1989) 323–326
El-Yaniv, R. and **J. Kleinberg,** Geometric two-server algorithms **53** (6) (1995) 355–358
El Abbadi, A., *see* **Agrawal, D.** **33** (5) (1990) 255–260
El Abbadi, A., *see* **Agrawal, D.** **64** (1) (1997) 9–16
El Abbadi, A., *see* **Resende, R.F.** **50** (4) (1994) 177–183
Elgot, C.C., A.J. Perlis and **L. Snyder,** A syntax-free semantics for the APL operators **14** (3) (1982) 128–131
Ellis, J., T. Krahn and **H. Fan,** Computing the cycles in the perfect shuffle permutation **75** (5) (2000) 217–224
Ellis, J.A., M. Mata and **G. MacGillivray,** A linear time algorithm for longest (s,t)-paths in weighted outerplanar graphs **32** (4) (1989) 199–204
Elmagarmid, A.K. and **W. Du,** Integrity aspects of quasi serializability **38** (1) (1991) 23–28
Embley, D.W., *see* **Mok, W.Y.** **64** (3) (1997) 135–141
Emerald, J.D., K.G. Subramanian and **D.G. Thomas,** A note on inferring uniquely terminating code languages **70** (5) (1999) 217–222
Emerson, E.A., Uniform inevitability is tree automation ineffable **24** (2) (1987) 77–79
Encarnación, M.J., Black-box polynomial resultants **61** (4) (1997) 201–204
Endres, A. and **H.-G. Stork,** FIFO-optimal placement on pages of independently referenced sectors **6** (2) (1977) 46–49
Engebretsen, L., *see* **Andersson, G.** **65** (6) (1998) 305–311
Engelfriet, J., A note on infinite trees **1** (6) (1972) 229–232
Engelfriet, J., On tree transducers for partial functions **7** (4) (1978) 170–172
Engelfriet, J., An elementary proof of Double Greibach Normal Form **44** (6) (1992) 291–293
Engelfriet, J. and **H.J. Hoogeboom,** Prefix and equality languages of rational functions are co-context-free **28** (2) (1988) 77–79
Engelfriet, J. and **S. Skyum,** Copying theorems **4** (6) (1976) 157–161
Eppstein, D., Arboricity and bipartite subgraph listing algorithms **51** (4) (1994) 207–211
Eppstein, D., Dynamic connectivity in digital images **62** (3) (1997) 121–126
Epstein, H.I., *see* **Caviness, B.F.** **7** (2) (1978) 122–124
Er, M.C., Computing sums of order-k Fibonacci numbers in log time **17** (1) (1983) 1–5
Erbas, C., M.M. Tanik and **Z. Aliyazicioglu,** Linear congruence equations for the solutions of the N-Queens problem **41** (6) (1992) 301–306
Erçal, F., Distributed evaluation of an iterative function for all object pairs on an SIMD hypercube **40** (6) (1991) 341–345
Erkiö, H., Internal merge sorting with delayed selection **11** (3) (1980) 137–140
Erkiö, H., *see* **Peltola, E.** **7** (2) (1978) 92–99
Erlingsson, Ú., M. Krishnamoorthy and **T.V. Raman,** Efficient multiway radix search trees **60** (3) (1996) 115–120
Erman, L., *see* **Reddy, R.** **1** (6) (1972) 246–251
Erni, W. and **R. Lapsien,** On the time and tape complexity of weak unification **12** (3) (1981) 146–150

Ershov, A.P., On the partial computation principle **6** (2) (1977) 38–41
Esfahanian, A.-H. and **S.L. Hakimi,** On computing a conditional edge-connectivity of a graph **27** (4) (1988) 195–199
Ésik, Z., *see* **Crvenković, S.** **70** (6) (1999) 265–267
Esparza, J., A solution to the covering problem for 1-bounded conflict-free Petri nets using Linear Programming **41** (6) (1992) 313–319
Esparza, J., *see* **Bouajjani, A.** **74** (5–6) (2000) 221–227
Esselink, K., The order of Appel's algorithm **41** (3) (1992) 141–147
Estivill-Castro, V., J. O'Rourke, J. Urrutia and **D. Xu,** Illumination of polygons with vertex lights **56** (1) (1995) 9–13
Etessami, K., A note on a question of Peled and Wilke regarding stutter-invariant LTL **75** (6) (2000) 261–263
Etherington, D.W., *see* **Dalal, M.** **44** (4) (1992) 173–180
Evans, D.J. and **N.Y. Yousif,** Merging by the parallel jump searching algorithm **23** (5) (1986) 239–246
Evans, D.J. and **W.S. Yousif,** Explicit solution of block tridiagonal systems of linear equations **24** (3) (1987) 207–209
Evans, D.J., *see* **Barlow, R.H.** **13** (3) (1981) 103–106
Evans, D.J., *see* **Barlow, R.H.** **14** (3) (1982) 117–118
Evans, D.J., *see* **Rick, C.C.** **8** (2) (1979) 112–113
Evans, J.B., Experiments with trees for the storage and retrieval of future events **22** (5) (1986) 237–242
Even, G., *see* **Canetti, R.** **53** (1) (1995) 17–25
Everett, H. and **A. Gupta,** Acyclic directed hypercubes may have exponential diameter **32** (5) (1989) 243–245
Everett, H., *see* **Cerioli, M.R.** **67** (1) (1998) 31–35

Fagerberg, R., A generalization of binomial queues **57** (2) (1996) 109–114
Fagin, R. and **M.Y. Vardi,** Armstrong databases for functional and inclusion dependencies **16** (1) (1983) 13–19
Fagin, R., *see* **Hanatani, Y.** **22** (6) (1986) 281–283
Faigle, U. and **R. Schrader,** Minimizing completion time for a class of scheduling problems **19** (1) (1984) 27–29
Faigle, U. and **R. Schrader,** On the convergence of stationary distributions in simulated annealing algorithms **27** (4) (1988) 189–194
Falkowski, B.-J., A self-optimizing Prolog program and the underlying statistical model **31** (5) (1989) 273–276
Falkowski, B.-J., Perceptrons revisited **36** (4) (1990) 207–213
Falkowski, B.-J. and **L. Schmitz,** A note on the queens' problem **23** (1) (1986) 39–46
Fan, H., *see* **Ellis, J.** **75** (5) (2000) 217–224
Fang, M., *see* **Ho-Stuart, C.** **46** (2) (1993) 55–61
Fang, M.-Y., *see* **Horng, S.-J.** **38** (1) (1991) 29–37
Fang, S.-C., *see* **Natu, M.** **53** (6) (1995) 333–336
Fantechi, A., S. Gnesi and **G. Ristori,** Compositionality and bisimulation: A negative result **39** (2) (1991) 109–114
Farach, M. and **S. Muthukrishnan,** Optimal parallel randomized renaming **61** (1) (1997) 7–10
Farach, M., T.M. Przytycka and **M. Thorup,** On the agreement of many trees **55** (6) (1995) 297–301
Farach, M., *see* **Amir, A.** **44** (5) (1992) 233–239
Farach, M., *see* **Amir, A.** **49** (3) (1994) 111–115
Farach, M., *see* **Apostolico, A.** **39** (1) (1991) 17–20
Fariñas, L., Space as time **17** (3) (1983) 113–115
Fariñas del Cerro, L., A simple deduction method for modal logic **14** (2) (1982) 49–51
Farley, A., *see* **Cheston, G.A.** **32** (5) (1989) 247–250
Farley, A.M., Levelling terrain trees: A transshipment problem **10** (4–5) (1980) 189–192
Farley, A.M. and **A. Proskurowski,** Directed maximal-cut problems **15** (5) (1982) 238–241
Fassino, C., *see* **Ancona, M.** **41** (1) (1992) 13–20
Fay, D.Q.M., *see* **Das, P.K.** **28** (5) (1988) 259–268
Fay, D.Q.M., *see* **Pramanik, P.** **38** (3) (1991) 157–161
Feder, T. and **S.M. Shende,** Online channel allocation in FDMA networks with reuse constraints **67** (6) (1998) 295–302
Feige, U., On the complexity of finite random functions **44** (6) (1992) 295–296
Feige, U. and **J. Kilian,** Finding OR in a noisy broadcast network **73** (1–2) (2000) 69–75
Feijen, W.H.J., A.J.M. van Gasteren and **D. Gries,** In-situ inversion of a cyclic permutation **24** (1) (1987) 11–14
Feijen, W.H.J., *see* **Buhăceanu, D.S.** **60** (4) (1996) 207–213
Feijen, W.H.J., *see* **Dijkstra, E.W.** **16** (5) (1983) 217–219
Feijs, L.M.G. and **R.C. van Ommering,** Abstract derivation of transitive closure algorithms **63** (3) (1997) 159–164
Feinberg, E.B., Characterizing the shortest path of an object among obstacles **31** (5) (1989) 257–264
Feitelson, D.G. and **L. Rudolph,** Implementation of a wait-free synchronization primitive that solves n-process consensus **32** (2) (1989) 81–83
Fekete, S.P. and **W.R. Pulleyblank,** Traveling the boundary of Minkowski sums **66** (4) (1998) 171–174
Fellows, M.R. and **M.A. Langston,** Nonconstructive advances in polynomial-time complexity **26** (3) (1987) 157–162
Fellows, M.R., *see* **Balasubramanian, R.** **65** (3) (1998) 163–168
Fellows, M.R., *see* **Cattell, K.** **57** (4) (1996) 197–203
Fernández, E.B., *see* **Lang, T.** **4** (4) (1976) 95–98
Fernandez, E.B., *see* **Wood, C.** **16** (2) (1983) 99–104
Fernández, M.O., *see* **Alvarez, G.A.** **54** (3) (1995) 139–145
Fernández-Baca, D., Nonserial dynamic programming formulations of satisfiability **27** (6) (1988) 323–326
Fernández-Baca, D. and **M.A. Williams,** On matroids and hierarchical graphs **38** (3) (1991) 117–121
Fernández-Baca, D., *see* **Agarwala, R.** **54** (2) (1995) 97–100
Fernandez de la Vega, W. and **M. Karpinski,** On the approximation hardness of dense TSP and other path problems **70** (2) (1999) 53–55
Fernau, H., A note on uniformly limited ET0L systems with unique interpretation **54** (4) (1995) 199–204
Ferragina, P., Static and dynamic parallel computation of connected components **50** (2) (1994) 63–68
Ferrari, M. and **G. Guida,** DB: A LISP-type data base system **9** (3) (1979) 126–134
Ferreira, A.G., *see* **Cosnard, M.** **34** (2) (1990) 103–109
Ferro, E., *see* **Orozco, J.** **62** (1) (1997) 47–55
Fertin, G., Hierarchical broadcast and gossip networks **73** (3–4) (2000) 131–136

Feuerstein, E., S. Leonardi, A. Marchetti-Spaccamela and **N. Santoro,** Efficient token-based control in rings **66** (4) (1998) 175–180
Feyock, S., Noiselike transforms of ω-events **4** (4) (1976) 105–108
Fiadeiro, J.L., *see* **Reichwein, G.** **48** (4) (1993) 171–176
Fidge, C.J., A limitation of vector timestamps for reconstructing distributed computations **68** (2) (1998) 87–91
Field, D., A note on a new data structure for in-the-past queries **24** (2) (1987) 95–96
Fields, M.C. and **G.N. Frederickson,** A faster algorithm for the maximum weighted tardiness problem **36** (1) (1990) 39–44
Finance, J.P., *see* **Broy, M.** **8** (5) (1979) 224–229
Findler, N.V., Short note on a heuristic search strategy in long-term memory networks **1** (5) (1972) 191–196
Finke, G., *see* **Błażewicz, J.** **24** (4) (1987) 259–263
Finkel, A., *see* **Bouajjani, A.** **74** (5–6) (2000) 221–227
Finkel, R. and **H.H. Madduri,** An efficient deadlock avoidance algorithm **24** (1) (1987) 25–30
Finkel, R., *see* **Leland, W.** **12** (3) (1981) 117–120
Finkel, R., *see* **Madduri, H.** **19** (1) (1984) 1–8
Fiorini, C., *see* **Crescenzi, P.** **40** (1) (1991) 1–5
Fiorino, G., *see* **Bertoni, A.** **56** (1) (1995) 15–17
Fischer, C.N., K.C. Tai and **D.R. Milton,** Immediate error detection in strong LL(1) parsers **8** (5) (1979) 261–266
Fischer, C.N., *see* **Mauney, J.** **12** (5) (1981) 211–212
Fischer, M.J. and **N. Immerman,** Interpreting logics of knowledge in propositional dynamic logic with converse **25** (3) (1987) 175–181
Fischer, M.J. and **N.A. Lynch,** A lower bound for the time to assure interactive consistency **14** (4) (1982) 183–186
Fischer, M.J., S. Moran and **G. Taubenfeld,** Space-efficient asynchronous consensus without shared memory initialization **45** (2) (1993) 101–105
Fischer, M.J. and **M.S. Paterson,** Storage requirements for fair scheduling **17** (5) (1983) 249–250
Fischer, P. and **K.-U. Höffgen,** Computing a maximum axis-aligned rectangle in a convex polygon **51** (4) (1994) 189–193
Fischer, P.C., *see* **Jou, J.H.** **14** (4) (1982) 187–190
Fischer, S.T., A note on the complexity of local search problems **53** (2) (1995) 69–75
Fischer, T., A.V. Goldberg, D.J. Haglin and **S. Plotkin,** Approximating matchings in parallel **46** (3) (1993) 115–118
Fischetti, V.A., G.M. Landau, J.P. Schmidt and **P.H. Sellers,** Identifying periodic occurrences of a template with applications to protein structure (*Corrigendum*) **46** (3) (1993) 157
Fischetti, V.A., G.M. Landau, P.H. Sellers and **J.P. Schmidt,** Identifying periodic occurrences of a template with applications to protein structure **45** (1) (1993) 11–18
Fisher, D.A., Bounded workspace garbage collection in an address-order preserving list processing environment **3** (1) (1974) 29–32
Flajolet, P., *see* **Autebert, J.-M.** **25** (4) (1987) 211–216
Flammini, M., On the learnability of monotone $k\mu$-DNF formulae under product distributions **52** (3) (1994) 167–173
Flatto, L., *see* **Coffman Jr., E.G.** **64** (2) (1997) 61–67
Fle, M.P. and **G. Roucairol,** Multiserialization of iterated transactions **18** (5) (1984) 243–247
Fleischer, R., Communication complexity of multi-processor systems **30** (2) (1989) 57–65
Fleischer, R., *see* **Alon, N.** **59** (3) (1996) 123–127
Fleischner, H. and **G.J. Woeginger,** Detecting cycles through three fixed vertices in a graph **42** (1) (1992) 29–33
Flocchini, P., Minimal sense of direction in regular networks **61** (6) (1997) 331–338
Flocchini, P., B. Mans and **N. Santoro,** On the impact of sense of direction on message complexity **63** (1) (1997) 23–31
Floren, R., A note on "A faster approximation algorithm for the Steiner problem in graphs" **38** (4) (1991) 177–178
Flouret, M. and **E. Laugerotte,** Noncommutative minimization algorithms **64** (3) (1997) 123–126
Floyd, R.W. and **A.J. Smith,** A linear time two tape merge **2** (5) (1973) 123–125
Floyd, R.W., *see* **Knuth, D.E.** **1** (1) (1971) 23–31
Floyd, R.W., *see* **Knuth, D.E.** **1** (4) (1972) 177
Fokkink, W., A complete equational axiomatization for prefix iteration **52** (6) (1994) 333–337
Fokkink, W., Unification for infinite sets of equations between finite terms **62** (4) (1997) 183–188
Formica, A. and **M. Missikoff,** A verification algorithm for inheritance hierarchies in object-oriented databases **62** (5) (1997) 269–279
Fortes Gálvez, J., A note on a proposed LALR parser for extended context-free grammars **50** (6) (1994) 303–305
Fortnow, L., Relativized worlds with an infinite hierarchy **69** (6) (1999) 309–313
Fortnow, L. and **M. Sipser,** Are there interactive protocols for co-NP languages? **28** (5) (1988) 249–251
Fortnow, L. and **M. Szegedy,** On the power of two-local random reductions **44** (6) (1992) 303–306
Fortune, S. and **J. Hopcroft,** A note on Rabin's nearest-neighbor algorithm **8** (1) (1979) 20–23
Foster, D.P. and **R.V. Vohra,** Probabilistic analysis of a heuristics for the dual bin packing problem **31** (6) (1989) 287–290
Foster, J.A., The generic oracle hypothesis is false **45** (2) (1993) 59–62
Foster, M.J. and **R.I. Greenberg,** Lower bounds on the area of finite-state machines **30** (1) (1989) 1–7
Fotouhi, F. and **S. Pramanik,** Problem of optimizing the number of block accesses in performing relational join is NP-hard **38** (5) (1991) 271–275
Fouquet, J.L., I. Parfenoff and **H. Thuillier,** An $O(n)$ time algorithm for maximum matching in P_4-tidy graphs **62** (6) (1997) 281–287
Fourneau, J.M., *see* **Bermond, J.C.** **26** (1) (1987) 45–50
Fournier, A., Comments on "Convex hull of a finite set of points in two dimensions" **8** (4) (1979) 173
Fournier, A. and **Z. Kedem,** Comments on the all nearest-neighbor problem for convex polygons **9** (3) (1979) 105–107
Fowler, R.J., M.S. Paterson and **S.L. Tanimoto,** Optimal packing and covering in the plane are NP-complete **12** (3) (1981) 133–137
Fox, A.S., *see* **Warren Jr., H.S.** **13** (4–5) (1981) 215–217
Fraczak, W. and **M.B. Zaremba,** A non-SOS operational semantics for a process algebra **68** (1) (1998) 47–54

Fraenkel, A.S., Paired sequential lists in a memory interval **8** (1) (1979) 9–10
Fraenkel, A.S., E.M. Reingold and **P. Saxena,** Efficient management of dynamic tables **50** (1) (1994) 25–30
Fraenkel, A.S. and **Y. Yesha,** Complexity of solving algebraic equations **10** (4–5) (1980) 178–179
Fraigniaud, P., Hierarchical broadcast networks **68** (6) (1998) 303–305
Fraigniaud, P., C. Kenyon and **A. Pelc,** Finding a target subnetwork in sparse networks with random faults **48** (6) (1993) 297–303
Fraigniaud, P. and **C. Peyrat,** Broadcasting in a hypercube when some calls fail **39** (3) (1991) 115–119
Francez, N., A case for a forward predicate transformer **6** (6) (1977) 196–198
Francez, N., Cooperating proofs for distributed programs with multiparty interactions **32** (5) (1989) 235–242
Francez, N., Cooperating proofs for distributed programs with multiparty interactions (*Corrigendum*) **34** (1) (1990) 57
Francez, N., Cooperating proofs for distributed programs with multiparty interactions (*Corrigendum*) **35** (5) (1990) 275
Francez, N. and **G. Slutzky,** On the non-compactness of the class of program schemas **2** (5) (1973) 141–142
Francez, N., *see* **Abadi, M.** **40** (3) (1991) 141–142
Franchi-Zannettacci, P., An extension to trees of the Sardinas and Patterson algorithm **14** (4) (1982) 168–173
Franciosa, P.G., G. Gambosi and **U. Nanni,** The incremental maintenance of a Depth-First-Search tree in directed acyclic graphs **61** (2) (1997) 113–120
Franciosa, P.G., *see* **d'Amore, F.** **44** (5) (1992) 255–259
Franco, J., On the probabilistic performance of algorithms for the satisfiability problem **23** (2) (1986) 103–106
Franco, J.V., *see* **Schlipf, J.S.** **54** (3) (1995) 133–137
Frandsen, G.S. and **S. Skyum,** Dynamic maintenance of majority information in constant time per update **63** (2) (1997) 75–78
Frank, J., I.P. Gent and **T. Walsh,** Asymptotic and finite size parameters for phase transitions: Hamiltonian circuit as a case study **65** (5) (1998) 241–245
Franklin, J., *see* **Bax, E.** **60** (4) (1996) 171–176
Franklin, J., *see* **Bax, E.** **63** (1) (1997) 33–39
Franklin, L.A., *see* **Driscoll, J.R.** **26** (1) (1987) 5–18
Franklin, W.R., Padded lists: Set operations in expected $\theta(\log\log N)$ time **9** (4) (1979) 161–166
Franklin, W.R., *see* **Narayanaswami, C.** **41** (5) (1992) 257–262
Franzblau, D.S., Ear decomposition with bounds on ear length **70** (5) (1999) 245–249
Fränzle, M., B. von Stengel and **A. Wittmüss,** A generalized notion of semantic independence **53** (1) (1995) 5–9
Fraser, C.W., A generalization of two code ordering optimizations **16** (2) (1983) 67–70
Fraser, C.W. and **D.R. Hanson,** Optimization of argument evaluation order **24** (6) (1987) 391–395
Fraser, W., *see* **Carroll, J.M.** **1** (4) (1972) 134–140
Frazier, M. and **C.D. Page Jr.,** Prefix grammars: An alternative characterization of the regular languages **51** (2) (1994) 67–71
Frederickson, G.N., Probabilistic analysis for simple one- and two-dimensional bin packing algorithms **11** (4–5) (1980) 156–161
Frederickson, G.N., Scheduling unit-time tasks with integer release times and deadlines **16** (4) (1983) 171–173
Frederickson, G.N., On linear-time algorithms for five-coloring planar graphs **19** (5) (1984) 219–224
Frederickson, G.N., S.E. Hambrusch and **H.-Y. Tu,** Shortest path computations in source-deplanarized graphs **47** (2) (1993) 71–75
Frederickson, G.N., *see* **Atallah, M.J.** **27** (1) (1988) 13–15
Frederickson, G.N., *see* **Fields, M.C.** **36** (1) (1990) 39–44
Freisleben, B., *see* **Keedy, J.L.** **21** (4) (1985) 199–205
Freivalds, R., Projections of languages recognizable by probabilistic and alternating finite multitape automata **13** (4–5) (1981) 195–198
Freund, A. and **H. Karloff,** A lower bound of $8/(7+\frac{1}{k-1})$ on the integrality ratio of the Călinescu–Karloff–Rabani relaxation for multiway cut **75** (1–2) (2000) 43–50
Freund, R., Init and Anf operating on ω-languages **16** (5) (1983) 265–269
Fridman, F.J., G.H. Holloway, N.H. Minsky and **J. Stein,** Abstract FOR-loops over several aggregates **8** (4) (1979) 204–206
Friedberg, S.A. and **G.L. Peterson,** An efficient solution to the mutual exclusion problem using weak semaphores **25** (5) (1987) 343–347
Friedman, D.P. and **D.S. Wise,** Output driven interpretation of recursive programs, or writing creates and destroys data structures **5** (6) (1976) 155–160
Friedman, D.P. and **D.S. Wise,** Garbage collecting a heap which includes a scatter table **5** (6) (1976) 161–164
Friedman, D.P. and **D.S. Wise,** Garbage collecting a heap which includes a scatter table (*Erratum*) **6** (2) (1977) 72
Friedman, D.P. and **D.S. Wise,** Reference counting can manage the circular environments of mutual recursion **8** (1) (1979) 41–45
Friedman, D.P. and **D.S. Wise,** Output driven interpretation of recursive programs, or writing creates and destroys data structures (*Erratum*) **9** (2) (1979) 101
Friedman, E.P. and **S.A. Greibach,** On equivalence and subclass containment problems for deterministic context-free languages **7** (6) (1978) 287–290
Friedman, R., *see* **Attiya, H.** **57** (5) (1996) 243–248
Fries, O., K. Mehlhorn, S. Näher and **A. Tsakalidis,** A $\log\log n$ data structure for three-sided range queries **25** (4) (1987) 269–273
Friesen, D.K. and **M.A. Langston,** A storage-size selection problem **18** (5) (1984) 295–296
Frieze, A., *see* **Broder, A.Z.** **55** (6) (1995) 329–332
Frieze, A.M., Parallel algorithms for finding hamilton cycles in random graphs **25** (2) (1987) 111–117
Frieze, A.M., On the random construction of heaps **27** (2) (1988) 103–109
Frieze, A.M., *see* **Azar, Y.** **50** (1) (1994) 9–11
Frieze, A.M., *see* **Broder, A.Z.** **56** (2) (1995) 79–81
Frieze, A.M., *see* **Dyer, M.E.** **18** (2) (1984) 59–62
Friš, I., I. Havel and **P. Liebl,** The diameter of the cube-connected cycles **61** (3) (1997) 157–160
Fromentin, E., C. Jard, G.-V. Jourdan and **M. Raynal,** On-the-fly analysis of distributed computations **54** (5) (1995) 267–274
Frougny, Ch., Simple deterministic NTS languages **12** (4) (1981) 174–178
Fu, Q., *see* **Wang, X.** **59** (1) (1996) 45–51

Fuchs, W.K., *see* **Wang, Y.-M.** **50** (4) (1994) 223–230
Fudos, I., E. Pitoura and **W. Szpankowski,** On pattern occurrences in a random text **57** (6) (1996) 307–312
Fuentes, L.O., *see* **Baeza-Yates, R.A.** **59** (5) (1996) 241–244
Fujita, S., A note on the size of a multicast tree in hypercubes **54** (4) (1995) 223–227
Fujita, S., A quorum based k-mutual exclusion by weighted k-quorum systems **67** (4) (1998) 191–197
Fujita, S. and **M. Yamashita,** Fast gossiping on square mesh computers **48** (3) (1993) 127–130
Fujita, S., *see* **Kakugawa, H.** **49** (4) (1994) 213–218
Fujito, T., A note on approximation of the vertex cover and feedback vertex set problems—Unified approach **59** (2) (1996) 59–63
Fujiwara, A., T. Masuzawa and **H. Fujiwara,** An optimal parallel algorithm for the Euclidean distance maps of 2-D binary images **54** (5) (1995) 295–300
Fujiwara, H., *see* **Fujiwara, A.** **54** (5) (1995) 295–300
Fujiwara, Y., *see* **Chen, H.** **43** (6) (1992) 327–333
Fülöp, Z. and **P. Gyenizse,** On injectivity of deterministic top-down tree transducers **48** (4) (1993) 183–188
Fülöp, Z. and **S. Maneth,** Domains of partial attributed tree transducers **73** (5–6) (2000) 175–180
Fülöp, Z. and **S. Vágvölgyi,** Top-down tree transducers with deterministic top-down look-ahead **33** (1) (1989) 3–5
Fülöp, Z. and **S. Vágvölgyi,** The emptiness problem is undecidable for domains of partial monadic 2-modular tree transformations **36** (6) (1990) 293–296
Fülöp, Z., *see* **Dányi, G.** **57** (3) (1996) 125–128
Fülöp, Z., *see* **Dányi, G.** **58** (6) (1996) 327
Fung, K.Y., T.M. Nicholl, R.E. Tarjan and **C.J. Van Wyk,** Simplified linear-time Jordan sorting and polygon clipping **35** (2) (1990) 85–92
Furtado, A.L., *see* **Roschke, S.I.** **2** (2) (1973) 34–38
Fushimi, M., Increasing the orders of equidistribution of the leading bits of the Tausworthe sequence **16** (4) (1983) 189–192
Fúster-Sabater, A., *see* **García-Villalba, L.J.** **69** (5) (1999) 227–232

Gabarró, J. and **X. Messeguer,** Parallel dictionaries with local rules on AVL and brother trees **68** (2) (1998) 79–85
Gabarró, J., *see* **Àlvarez, C.** **38** (2) (1991) 61–70
Gabarro, J., *see* **Autebert, J.-M.** **25** (4) (1987) 211–216
Gabow, H.N., Some improved bounds on the number of 1-factors of n-connected graphs **5** (4) (1976) 113–115
Gabow, H.N., A note on degree-constrained star subgraphs of bipartite graphs **5** (6) (1976) 165–167
Gabow, H.N., A linear-time recognition algorithm for interval dags **12** (1) (1981) 20–22
Gabow, H.N., Path-based depth-first search for strong and biconnected components **74** (3–4) (2000) 107–114
Gabow, H.N. and **R.E. Tarjan,** A linear-time algorithm for finding a minimum spanning pseudoforest **27** (5) (1988) 259–263
Gabrani, N. and **P. Shankar,** A note on the reconstruction of a binary tree from its traversals **42** (2) (1992) 117–119
Gadia, S.K., *see* **Miller, L.L.** **28** (5) (1988) 269–274
Gaines, J.G., Partitions with minimum entropy of regions in $\mathbb{R}^2$ **63** (2) (1997) 69–73
Gairola, B.K. and **V. Rajaraman,** A distributed index sequential access method **5** (1) (1976) 1–5
Gajewska, H. and **R.E. Tarjan,** Deques with heap order **22** (4) (1986) 197–200
Gál, A., A simple function that requires exponential size read-once branching programs **62** (1) (1997) 13–16
Galand, S. and **G. Loncour,** Structured implementation of symbolic execution: A first part in a program verifier **3** (4) (1975) 97–103
Galba, E.F., *see* **Molchanov, I.N.** **2** (4) (1973) 118–122
Galbiati, G., F. Maffioli and **A. Morzenti,** A short note on the approximability of the Maximum Leaves Spanning Tree Problem **52** (1) (1994) 45–49
Galiev, V.I., A.F. Polupanov and **I.E. Shparlinski,** Distances from differences of roots of polynomials to the nearest integers **43** (3) (1992) 143–146
Galil, Z., Two fast simulations which imply some fast string matching and palindrome-recognition algorithms **4** (4) (1976) 85–87
Galil, Z. and **G.F. Italiano,** A note on set union with arbitrary deunions **37** (6) (1991) 331–335
Galil, Z. and **V. Pan,** Parallel evaluation of the determinant and of the inverse of a matrix **30** (1) (1989) 41–45
Galil, Z. and **K. Park,** A linear-time algorithm for concave one-dimensional dynamic programming **33** (6) (1990) 309–311
Galil, Z. and **M. Yung,** Partitioned encryption and achieving simultaneity by partitioning **26** (2) (1987) 81–88
Galil, Z., *see* **Greenberg, A.C.** **15** (1) (1982) 31–35
Gallo, G. and **M.G. Scutellà,** Polynomially solvable satisfiability problems **29** (5) (1988) 221–227
Gambosi, G. and **G. Nicosia,** On-line scheduling with setup costs **73** (1–2) (2000) 61–68
Gambosi, G., *see* **Franciosa, P.G.** **61** (2) (1997) 113–120
Gamess, E., *plapackJava*: Towards an efficient Java interface for high performance parallel linear algebra **75** (5) (2000) 191–197
Ganagi, M.S., *see* **Sony Roy, T.** **50** (2) (1994) 75–79
Ganapathi, M., *see* **Richardson, S.** **32** (3) (1989) 137–142
Gangolli, A.R. and **S.L. Tanimoto,** Two pyramid machine algorithms for edge detection in noisy binary images **17** (4) (1983) 197–202
Gao, L., *see* **Vigneron, A.** **74** (1–2) (2000) 81–88
García, A., P. Jodrá and **J. Tejel,** An efficient algorithm for on-line searching of minima in Monge path-decomposable tridimensional arrays **68** (1) (1998) 3–9
García, A. and **J. Tejel,** Using total monotonicity for two optimization problems on the plane **60** (1) (1996) 13–17
García, J., *see* **Abellanas, M.** **57** (3) (1996) 165–173
García-Villalba, L.J. and **A. Fúster-Sabater,** On the general classification of nonlinear filters of m-sequences **69** (5) (1999) 227–232
Gardy, D., *see* **Gelenbe, E.** **14** (1) (1982) 18–21
Garey, M.R., D.S. Johnson, F.P. Preparata and **R.E. Tarjan,** Triangulating a simple polygon **7** (4) (1978) 175–179
Garey, M.R. and **R.E. Tarjan,** A linear-time algorithm for finding all feedback vertices **7** (6) (1978) 274–276
Garg, M.L., S.I. Ahson and **P.V. Gupta,** A Fuzzy Petri Net for knowledge representation and reasoning **39** (3) (1991) 165–171
Garg, N., *see* **Chaudhuri, S.** **65** (3) (1998) 131–134

Garg, V.K., Some optimal algorithms for decomposed partially ordered sets **44** (1) (1992) 39–43
Garg, V.K. and **J.R. Mitchell,** Detecting conjunctions of global predicates **63** (6) (1997) 295–302
Gargano, L., U. Vaccaro and **A. Vozella,** Fault tolerant routing in the star and pancake interconnection networks **45** (6) (1993) 315–320
Garrido, O., S. Jarominek, A. Lingas and **W. Rytter,** A simple randomized parallel algorithm for maximal f-matchings **57** (2) (1996) 83–87
Garrido, O., P. Kelsen and **A. Lingas,** A simple NC-algorithm for a maximal independent set in a hypergraph of poly-log arboricity **58** (2) (1996) 55–58
Garrido, O., *see* **Dessmark, A.** **65** (2) (1998) 107–109
Gärtner, B. and **S. Schönherr,** Exact primitives for smallest enclosing ellipses **68** (1) (1998) 33–38
Gärtner, S., A remark on the regulation of k1ET0L systems **48** (2) (1993) 83–85
Garzon, M., *see* **Zalcstein, Y.** **30** (5) (1989) 253–254
Gasarch, W.I., On selecting the k largest with restricted quadratic queries **38** (4) (1991) 193–195
Gąsieniec, L., *see* **Crochemore, M.** **46** (4) (1993) 159–162
Gąsieniec, L., *see* **Crochemore, M.** **71** (3–4) (1999) 107–113
Gastin, P., E. Ochmanski, A. Petit and **B. Rozoy,** Decidability of the Star Problem in $A^* \times \{b\}^*$ **44** (2) (1992) 65–71
Gaston, F.M.F., *see* **Megson, G.M.** **36** (2) (1990) 103–109
Gaur, D.R., *see* **Krishnamurti, R.** **72** (5–6) (1999) 183–188
Gavaldà, R., A positive relativization of polynomial time versus polylog space **46** (3) (1993) 119–123
Gavril, F., An algorithm for testing chordality of graphs **3** (4) (1975) 110–112
Gavril, F., Testing for equality between maximum matching and minimum node covering **6** (6) (1977) 199–202
Gavril, F., An efficiently solvable graph partition problem to which many problems are reducible **45** (6) (1993) 285–290
Gavril, F., Maximum weight independent sets and cliques in intersection graphs of filaments **73** (5–6) (2000) 181–188
Gavril, F. and **O. Shmueli,** Intersection graphs of k-acyclic families of subtrees and relational database query processing **66** (1) (1998) 1–6
Gavril, F., *see* **Urrutia, J.** **41** (5) (1992) 271–274
Gavril, F., *see* **Yannakakis, M.** **24** (2) (1987) 133–137
Gawiejnowicz, S., A note on scheduling on a single processor with speed dependent on a number of executed jobs **57** (6) (1996) 297–300
Gawiejnowicz, S. and **L. Pankowska,** Scheduling jobs with varying processing times **54** (3) (1995) 175–178
Gazit, H. and **G.L. Miller,** An improved parallel algorithm that computes the BFS numbering of a directed graph **28** (2) (1988) 61–65
Geffert, V., *see* **Alt, H.** **42** (1) (1992) 25–27
Gehrk, J.E., *see* **Baruah, S.K.** **64** (1) (1997) 43–51
Geiger, D., *see* **Chickering, D.M.** **54** (1) (1995) 55–58
Geist, R., Perception-based configuration design of computer systems **18** (1) (1984) 55–57
Geist, R., Performance bounds for modeling NUMA architectures **63** (2) (1997) 113–117
Gelenbe, E., The two-thirds rule for dynamic storage allocation under equilibrium **1** (2) (1971) 59–60
Gelenbe, E. and **D. Gardy,** On the size of projections: I **14** (1) (1982) 18–21
Gemignani, L., Fast inversion of Hankel and Toeplitz matrices **41** (3) (1992) 119–123
Gemmell, P. and **M. Harchol,** Tight bounds on expected time to add correctly and add mostly correctly **49** (2) (1994) 77–83
Gemmell, P. and **M. Sudan,** Highly resilient correctors for polynomials **43** (4) (1992) 169–174
Gendreau, M., *see* **Eiselt, H.A.** **58** (2) (1996) 71–74
Gens, G. and **E. Levner,** An approximate binary search algorithm for the multiple-choice knapsack problem **67** (5) (1998) 261–265
Gent, I.P., *see* **Frank, J.** **65** (5) (1998) 241–245
Geréb-Graus, M., R. Paturi and **E. Szemerédi,** There are no p-complete families of symmetric Boolean functions **30** (1) (1989) 47–49
Gergatsoulis, M., Unfold/fold transformations for disjunctive logic programs **62** (1) (1997) 23–29
Gergov, J., Time–space tradeoffs for integer multiplication on various types of input oblivious sequential machines **51** (5) (1994) 265–269
Gergov, J. and **C. Meinel,** On the complexity of analysis and manipulation of Boolean functions in terms of decision graphs **50** (6) (1994) 317–322
Germain, C. and **J. Pallo,** Two shortest path metrics on well-formed parentheses strings **60** (6) (1996) 283–287
Germano, G. and **A. Maggiolo-Schettini,** Sequence-to-sequence recursiveness **4** (1) (1975) 1–6
Gerstel, O., Y. Mansour and **S. Zaks,** Bit complexity of order statistics on a distributed star network **30** (3) (1989) 127–132
Ghandeharizadeh, S., D. Ierardi and **R. Zimmermann,** An online algorithm to optimize file layout in a dynamic environment **57** (2) (1996) 75–81
Ghezzi, C., LL(1) grammars supporting an efficient error handling **3** (6) (1975) 174–176
Ghose, S., *see* **Chakrabarti, P.P.** **30** (1) (1989) 33–36
Ghose, S., *see* **Chakrabarti, P.P.** **32** (5) (1989) 275
Ghose, S., *see* **Sarkar, U.K.** **37** (1) (1991) 43–48
Ghose, S., *see* **Sarkar, U.K.** **42** (1) (1992) 47–52
Ghose, S., *see* **Sarkar, U.K.** **42** (3) (1992) 173–177
Ghosh, R.K., *see* **Rajan, V.** **30** (5) (1989) 265–268
Ghosh, S., Binary self-stabilization in distributed systems **40** (3) (1991) 153–159
Ghosh, S. and **A. Gupta,** An exercise in fault-containment: Self-stabilizing leader election **59** (5) (1996) 281–288
Ghosh, S. and **X. He,** Fault-containing self-stabilization using priority scheduling **73** (3–4) (2000) 145–151
Ghosh, S. and **A. Mahanti,** Bidirectional heuristic search with limited resources **40** (6) (1991) 335–340
Ghosh, S., *see* **Herman, T.** **54** (5) (1995) 259–265
Ghosh, S.K. and **A. Maheshwari,** An optimal algorithm for computing a minimum nested nonconvex polygon **36** (6) (1990) 277–280
Ghosh, S.K. and **A. Maheshwari,** An optimal parallel algorithm for computing furthest neighbors in a tree **44** (3) (1992) 155–160
Giakoumakis, V., P_4-laden graphs: A new class of brittle graphs **60** (1) (1996) 29–36

Giancarlo, R., *see* **Apostolico, A.** **18** (3) (1984) 155–158
Gianuzzi, V., Distributed termination detection in reducible communication graphs **49** (1) (1994) 1–8
Gianuzzi, V., *see* **Ancona, M.** **13** (4–5) (1981) 171–176
Gianuzzi, V., *see* **Ancona, M.** **41** (1) (1992) 13–20
Giaro, K. and **M. Kubale,** Edge-chromatic sum of trees and bounded cyclicity graphs **75** (1–2) (2000) 65–69
Gibbons, A. and **R. Ziani,** The balanced binary tree technique on mesh-connected computers **37** (2) (1991) 101–109
Gibbons, A., *see* **Ravindran, S.** **45** (6) (1993) 321–325
Gibbons, A.M., A. Israeli and **W. Rytter,** Parallel $O(\log n)$ time edge-colouring of trees and Halin graphs **27** (1) (1988) 43–51
Gibbons, A.M. and **Y.N. Srikant,** A class of problems efficiently solvable on mesh-connected computers including dynamic expression evaluation **32** (6) (1989) 305–311
Giegerich, R. and **R. Wilhelm,** Counter-one-pass features in one-pass compilation: A formalization using attribute grammars **7** (6) (1978) 279–284
Gil, J. and **Y. Matias,** Designing algorithms by expectations **51** (1) (1994) 31–34
Gilbert, E.N., *see* **Coffman Jr., E.G.** **64** (2) (1997) 61–67
Gilbert, H., D. Gupta, A. Odlyzko and **J.-J. Quisquater,** Attacks on Shamir's 'RSA for paranoids' **68** (4) (1998) 197–199
Gilbert, J.R., Some nested dissection order is nearly optimal **26** (6) (1988) 325–328
Gilbert, J.R., *see* **Bern, M.** **43** (1) (1992) 7–13
Gilford, M.E.J., *see* **Cunningham, R.J.** **4** (5) (1976) 118–120
Gill, G., *see* **Carroll, J.M.** **1** (4) (1972) 134–140
Ginat, D., D.D. Sleator and **R.E. Tarjan,** A tight amortized bound for path reversal **31** (1) (1989) 3–5
Gini, G., The automatic synthesis of iterative programs **14** (2) (1982) 67–73
Giordani, S., *see* **Dell'Olmo, P.** **61** (4) (1997) 195–200
Giorgio Gaggia, A., *see* **Blundo, C.** **72** (5–6) (1999) 169–175
Gire, F., Two decidability problems for infinite words **22** (3) (1986) 135–140
Giriraj, D., *see* **Swaminathan, R.P.** **55** (2) (1995) 71–74
Girou, M., *see* **Shen, X.** **45** (4) (1993) 199–203
Gissi, P., *see* **Nayak, A.** **55** (6) (1995) 339–341
Gissi, P., *see* **Nayak, A.** **57** (2) (1996) 115
Gittings, C.J., *see* **Dunne, P.E.** **54** (1) (1995) 23–33
Glaister, I. and **J. Shallit,** A lower bound technique for the size of nondeterministic finite automata **59** (2) (1996) 75–77
Glaser, H., *see* **Salhi, A.** **66** (6) (1998) 299–307
Glück, R. and **A. Klimov,** A regeneration scheme for generating extensions **62** (3) (1997) 127–134
Glushkov, V.M., G.E. Tseytlin and **E.L. Yushchenko,** Certain problems of the theory of structured programs schemes **7** (6) (1978) 256–260
Gnesi, S., *see* **Fantechi, A.** **39** (2) (1991) 109–114
Göbel, M., A rewriting technique for universal polynomial invariants **69** (6) (1999) 271–273
Göbel, M., Rings of polynomial invariants of the alternating group have no finite SAGBI bases with respect to any admissible order **74** (1–2) (2000) 15–18
Godfrey, P., *see* **Stotts, P.D.** **41** (1) (1992) 25–33
Goeman, H., Towards a theory of (self) applicative communicating processes: A short note **34** (3) (1990) 139–142
Goh, L. and **D. Rotem,** Recognition of perfect elimination bipartite graphs **15** (4) (1982) 179–182
Goldberg, A., P. Purdom and **C. Brown,** Average time analyses of simplified Davis–Putnam procedures **15** (2) (1982) 72–75
Goldberg, A., P. Purdom and **C. Brown,** Average time analyses of simplified Davis–Putnam procedures (*Corrigendum*) **16** (1983) 213
Goldberg, A.V., Processor-efficient implementation of a maximum flow algorithm **38** (4) (1991) 179–185
Goldberg, A.V., A natural randomization strategy for multicommodity flow and related algorithms **42** (5) (1992) 249–256
Goldberg, A.V. and **S.A. Plotkin,** Parallel $(\Delta + 1)$-coloring of constant-degree graphs **25** (4) (1987) 241–245
Goldberg, A.V. and **R.E. Tarjan,** A parallel algorithm for finding a blocking flow in an acyclic network **31** (5) (1989) 265–271
Goldberg, A.V., *see* **Fischer, T.** **46** (3) (1993) 115–118
Goldberg, B., *see* **Park, Y.** **55** (4) (1995) 229–234
Goldberg, B., *see* **Park, Y.G.** **55** (6) (1995) 343–348
Goldberg, M., Gödelization in the lambda calculus **75** (1–2) (2000) 13–16
Goldman, S.A., A space efficient greedy triangulation algorithm **31** (4) (1989) 191–196
Goldmann, M., A note on the power of majority gates and modular gates **53** (6) (1995) 321–327
Goldmann, M., On the power of a threshold gate at the top **63** (6) (1997) 287–293
Goldmann, M., P. Grape and **J. Håstad,** On average time hierarchies **49** (1) (1994) 15–20
Goldmann, M. and **J. Håstad,** A simple lower bound for monotone clique using a communication game **41** (4) (1992) 221–226
Goldmann, M., A. Russell and **D. Thérien,** An ergodic theorem for read-once non-uniform deterministic finite automata **73** (1–2) (2000) 23–28
Goldreich, O., A note on computational indistinguishability **34** (6) (1990) 277–281
Goldreich, O. and **J. Håstad,** On the complexity of interactive proofs with bounded communication **67** (4) (1998) 205–214
Goldreich, O., D. Micciancio, S. Safra and **J.-P. Seifert,** Approximating shortest lattice vectors is not harder than approximating closest lattice vectors **71** (2) (1999) 55–61
Goldreich, O. and **E. Petrank,** The best of both worlds: Guaranteeing termination in fast randomized Byzantine Agreement protocols **36** (1) (1990) 45–49
Goldreich, O. and **D. Ron,** On universal learning algorithms **63** (3) (1997) 131–136
Goldreich, O., *see* **Canetti, R.** **53** (1) (1995) 17–25
Goldreich, O., *see* **De Santis, A.** **69** (4) (1999) 201–206
Goldschlager, L.M., A space efficient algorithm for the monotone planar circuit value problem **10** (1) (1980) 25–27
Goldschmidt, O., D.S. Hochbaum and **G. Yu,** A modified greedy heuristic for the Set Covering problem with improved worst case bound **48** (6) (1993) 305–310
Goldsmith, J. and **S. Homer,** Scalability and the Isomorphism Problem **57** (3) (1996) 137–143
Goldwurm, M., Random generation of words in an algebraic language in linear binary space **54** (4) (1995) 229–233
Goldwurm, M. and **M. Santini,** Clique polynomials have a unique root of smallest modulus **75** (3) (2000) 127–132

Goldwurm, M., *see* **Bertoni, A.** **34** (3) (1990) 117–121
Goles, E. and **S. Martínez**, Automata networks and optimization **42** (6) (1992) 339–343
Golić, J., *see* **Simpson, L.** **70** (2) (1999) 89–93
Golić, J.Dj., Stream cipher encryption of random access files **69** (3) (1999) 145–148
Golić, J.Dj., **M. Salmasizadeh**, **L. Simpson** and **E. Dawson**, Fast correlation attacks on nonlinear filter generators **64** (1) (1997) 37–42
Golin, M.J. and **R. Sedgewick**, Queue-mergesort **48** (5) (1993) 253–259
Golin, M.J., *see* **Devillers, O.** **56** (3) (1995) 157–164
Golin, M.J., *see* **Vigneron, A.** **74** (1–2) (2000) 81–88
Goltz, U. and **H. Wehrheim**, Modelling causality via action dependencies in branching time semantics **59** (4) (1996) 179–184
Golumbic, M.C., A general method for avoiding cycling in a network **24** (4) (1987) 251–253
Gombás, É., *see* **Bartha, M.** **40** (6) (1991) 289–294
Gong, L., Collisionful keyed hash functions with selectable collisions **55** (3) (1995) 167–170
Gonnet, G.H., Notes on the derivation of asymptotic expressions from summations **7** (4) (1978) 165–169
Gonnet, G.H., Notes on the derivation of asymptotic expressions from summations (*Erratum*) **8** (1) (1979) 54
Gonnet, G.H. and **R.A. Baeza-Yates**, An analysis of the Karp–Rabin string matching algorithm **34** (5) (1990) 271–274
Gonnet, G.H. and **L.D. Rogers**, The interpolation-sequential search algorithm **6** (4) (1977) 136–139
Gonnet, G.H., *see* **Chang, E.J.H.** **24** (5) (1987) 311–316
González, A., *see* **Leung, H.** **55** (5) (1995) 279–282
Gonzalez, T.F., Covering a set of points in multidimensional space **40** (4) (1991) 181–188
Gonzalez, T.F., A simple LP-free approximation algorithm for the minimum weight vertex cover problem **54** (3) (1995) 129–131
Gonzalez, T.F., Improved approximation algorithms for embedding hyperedges in a cycle **67** (5) (1998) 267–271
Gonzalez, T.F. and **D.B. Johnson**, Sorting numbers in linear expected time and optimal extra space **15** (3) (1982) 119–124
Goodman, N. and **O. Shmueli**, Limitations of the chase **13** (4–5) (1981) 154–156
Goodman, N. and **Y.C. Tay**, A characterization of multivalued dependencies equivalent to a join dependency **18** (5) (1984) 261–266
Goodman, S., *see* **Cockayne, E.** **4** (2) (1975) 41–44
Goodrich, M.T., Finding the convex hull of a sorted point set in parallel **26** (4) (1987) 173–179
Goossens, J., *see* **Devillers, R.** **73** (5–6) (2000) 157–161
Gopalakrishnan, G.C. and **M.K. Srivas**, Implementing functional programs using mutable abstract data types **26** (6) (1988) 277–286
Gopalakrishnan, K., **D.G. Hoffman** and **D.R. Stinson**, A note on a conjecture concerning symmetric resilient functions **47** (3) (1993) 139–143
Gopalakrishnan, K. and **D.R. Stinson**, A simple analysis of the error probability of two-point based sampling **60** (2) (1996) 91–96
Gopalakrishnan, K., *see* **Deogun, J.S.** **69** (1) (1999) 15–20
Gopalakrishnan, P.S., *see* **Pawagi, S.R.** **24** (4) (1987) 217–221
Gopalakrishnan, P.S., *see* **Pawagi, S.R.** **25** (6) (1987) 417
Goralčík, P., **A. Goralčíková** and **V. Koubek**, Alternation with a pebble **38** (1) (1991) 7–13
Goralčík, P. and **V. Koubek**, Verifying nonrigidity **22** (2) (1986) 91–95
Goralčíková, A., *see* **Goralčík, P.** **38** (1) (1991) 7–13
Gordon, D., Eliminating the flag in threaded binary search trees **23** (4) (1986) 209–214
Gordon, K.D., *see* **Dowdy, L.W.** **19** (4) (1984) 209–212
Gordon, M.J.C., The denotational semantics of sequential machines **10** (1) (1980) 1–3
Gordon, V. and **W. Kubiak**, Single machine scheduling with release and due date assignment to minimize the weighted number of late jobs **68** (3) (1998) 153–159
Gore, V., *see* **Allender, E.** **40** (2) (1991) 89–95
Goscinski, A., A synchronization algorithm for processes with dynamic priorities in computer networks with node failures **32** (3) (1989) 129–136
Goto, E., **T. Ida** and **T. Gunji**, Parallel hashing algorithms **6** (1) (1977) 8–13
Goto, E., *see* **Hikita, T.** **6** (2) (1977) 69–71
Goto, E., *see* **Sassa, M.** **5** (2) (1976) 31–34
Goto, E., *see* **Sassa, M.** **6** (2) (1977) 50–55
Goto, E., *see* **Terashima, M.** **7** (1) (1978) 27–32
Gottlob, G., Subsumption and implication **24** (2) (1987) 109–111
Gottlob, G., On the size of nonredundant FD-covers **24** (6) (1987) 355–360
Gottlob, G., *see* **Ceri, S.** **33** (2) (1989) 97–107
Gouda, M.G., Stabilizing observers **52** (2) (1994) 99–103
Gouda, M.G. and **T. Herman**, Stabilizing unison **35** (4) (1990) 171–175
Gouda, M.G., *see* **Anderson, J.H.** **28** (2) (1988) 99–103
Gouda, M.G., *see* **Chang, C.-K.** **37** (1) (1991) 1–7
Gouda, M.G., *see* **Yu, Y.-T.** **17** (5) (1983) 235–240
Govindan, R., **M.A. Langston** and **X. Yan**, Approximating the pathwidth of outerplanar graphs **68** (1) (1998) 17–23
Grable, D.A., Nearly-perfect hypergraph packing is in NC **60** (6) (1996) 295–299
Grabner, P.J. and **H. Prodinger**, An asymptotic study of a recursion occurring in the analysis of an algorithm on broadcast communication **65** (2) (1998) 89–93
Grabowski, J., The unsolvability of some Petri net language problems **9** (2) (1979) 60–63
Grabowski, J., The decidability of persistence for vector addition systems **11** (1) (1980) 20–23
Grädel, E., Simple interpretations among complicated theories **35** (5) (1990) 235–238
Graf, T. and **V. Kamakoti**, Sparse dominance queries for many points in optimal time and space **64** (6) (1997) 287–291
Graham, M.H. and **A.O. Mendelzon**, Strong equivalence of relational expressions under dependencies **14** (2) (1982) 57–62
Graham, R.L., An efficient algorithm for determining the convex hull of a finite planar set **1** (4) (1972) 132–133
Grandi, P., Implementing (nondeterministic) parallel assignments **58** (4) (1996) 177–179
Grant, J., Null values in a relational data base **6** (5) (1977) 156–157

Grant, J., Partial values in a tabular database model **9** (2) (1979) 97–99
Grant, P.W., Recognition of EOL languages in less than quartic time **6** (5) (1977) 174–175
Grant, P.W., Recognition of EOL languages in less than quartic time (*Addendum*) **6** (6) (1977) 228
Granvilliers, L. and **G. Hains,** A conservative scheme for parallel interval narrowing **74** (3–4) (2000) 141–146
Grape, P., *see* **Goldmann, M.** **49** (1) (1994) 15–20
Gray III, J.W., On the Clark–Jacob version of SPLICE/AS **62** (5) (1997) 251–254
Grazon, A., An infinite word language which is not co-CFL **24** (2) (1987) 81–85
Greco, G., Embeddings and the trace of finite sets **67** (4) (1998) 199–203
Green, C.C., *see* **Clark, D.W.** **7** (6) (1978) 312–314
Green, F., An oracle separating $\oplus$P from $\mathrm{PP}^{\mathrm{PH}}$ **37** (3) (1991) 149–153
Greenberg, A.C., R.E. Ladner, M.S. Paterson and **Z. Galil,** Efficient parallel algorithms for linear recurrence computation **15** (1) (1982) 31–35
Greenberg, A.G., *see* **Coffman Jr., E.G.** **64** (2) (1997) 61–67
Greenberg, R., J. Jájá and **S. Krishnamurthy,** On the difficulty of Manhattan channel routing **44** (5) (1992) 281–284
Greenberg, R.I. and **F. Miller Maley,** Minimum separation for single-layer channel routing **43** (4) (1992) 201–205
Greenberg, R.I., *see* **Foster, M.J.** **30** (1) (1989) 1–7
Greenwood, G.W., On the equity of mutual exclusion algorithms in distributed systems **56** (1) (1995) 19–22
Gregori, A., Unit-length embedding of binary trees on a square grid **31** (4) (1989) 167–173
Greibach, S.A., *see* **Friedman, E.P.** **7** (6) (1978) 287–290
Greibach, S.A., *see* **Rolim, J.D.P.** **28** (1) (1988) 27–31
Greibach, S.A., *see* **Rolim, J.D.P.** **30** (3) (1989) 133–138
Gries, D., Programming by induction **1** (3) (1972) 100–107
Gries, D. and **G. Levin,** Computing Fibonacci numbers (and similarly defined functions) in log time **11** (2) (1980) 68–69
Gries, D., A. Pascoletti and **L. Sbriz,** Horner's rule and the computation of linear recurrences **25** (4) (1987) 237–240
Gries, D. and **F.B. Schneider,** Equational propositional logic **53** (3) (1995) 145–152
Gries, D. and **I. Stojmenović,** A note on Graham's convex hull algorithm **25** (5) (1987) 323–327
Gries, D., *see* **Aaron, E.** **64** (3) (1997) 115–121
Gries, D., *see* **Akl, S.G.** **33** (3) (1989) 135–139
Gries, D., *see* **Feijen, W.H.J.** **24** (1) (1987) 11–14
Gries, D., *see* **Melville, R.** **10** (4–5) (1980) 169–172
Gries, D., *see* **Misra, J.** **41** (3) (1992) 131–133
Gries, D., *see* **Reingold, E.M.** **64** (5) (1997) 217–223
Grigg, K., S. Miguet and **Y. Robert,** Symmetric matrix-vector product on a ring of processors **35** (5) (1990) 239–248
Grigoras, Gh., *see* **Simovici, D.A.** **8** (2) (1979) 64–66
Grigoriadis, M.D. and **B. Kalantari,** A lower bound to the complexity of Euclidean and rectilinear matching algorithms **22** (2) (1986) 73–76
Grinstead, D.L., P.J. Slater, N.A. Sherwani and **N.D. Holmes,** Efficient edge domination problems in graphs **48** (5) (1993) 221–228
Grisoni, P., *see* **Demange, M.** **50** (1) (1994) 19–23
Grolmusz, V., A lower bound for depth-3 circuits with MOD m gates **67** (2) (1998) 87–90
Groote, J.F., A short proof of the decidability of bisimulation for normed BPA-processes **42** (3) (1992) 167–171
Grossi, R., A note on the subtree isomorphism for ordered trees and related problems **39** (2) (1991) 81–84
Grossi, R., Further comments on the subtree isomorphism for ordered trees **40** (5) (1991) 255–256
Grossi, R. and **F. Luccio,** Simple and efficient string matching with k mismatches **33** (3) (1989) 113–120
Grune, D., How to produce all sentences from a two-level grammar **19** (4) (1984) 181–185
Grune, D., How to compare the incomparable **24** (3) (1987) 177–181
Gu, Q.-P. and **S. Peng,** Node-to-node cluster fault tolerant routing in star graphs **56** (1) (1995) 29–35
Gu, Q.-P. and **S. Peng,** Node-to-set disjoint paths problem in star graphs **62** (4) (1997) 201–207
Gu, Q.-P. and **S. Peng,** An efficient algorithm for k-pairwise disjoint paths in star graphs **67** (6) (1998) 283–287
Guaiana, G., R. Meyer, A. Petit and **P. Weil,** An extension of the wreath product principle for finite Mazurkiewicz traces **67** (6) (1998) 277–282
Guan, D.J., An optimal message routing algorithm for double-loop networks **65** (5) (1998) 255–260
Guan, D.J., C.-Y. Chou and **C.-W. Chen,** Computational complexity of similarity retrieval in a pictorial database **75** (3) (2000) 113–117
Guan, D.J. and **X. Zhu,** A coloring problem for weighted graphs **61** (2) (1997) 77–81
Guan, D.J., *see* **Chou, C.-Y.** **70** (6) (1999) 259–264
Guan, D.J., *see* **Chou, C.-Y.** **71** (5–6) (1999) 241
Guenther, G.R., Efficient expansion of factored expressions **35** (2) (1990) 69–72
Guessarian, I. and **L. Priese,** On the minimal number of $\times$ operators to model regularity in fair SCCS **29** (6) (1988) 297–300
Guha, S. and **A. Sen,** Expected time analysis of interpolation merge – A simple new merging algorithm **40** (5) (1991) 277–281
Guha, S., *see* **Chen, D.Z.** **47** (6) (1993) 325–331
Guha, S., *see* **Sen, A.** **43** (2) (1992) 87–94
Guibas, L.J. and **J. Stolfi,** On computing all north–east nearest neighbors in the L_1 metric **17** (4) (1983) 219–223
Guibas, L.J., *see* **Borodin, A.** **12** (2) (1981) 71–75
Guida, G. and **M. Somalvico,** Semantics in problem representation and search **5** (5) (1976) 141–145
Guida, G. and **M. Somalvico,** Multi-problem-solving: Knowledge representation and system architecture **13** (4–5) (1981) 204–214
Guida, G., *see* **Ferrari, M.** **9** (3) (1979) 126–134
Guijarro, D., V. Lavín and **V. Raghavan,** Exact learning when irrelevant variables abound **70** (5) (1999) 233–239
Guijarro, D., *see* **Castro, J.** **67** (2) (1998) 75–79
Guijarro, D., *see* **Castro, J.** **73** (1–2) (2000) 11–16
Guimarães, K., *see* **Dehne, F.** **64** (3) (1997) 107–114
Guinand, F., *see* **Błażewicz, J.** **58** (5) (1996) 255–263

Gumm, H.P., Another glance at the Alpern–Schneider characterization of safety and liveness in concurrent executions **47** (6) (1993) 291–294
Gunji, T., *see* **Goto, E.** **6** (1) (1977) 8–13
Gunn, H.I.E., Compile time type checking of structure field accessing **14** (1) (1982) 22–25
Gunn, H.I.E. and **D.M. Harland,** Degrees of constancy in programming languages **13** (1) (1981) 35–38
Gunn, H.I.E. and **R. Morrison,** On the implementation of constants **9** (1) (1979) 1–4
Gunther, N., Path integral methods for computer performance analysis **32** (1) (1989) 7–13
Gunther, N.J. and **J.G. Shaw,** Path integral evaluation of ALOHA network transients **33** (6) (1990) 289–295
Günther, W. and **R. Drechsler,** On the computational power of linearly transformed BDDs **75** (3) (2000) 119–125
Güntzer, U. and **M. Paul,** Jump interpolation search trees and symmetric binary numbers **26** (4) (1987) 193–204
Gupta, A., *see* **Everett, H.** **32** (5) (1989) 243–245
Gupta, A., *see* **Ghosh, S.** **59** (5) (1996) 281–288
Gupta, A.K. and **S.E. Hambrusch,** Optimal three-dimensional layouts of complete binary trees **26** (2) (1987) 99–104
Gupta, D., *see* **Gilbert, H.** **68** (4) (1998) 197–199
Gupta, G., Dynamic parallel evaluation of the cross-product set using time-stamps **44** (5) (1992) 273–280
Gupta, G., *see* **Ranjan, D.** **68** (2) (1998) 71–78
Gupta, G.K. and **B. Srinivasan,** Approximate storage utilization of B-trees **22** (5) (1986) 243–246
Gupta, M.N., *see* **Arora, R.K.** **22** (6) (1986) 311–314
Gupta, M.N., *see* **Arora, R.K.** **29** (1) (1988) 53–55
Gupta, P., R. Janardan and **M. Smid,** A technique for adding range restrictions to generalized searching problems **64** (5) (1997) 263–269
Gupta, P., R. Janardan and **M. Smid,** Efficient algorithms for counting and reporting pairwise intersections between convex polygons **69** (1) (1999) 7–13
Gupta, P., *see* **Aggarwal, C.C.** **53** (1) (1995) 37–47
Gupta, P., *see* **Borchers, A.** **49** (6) (1994) 287–290
Gupta, P., *see* **Rajan, V.** **30** (5) (1989) 265–268
Gupta, P.V., *see* **Garg, M.L.** **39** (3) (1991) 165–171
Gupta, R., Generalized dominators **53** (4) (1995) 193–200
Gupta, R.G. and **V.S.P. Srivastava,** On synthesis of scheduling algorithms **19** (3) (1984) 147–150
Gupta, S., On the closure of certain function classes under integer division by polynomially-bounded functions **44** (4) (1992) 205–210
Gupta, S., On bounded-probability operators and $C_{=}P$ **48** (2) (1993) 93–98
Gupta, S., *see* **Pujari, A.K.** **24** (2) (1987) 139
Guralnik, G., C. Zemach and **T. Warnock,** An algorithm for uniform random sampling of points in and on a hypersphere **21** (1) (1985) 17–21
Gurari, E.M. and **O.H. Ibarra,** On the space complexity of recursive algorithms **8** (5) (1979) 267–271
Gurevich, Y., *see* **Blass, A.** **32** (1) (1989) 41–45
Gurevich, Y., *see* **Blass, A.** **67** (1) (1998) 29–30
Gurla, H., Leftmost one computation on meshes with row broadcasting **47** (5) (1993) 261–266
Gurla, H., Leftmost one computation on meshes with row broadcasting (*Corrigendum*) **50** (2) (1994) 111
Gurla, H., *see* **Bokka, V.** **56** (5) (1995) 273–280
Gursel, G. and **P. Scheuermann,** Asserting the optimality of serial SJRPs processing simple queries in chain networks **19** (5) (1984) 255–260
Guruswami, V. and **C. Pandu Rangan,** A natural family of optimization problems with arbitrarily small approximation thresholds **68** (5) (1998) 241–248
Gusfield, D., Connectivity and edge-disjoint spanning trees **16** (2) (1983) 87–89
Gusfield, D., Faster implementation of a shortest superstring approximation **51** (5) (1994) 271–274
Gusfield, D. and **R.W. Irving,** Parametric stable marriage and minimum cuts **30** (5) (1989) 255–259
Gusfield, D., G.M. Landau and **B. Schieber,** An efficient algorithm for the All Pairs Suffix–Prefix Problem **41** (4) (1992) 181–185
Gusfield, D. and **L. Pitt,** Equivalent approximation algorithms for node cover **22** (6) (1986) 291–294
Gusfield, D., *see* **Martel, C.U.** **30** (2) (1989) 97–102
Güting, R.H., Stabbing C-oriented polygons **16** (1) (1983) 35–40
Güting, R.H., Fast dynamic intersection searching in a set of isothetic line segments **21** (4) (1985) 165–171
Guttmann, A.J., *see* **Anderssen, R.S.** **4** (2) (1975) 48–50
Guzide, O., *see* **Wagh, M.D.** **75** (1–2) (2000) 25–27
Gyenizse, P., *see* **Fülöp, Z.** **48** (4) (1993) 183–188
Gyssens, M., J. Paredaens and **D. van Gucht,** On a hierarchy of classes for nested databases **36** (5) (1990) 259–266
Gyssens, M., *see* **Abiteboul, S.** **32** (6) (1989) 317–324

Ha, J.-C. and **S.-J. Moon,** A common-multiplicand method to the Montgomery algorithm for speeding up exponentiation **66** (2) (1998) 105–107
Ha, S., *see* **Kim, J.-S.** **66** (5) (1998) 247–253
Haalman, E., *see* **Afek, Y.** **63** (2) (1997) 109–112
Hachem, N., *see* **Taylor, S.** **61** (1) (1997) 55–61
Hachem, N.I., An approximate analysis of the performance of extendible hashing with elastic buckets **48** (1) (1993) 13–20
Hage, J., *see* **Ehrenfeucht, A.** **73** (5–6) (2000) 153–156
Hagerup, T., On saving space in parallel computation (*Note*) **29** (6) (1988) 327–329
Hagerup, T., Hybridsort revisited and parallelized **32** (1) (1989) 35–39
Hagerup, T., On a compaction theorem of Ragde **43** (6) (1992) 335–340
Hagerup, T., The parallel complexity of integer prefix summation **56** (1) (1995) 59–64
Hagerup, T. and **C. Rüb,** Optimal merging and sorting on the EREW PRAM **33** (4) (1989) 181–185
Hagerup, T. and **C. Rüb,** A guided tour of Chernoff bounds **33** (6) (1990) 305–308
Hagerup, T. and **H. Shen,** Improved nonconservative sequential and parallel integer sorting **36** (2) (1990) 57–63
Hagiwara, H., *see* **Akinari, N.** **52** (1) (1994) 1–6
Haglin, D.J., *see* **Fischer, T.** **46** (3) (1993) 115–118
Hains, G., *see* **Granvilliers, L.** **74** (3–4) (2000) 141–146
Hains, G., *see* **Utard, G.** **56** (4) (1995) 221–227

Hainz, R., *see* **Aichholzer, O.** **69** (5) (1999) 215–219
Hakimi, S.L., E.F. Schmeichel and **N.E. Young,** Orienting graphs to optimize reachability **63** (5) (1997) 229–235
Hakimi, S.L., *see* **Bagchi, A.** **34** (4) (1990) 197–202
Hakimi, S.L., *see* **Esfahanian, A.-H.** **27** (4) (1988) 195–199
Halava, V., T. Harju and **L. Ilie,** On a geometric problem of zigzags **62** (1) (1997) 1–4
Haldar, C. and **L.M. Patnaik,** Oracle complexities for computational geometry of semi-algebraic sets and Voronoi diagrams **36** (2) (1990) 95–102
Haldar, S. and **D.K. Subramanian,** Ring based termination detection algorithm for distributed computations **29** (3) (1988) 149–153
Hall, C.V., Using overloading to express distinctions between evaluators **48** (1) (1993) 1–8
Halldórsson, M.M., A still better performance guarantee for approximate graph coloring **45** (1) (1993) 19–23
Halldórsson, M.M., Approximating the minimum maximal independence number **46** (4) (1993) 169–172
Halldórsson, M.M., *see* **Arkin, E.M.** **47** (6) (1993) 275–282
Halldórsson, M.M., *see* **Bar-Noy, A.** **71** (3–4) (1999) 135–140
Halperin, D. and **M. Sharir,** On disjoint concave chains in arrangements of (pseudo) lines **40** (4) (1991) 189–192
Halperin, D. and **M. Sharir,** On disjoint concave chains in arrangements of (pseudo) lines (*Corrigendum*) **51** (1) (1994) 53–56
Hamblen, J.O., *see* **Parker, A.** **42** (3) (1992) 141–144
Hambrusch, S.E., Preface to the Special Issue on Parallel Models **66** (5) (1998) 221
Hambrusch, S. and **M. Luby,** Parallel asynchronous connected components in a mesh **38** (5) (1991) 257–263
Hambrusch, S.E., *see* **Apostolico, A.** **26** (4) (1987) 209–215
Hambrusch, S.E., *see* **Frederickson, G.N.** **47** (2) (1993) 71–75
Hambrusch, S.E., *see* **Gupta, A.K.** **26** (2) (1987) 99–104
Hamburg, M.C., Two tagless variations on the Deutsch–Schorr–Waite algorithm **22** (4) (1986) 179–183
Hamdi, M., Topological properties of the directional hypercube **53** (5) (1995) 277–286
Hamlet, R.G., Probable correctness theory **25** (1) (1987) 17–25
Hammer, P.L. and **A. Kogan,** Horn functions and their DNFs **44** (1) (1992) 23–29
Han, C.-C. and **K.-J. Lin,** Scheduling real-time computations with separation constraints **42** (2) (1992) 61–66
Han, J., Binding propagation beyond the reach of rule/goal graphs **42** (5) (1992) 263–268
Han, T., *see* **Chang, B.-M.** **47** (3) (1993) 149–157
Han, T., *see* **Chang, B.-M.** **47** (5) (1993) 237–244
Han, T., *see* **Jung, M.-S.** **49** (2) (1994) 63–71
Han, T., *see* **Lee, D.** **48** (4) (1993) 163–170
Han, T., *see* **Yun, I.-S.** **47** (4) (1993) 189–196
Han, Y., An improvement on parallel computation of a maximal matching **56** (6) (1995) 343–348
Han, Y. and **Y. Igarashi,** Time lower bounds for sorting on multidimensional mesh-connected processor arrays **33** (5) (1990) 233–238
Han, Y., B. Narahari and **H.-A. Choi,** Mapping a chain task to chained processors **44** (3) (1992) 141–148
Hanatani, Y. and **R. Fagin,** A simple characterization of database dependency implication **22** (6) (1986) 281–283
Hancart, C., On Simon's string searching algorithm **47** (2) (1993) 95–99
Handley, C.C., An in situ distributive sort **23** (5) (1986) 265–270
Handley, C.C., A space efficient distributive sort **37** (2) (1991) 75–78
Hansal, A., "Software devices" for processing graphs using PL/I compile time facilities **2** (6) (1974) 171–179
Hanschke, P. and **J. Würtz,** Satisfiability of the smallest binary program **45** (5) (1993) 237–241
Hansen, P., A cascade algorithm for the logical closure of a set of binary relations **5** (2) (1976) 50–54
Hansen, P., A cascade algorithm for the logical closure of a set of binary relations (*Erratum*) **5** (4) (1976) 124
Hansen, W.J., A predecessor algorithm for ordered lists **7** (3) (1978) 137–138
Hanson, D.R., A simple variant of the boundary-tag algorithm for the allocation of coroutine environments **4** (4) (1976) 109–112
Hanson, D.R., Code improvement via lazy evaluation **11** (4–5) (1980) 163–167
Hanson, D.R., *see* **Fraser, C.W.** **24** (6) (1987) 391–395
Hanus, M., S. Lucas and **A. Middeldorp,** Strongly sequential and inductively sequential term rewriting systems **67** (1) (1998) 1–8
Harary, F. and **D. Ranjan,** Breaking symmetry in complete graphs by orienting edges: asymptotic bounds **67** (5) (1998) 227–230
Harary, F. and **P.J. Slater,** A linear algorithm for the cutting center of a tree **23** (6) (1986) 317–319
Harathi, K., *see* **Johnson, T.** **48** (5) (1993) 215–220
Harbane, R. and **C. Padró,** Spanners of de Bruijn and Kautz graphs **62** (5) (1997) 231–236
Harbane, R. and **C. Padró,** Spanners of underlying graphs of iterated line digraphs **62** (5) (1997) 237–244
Harchol, M., *see* **Gemmell, P.** **49** (2) (1994) 77–83
Harel, D., Two results on process logic **8** (4) (1979) 195–198
Harel, D., Two results on process logic (*Erratum*) **9** (3) (1979) 160
Harel, D. and **D. Peleg,** More on looping vs. repeating in dynamic logic **20** (2) (1985) 87–90
Harikumar, S. and **S. Kumar,** Iterative deepening multiobjective A **58** (1) (1996) 11–15
Harju, T., *see* **Ehrenfeucht, A.** **73** (5–6) (2000) 153–156
Harju, T., *see* **Halava, V.** **62** (1) (1997) 1–4
Harland, D.M., Concurrency in a language employing messages **12** (2) (1981) 59–62
Harland, D.M., On facilities for interprocess communication **12** (5) (1981) 221–226
Harland, D.M., *see* **Gunn, H.I.E.** **13** (1) (1981) 35–38
Harman, M., *see* **Danicic, S.** **56** (6) (1995) 307–313
Harms, J.J., A simple optimal algorithm for scheduling variable-sized requests **68** (6) (1998) 291–293
Harn, L. and **T. Kiesler,** An efficient probabilistic encryption scheme **34** (3) (1990) 123–129
Harn, L., *see* **Laih, C.S.** **32** (3) (1989) 95–99
Harn, L., *see* **Lin, H.-Y.** **55** (1) (1995) 45–47
Harper, R., A simplified account of polymorphic references **51** (4) (1994) 201–206
Harper, R., A note on "A simplified account of polymorphic references" **57** (1) (1996) 15–16

Harper, R. and **J.C. Mitchell,** Parametricity and variants of Girard's *J* operator **70** (1) (1999) 1–5
Hart, J.M., Permutation inversions and multidimensional cumulative distribution functions **14** (5) (1982) 218–222
Harter, R., *see* **Chrobak, M.** **29** (5) (1988) 255–256
Hartley, R.I., Drawing polygons given angle sequences **31** (1) (1989) 31–33
Hartmanis, J., On sparse sets in NP – P **16** (2) (1983) 55–60
Hartmanis, J., Independence results about context-free languages and lower bounds **20** (5) (1985) 241–248
Hartmanis, J. and **L. Hemachandra,** On sparse oracles separating feasible complexity classes **28** (6) (1988) 291–295
Hartmann, C.R.P., *see* **Vaidyanathan, R.** **42** (4) (1992) 217–222
Hartmann, C.R.P., *see* **Vaidyanathan, R.** **46** (1) (1993) 31–36
Hassin, R., Maximum flow in (s, t) planar networks **13** (3) (1981) 107
Hassin, R. and **S. Lahav (Haddad),** Maximizing the number of unused colors in the vertex coloring problem **52** (2) (1994) 87–90
Hassin, R. and **S. Rubinstein,** Approximations for the maximum acyclic subgraph problem **51** (3) (1994) 133–140
Hassin, R. and **S. Rubinstein,** An approximation algorithm for maximum packing of 3-edge paths **63** (2) (1997) 63–67
Hassin, R. and **S. Rubinstein,** An approximation algorithm for the maximum traveling salesman problem **67** (3) (1998) 125–130
Hassin, R. and **S. Rubinstein,** Better approximations for max TSP **75** (4) (2000) 181–186
Hassin, R. and **A. Tamir,** On the minimum diameter spanning tree problem **53** (2) (1995) 109–111
Hassin, R., *see* **Arkin, E.M.** **47** (6) (1993) 275–282
Hastad, J., One-way permutations in NC^0 **26** (3) (1987) 153–155
Håstad, J., On bounded occurrence constraint satisfaction **74** (1–2) (2000) 1–6
Håstad, J., S. Phillips and **S. Safra,** A well-characterized approximation problem **47** (6) (1993) 301–305
Hastad, J., *see* **Boppana, R.B.** **25** (2) (1987) 127–132
Håstad, J., *see* **Goldmann, M.** **41** (4) (1992) 221–226
Håstad, J., *see* **Goldmann, M.** **49** (1) (1994) 15–20
Håstad, J., *see* **Goldreich, O.** **67** (4) (1998) 205–214
Hasunuma, T., On edge-disjoint spanning trees with small depths **75** (1–2) (2000) 71–74
Hasunuma, T. and **Y. Shibata,** Containment of butterflies in networks constructed by the line digraph operation **61** (1) (1997) 25–30
Hattori, Y., Nonisomorphic graphs with the same T-polynomial **22** (3) (1986) 133–134
Hatzopoulos, M. and **J.G. Kollias,** Optimal policy for database backup and recovery **12** (2) (1981) 55–58
Hatzopoulos, M., *see* **Spiliopoulou, M.** **53** (6) (1995) 301–306
Haussler, D., *see* **Blumer, A.** **24** (6) (1987) 377–380
Havas, G., *see* **Czech, Z.J.** **43** (5) (1992) 257–264
Havas, G., *see* **Makki, S.A.M.** **60** (1) (1996) 7–12
Havel, I., *see* **Friš, I.** **61** (3) (1997) 157–160
Hawrylycz, M., *see* **Aggarwal, A.** **31** (6) (1989) 311–314
Hayashi, T., *see* **Kambayashi, Y.** **7** (2) (1978) 66–71
Hazari, C. and **H. Zedan,** A distributed algorithm for distributed termination **24** (5) (1987) 293–297
He, J. and **C.A.R. Hoare,** From algebra to operational semantics **45** (2) (1993) 75–80
He, J., *see* **Hoare, C.A.R.** **24** (2) (1987) 127–132
He, J., *see* **Hoare, C.A.R.** **25** (2) (1987) 71–76
He, X., An efficient parallel algorithm for finding minimum weight matching for points on a convex polygon **37** (2) (1991) 111–116
He, X., *see* **Ghosh, S.** **73** (3–4) (2000) 145–151
Head, T., Deciding the immutability of regular codes and languages under finite transductions **31** (5) (1989) 239–241
Heath, L.S., Covering a set with arithmetic progressions is NP-complete **34** (6) (1990) 293–298
Hébrard, J.-J., Unique Horn renaming and Unique 2-Satisfiability **54** (4) (1995) 235–239
Heckerman, D., *see* **Chickering, D.M.** **54** (1) (1995) 55–58
Heckmann, R., Lower and upper power domain constructions commute on all cpos **40** (1) (1991) 7–11
Hedetniemi, S., *see* **Cockayne, E.** **4** (2) (1975) 41–44
Hedetniemi, S., *see* **Mitchell, S.** **9** (3) (1979) 110–112
Hedetniemi, S.T., *see* **Cheston, G.A.** **32** (5) (1989) 247–250
Hedley, D., *see* **Hennell, M.A.** **5** (5) (1976) 136–140
Heffernan, P.J., The translation square map and approximate congruence **39** (3) (1991) 153–159
Hehner, E.C.R., Bunch Theory: A simple Set Theory for Computer Science **12** (1) (1981) 26–30
Hehner, E.C.R., Real-time programming **30** (1) (1989) 51–56
Hehner, E.C.R. and **R.K. Shyamasundar,** An implementation of *P* and *V* **12** (4) (1981) 196–198
Hell, P. and **D.G. Kirkpatrick,** On generalized matching problems **12** (1) (1981) 33–35
Hellerstein, L., P. Klein and **R. Wilber,** On the time-space complexity of reachability queries for preprocessed graphs **35** (5) (1990) 261–267
Helleseth, T., *see* **Ding, C.** **66** (1) (1998) 21–25
Hellman, M.E., Another cryptanalytic attack on "A cryptosystem for multiple communication" **12** (4) (1981) 182–183
Hemachandra, L., *see* **Hartmanis, J.** **28** (6) (1988) 291–295
Hemachandra, L.A., *see* **Beigel, R.** **37** (2) (1991) 91–94
Hemachandra, L.A., *see* **Cai, J.-Y.** **38** (4) (1991) 215–219
Hemaspaandra, E., Census techniques collapse space classes **51** (2) (1994) 79–84
Hemaspaandra, E. and **J. Rothe,** Recognizing when greed can approximate maximum independent sets is complete for parallel access to NP **65** (3) (1998) 151–156
Hemerik, C., Formal derivation of a list processing program **10** (3) (1980) 124–126
Hénaux, F., *see* **Bonabeau, E.** **67** (4) (1998) 177–184
Henderson, P.B., *see* **Cherniavsky, J.C.** **9** (1) (1979) 8–12
Henhapl, W., A transformation of marked graphs **2** (1) (1973) 26–29
Henhapl, W. and **C.B. Jones,** A run-time mechanism for referencing variables **1** (1) (1971) 14–16
Henk, M., Note on shortest and nearest lattice vectors **61** (4) (1997) 183–188
Hennell, M.A., M.R. Woodward and **D. Hedley,** On program analysis **5** (5) (1976) 136–140
Henno, J., The depth of monotone functions in multivalued logic **8** (4) (1979) 176–177
Henschen, L.J., *see* **Lee, S.H.** **47** (2) (1993) 101–108
Henschen, L.J., *see* **Lu, J.J.** **44** (3) (1992) 135–140

Hensgen, D.A., D.L. Sims and **D. Charley,** A fair Banker's Algorithm for read and write locks **48** (3) (1993) 131–137
Henzinger, M. and **D.P. Williamson,** On the number of small cuts in a graph **59** (1) (1996) 41–44
Henzinger, T.A., Sooner is safer than later **43** (3) (1992) 135–141
Herley, K.T., A note on the Token Distribution Problem **38** (6) (1991) 329–324
Herman, G.T., On universal computer-constructors **2** (3) (1973) 61–64
Herman, M.W. and **W.W. Koczkodaj,** A Monte Carlo study of pairwise comparison **57** (1) (1996) 25–29
Herman, T., Probabilistic self-stabilization **35** (2) (1990) 63–67
Herman, T. and **K.M. Chandy,** On distributed search **21** (3) (1985) 129–133
Herman, T. and **S. Ghosh,** Stabilizing phase-clocks **54** (5) (1995) 259–265
Herman, T. and **S. Pemmaraju,** Error-detecting codes and fault-containing self-stabilization **73** (1–2) (2000) 41–46
Herman, T., *see* **Gouda, M.G.** **35** (4) (1990) 171–175
Hermo, M., Compressibility and uniform complexity **62** (5) (1997) 259–264
Hernández, H.J., *see* **Chan, E.P.F.** **28** (6) (1988) 317–326
Hernández, H.J., *see* **Leung, H.** **55** (5) (1995) 279–282
Hernandez, J.A., *see* **Brandwajn, A.** **7** (2) (1978) 78–85
Hernández-Peñalver, G., *see* **Abellanas, M.** **57** (3) (1996) 165–173
Hernández Barrera, A., Algorithms for deciding the containment of polygons **59** (5) (1996) 261–265
Herrmann, P., Timed automata and recognizability **65** (6) (1998) 313–318
Herschberg, I.S. and **J.C.A. Boekhorst,** Concurrent file access under unpredictability **6** (6) (1977) 203–208
Hershberger, J., Finding the upper envelope of n line segments in $O(n \log n)$ time **33** (4) (1989) 169–174
Hershberger, J., A new data structure for shortest path queries in a simple polygon **38** (5) (1991) 231–235
Hershberger, J., A faster algorithm for the two-center decision problem **47** (1) (1993) 23–29
Hertel, S., Smoothsort's behavior on presorted sequences **16** (4) (1983) 165–170
Hertel, S., *see* **Becker, M.** **15** (3) (1982) 135–136
Hertrampf, U., S. Reith and **H. Vollmer,** A note on closure properties of logspace MOD classes **75** (3) (2000) 91–93
Hesselink, W.H., Repetitions, known or unknown? **40** (1) (1991) 51–57
Hesselink, W.H., Invariants for the construction of a handshake register **68** (4) (1998) 173–177
Hesselink, W.H., *see* **Bron, C.** **39** (5) (1991) 269–276
Heuer, H. and **I.N. Molchanov,** Numerical solution of a boundary problem for equations of elastic equilibrium of bodies in transferences **2** (5) (1973) 148–151
Hewgill, D.E., *see* **Cockayne, E.J.** **22** (3) (1986) 151–156
Heyd, B., *see* **Crégut, P.** **69** (3) (1999) 107–109
Heydemann, M.C. and **D. Sotteau,** A note on recursive properties of the de Bruijn, Kautz and FFT digraphs **53** (5) (1995) 255–259
Heymans, F., *see* **Cooprider, L.W.** **3** (1) (1974) 16–21
Higgins, J., *see* **Campbell, D.** **37** (1) (1991) 49–53
Higham, L. and **T. Przytycka,** A simple, efficient algorithm for maximum finding on rings **58** (6) (1996) 319–324
Higham, L., *see* **Bshouty, N.H.** **69** (5) (1999) 259–265
Highnam, P.T., The ears of a polygon **15** (5) (1982) 196–198
Highnam, P.T., Optimal algorithms for finding the symmetries of a planar point set **22** (5) (1986) 219–222
Hikita, T., Listing and counting subtrees of equal size of a binary tree **17** (4) (1983) 225–229
Hikita, T. and **E. Goto,** An $O(N)$ algorithm for finding periodicity of a sequence using hash coding **6** (2) (1977) 69–71
Hill, S., The lazy z-buffer **55** (2) (1995) 65–70
Hingston, P. and **R. Wilkinson,** A distributed join algorithm **33** (6) (1990) 313–317
Hinrichs, K., J. Nievergelt and **P. Schorn,** Plane-sweep solves the closest pair problem elegantly **26** (5) (1988) 255–261
Hirai, H., *see* **Itano, K.** **27** (5) (1988) 253–258
Hirata, K., Constructing simply recursive programs from a finite set of good examples **64** (5) (1997) 225–230
Hirata, K., *see* **Shimozono, S.** **66** (4) (1998) 165–170
Hirata, M., *see* **Yamasaki, S.** **18** (4) (1984) 209–213
Hirata, T., A unified linear-time algorithm for computing distance maps **58** (3) (1996) 129–133
Hirata, T., *see* **Tan, X.-H.** **37** (4) (1991) 201–204
Hirose, S. and **K. Ikeda,** A conference key distribution system for the star configuration based on the discrete logarithm problem **62** (4) (1997) 189–192
Hirschberg, D.S., An information-theoretic lower bound for the longest common subsequence problem **7** (1) (1978) 40–41
Hirschberg, D.S. and **S.S. Seiden,** A bounded-space tree traversal algorithm **47** (4) (1993) 215–219
Hirschberg, D.S. and **D.J. Volper,** Improved update/query algorithms for the interval valuation problem **24** (5) (1987) 307–310
Hirschberg, D.S., *see* **Seiden, S.S.** **51** (6) (1994) 283–288
Hitotumatu, H. and **K. Noshita,** A technique for implementing backtrack algorithms and its application **8** (4) (1979) 174–175
Ho, C.-W. and **J.-M. Chang,** Solving the all-pairs-shortest-length problem on chordal bipartite graphs **69** (2) (1999) 87–93
Ho, C.-W. and **R.C.T. Lee,** Efficient parallel algorithms for finding maximal cliques, clique trees, and minimum coloring on chordal graphs **28** (6) (1988) 301–309
Ho, C.-W. and **R.C.T. Lee,** Counting clique trees and computing perfect elimination schemes in parallel **31** (2) (1989) 61–68
Ho, C.-W., *see* **Chang, J.-M.** **65** (2) (1998) 81–88
Ho, J.-M. and **M.-T. Ko,** Bounded fan-out m-center problem **63** (2) (1997) 103–108
Ho, K.I.-J., J.Y.-T. Leung and **W.-D. Wei,** Complexity of scheduling tasks with time-dependent execution times **48** (6) (1993) 315–320
Ho, T.-Y., Y.-L. Wang and **M.-T. Juan,** A linear time algorithm for finding all hinge vertices of a permutation graph **59** (2) (1996) 103–107
Ho-Stuart, C., H.S.M. Zedan and **M. Fang,** Congruent weak bisimulation with dense real-time **46** (2) (1993) 55–61
Hoare, C.A.R., A general conservation law for queueing disciplines **2** (3) (1973) 82–85
Hoare, C.A.R., Optimization of store size for garbage collection **2** (6) (1974) 165–166

Hoare, C.A.R., Fixed points of increasing functions **34** (3) (1990) 111–112
Hoare, C.A.R. and **J. He,** The weakest prespecification **24** (2) (1987) 127–132
Hoare, C.A.R., J. He and **J.W. Sanders,** Prespecification in data refinement **25** (2) (1987) 71–76
Hoare, C.A.R., *see* **He, J.** **45** (2) (1993) 75–80
Hoare, C.A.R., *see* **von Karger, B.** **53** (3) (1995) 123–130
Hoare, C.A.R., *see* **Zhou, C.** **40** (5) (1991) 269–276
Hochbaum, D.S. and **R. Shamir,** An $O(n \log^2 n)$ algorithm for the maximum weighted tardiness problem **31** (4) (1989) 215–219
Hochbaum, D.S., *see* **Goldschmidt, O.** **48** (6) (1993) 305–310
Hochschild, P., Multiple cuts, input repetition, and VLSI complexity **24** (1) (1987) 19–24
Höffgen, K.-U., Computational limitations on training sigmoid neural networks **46** (6) (1993) 269–274
Höffgen, K.-U., *see* **Fischer, P.** **51** (4) (1994) 189–193
Hoffman, D.G., *see* **Gopalakrishnan, K.** **47** (3) (1993) 139–143
Hoffmann, F. and **K. Kriegel,** Embedding rectilinear graphs in linear time **29** (2) (1988) 75–79
Hofmeister, T., W. Hohberg and **S. Köhling,** Some notes on threshold circuits, and multiplication in depth 4 **39** (4) (1991) 219–225
Hofmeister, T. and **H. Lefmann,** Independent sets in graphs with triangles **58** (5) (1996) 207–210
Hofri, M., Should the two-headed disk be greedy? – Yes, it should **16** (2) (1983) 83–85
Hofri, M., On timeout for global deadlock detection in decentralized database systems **51** (6) (1994) 295–302
Hofri, M. and **H. Shachnai,** On the optimality of the counter scheme for dynamic linear lists **37** (3) (1991) 175–179
Hohberg, W., *see* **Hofmeister, T.** **39** (4) (1991) 219–225
Holenderski, L., A note on specifying and verifying concurrent processes **18** (2) (1984) 77–85
Holenderski, L., The correctness of nondeterministic programs revisited **23** (6) (1986) 299–303
Holenderski, L. and **A. Szalas,** Propositional description of finite cause-effect structures **27** (3) (1988) 111–117
Holloway, G.H., *see* **Fridman, F.J.** **8** (4) (1979) 204–206
Holloway, J.L., *see* **Cull, P.** **32** (3) (1989) 143–149
Holmes, N.D., *see* **Grinstead, D.L.** **48** (5) (1993) 221–228
Holnapy, D., M. Szöts and **A. Botár,** A generalization of the method of finite differences **2** (2) (1973) 55–59
Holsztyński, W. and **W.W. Koczkodaj,** Convergence of inconsistency algorithms for the pairwise comparisons **59** (4) (1996) 197–202
Holzer, M., *see* **Bordihn, H.** **69** (2) (1999) 59–62
Homer, S., *see* **Goldsmith, J.** **57** (3) (1996) 137–143
Honeyman, P., R.E. Ladner and **M. Yannakakis,** Testing the universal instance assumption **10** (1) (1980) 14–19
Hong, D. and **J.Y.-T. Leung,** Probabilistic analysis of k-dimensional packing algorithms **55** (1) (1995) 17–24
Hong, S.H. and **M.H. Kim,** Resolving data conflicts with multiple versions and precedence relationships in real-time databases **61** (3) (1997) 149–156
Hood, R. and **R. Melville,** Real-time queue operations in Pure LISP **13** (2) (1981) 50–54
Hoogeboom, H.J., *see* **Engelfriet, J.** **28** (2) (1988) 77–79
Hoogerwoord, R.R., An implementation of mutual inclusion **23** (2) (1986) 77–80
Hoogerwoord, R.R., A calculational derivation of the CASOP algorithm **36** (6) (1990) 297–299
Hooker, J.N., *see* **Chandru, V.** **42** (2) (1992) 109–111
Hoory, S. and **A. Wigderson,** Universal traversal sequences for expander graphs **46** (2) (1993) 67–69
Hoover, D. and **J. Poole,** A distributed self-stabilizing solution to the dining philosophers problem **41** (4) (1992) 209–213
Hopcroft, J. and **R. Tarjan,** A V^2 algorithm for determining isomorphism of planar graphs **1** (1) (1971) 32–34
Hopcroft, J., *see* **Fortune, S.** **8** (1) (1979) 20–23
Horng, G., Password authentication without using a password table **55** (5) (1995) 247–250
Horng, G., An active attack on protocols for server-aided RSA signature computation **65** (2) (1998) 71–73
Horng, S.-J., W.-T. Chen and **M.-Y. Fang,** Optimal speed-up algorithms for template matching on SIMD hypercube multiprocessors with restricted local memory **38** (1) (1991) 29–37
Horowitz, E., A fast method for interpolation using preconditioning **1** (4) (1972) 157–163
Horowitz, E., A fast method for interpolation with preconditioning (*Erratum*) **1** (5) (1972) 216
Horspool, R.N. and **M.R. Levy,** Correctness of an extended operator-precedence parsing algorithm **24** (4) (1987) 265–273
Horspool, R.N., *see* **Cormack, G.V.** **18** (3) (1984) 159–165
Hoshi, M. and **T. Yuba,** A counter example to a monotonicity property of k-d trees **15** (4) (1982) 169–173
Hoshi, M., *see* **Yuba, T.** **24** (1) (1987) 59–65
Hosono, C., On the cardinality of some lattices **3** (3) (1975) 67–68
Hou, Y., Trinity algebra and its application to machine decompositions **26** (3) (1987) 127–134
Hou, Y.-S., *see* **Chen, R.-J.** **44** (2) (1992) 91–94
Howard, P.G. and **J.S. Vitter,** Parallel lossless image compression using Huffman and arithmetic coding **59** (2) (1996) 65–73
Howden, W.E., Lindenmayer grammars and symbolic testing **7** (1) (1978) 36–39
Howe, J.M. and **A. King,** Abstracting numeric constraints with Boolean functions **75** (1–2) (2000) 17–23
Howell, R.R., The complexity of problems involving structurally bounded and conservative Petri nets **39** (6) (1991) 309–315
Howell, R.R., L.E. Rosier and **H.-C. Yen,** An $O(n^{1.5})$ algorithm to decide boundedness for conflict-free vector replacement systems **25** (1) (1987) 27–33
Hower, W., Constraint satisfaction -- Algorithms and complexity analysis **55** (3) (1995) 171–178
Hower, W., Revisiting global constraint satisfaction **66** (1) (1998) 41–48
Hower, W., Erratum to "Revisiting global constraint satisfaction" **67** (1) (1998) 55
Høyer, P., Simplified proof of the Fourier Sampling Theorem **75** (4) (2000) 139–143
Hromkovič, J., Alternating multicounter machines with constant number of reversals **21** (1) (1985) 7–9
Hromkovič, J., Linear lower bounds on unbounded fan-in Boolean circuits **21** (2) (1985) 71–74
Hromkovič, J., *see* **Böckenhauer, H.-J.** **75** (3) (2000) 133–138

Hsiao, C.C. and **N.-T. Shen,** k-fold bitonic sort on a mesh-connected parallel computer **21** (4) (1985) 207–212
Hsiao, J.-Y., *see* **Huang, C.-H.** **72** (5–6) (1999) 213–218
Hsiao, J.Y., C.Y. Tang and **R.S. Chang,** Solving the single step graph searching problem by solving the maximum two-independent set problem **40** (5) (1991) 283–287
Hsiao, J.Y., C.Y. Tang and **R.S. Chang,** An efficient algorithm for finding a maximum weight 2-independent set on interval graphs **43** (5) (1992) 229–235
Hsiao, P.-Y., *see* **Yan, J.-T.** **52** (5) (1994) 259–263
Hsieh, K.-R., *see* **Chen, W.-T.** **45** (6) (1993) 309–313
Hsieh, T.-M., Y.-S. Yeh, Y.-C. Hsieh and **C.-C. Wang,** A homophonic DES **66** (6) (1998) 317–320
Hsieh, Y.-C., *see* **Hsieh, T.-M.** **66** (6) (1998) 317–320
Hsu, D.F., *see* **Duh, D.-R.** **57** (1) (1996) 41–45
Hsu, F.-R., *see* **Lu, B.-K.** **75** (4) (2000) 153–158
Hsu, F.R., R.C.T. Lee and **R.C. Chang,** Special subgraphs of weighted visibility graphs **43** (2) (1992) 69–75
Hsu, F.R., *see* **Chao, H.S.** **61** (6) (1997) 311–316
Hsu, J.-M., *see* **Huang, C.-M.** **55** (1) (1995) 1–9
Hsu, L.-H., R.-H. Jan, Y.-C. Lee, C.-N. Hung and **M.-S. Chern,** Finding the most vital edge with respect to minimum spanning tree in weighted graphs **39** (5) (1991) 277–281
Hsu, L.-H., *see* **Chang, Y.-C.** **53** (1) (1995) 55–59
Hsu, L.-H., *see* **Hung, C.-N.** **72** (1–2) (1999) 55–63
Hsu, L.-H., *see* **Sung, T.-Y.** **66** (4) (1998) 201–207
Hsu, L.-H., *see* **Tsai, C.-H.** **72** (3–4) (1999) 109–111
Hsu, L.-H., *see* **Wang, J.-J.** **65** (3) (1998) 157–161
Hsu, L.-H., *see* **Wang, S.-Y.** **61** (4) (1997) 173–181
Hsu, M. and **S.E. Madnick,** Shifting timestamps for concurrency control in an information hierarchy **27** (6) (1988) 291–297
Hsu, S.-C. and **S.-T. Huang,** A self-stabilizing algorithm for maximal matching **43** (2) (1992) 77–81
Hsu, S.H. and **R. Snodgrass,** Optimal block size for set-valued attributes **45** (3) (1993) 153–158
Hsu, W.-L. and **K.-H. Tsai,** Linear time algorithms on circular-arc graphs **40** (3) (1991) 123–129
Hsu, W.-L., *see* **Shih, W.-K.** **31** (3) (1989) 129–134
Hu, C.-M., *see* **Tzeng, W.-G.** **69** (6) (1999) 297–302
Hu, J., *see* **Dekel, E.** **44** (5) (1992) 285–289
Hu, Q., Y. Zhang and **X. Shen,** Rearrangeable graphs **71** (1) (1999) 23–27
Hu, Q., *see* **Shen, X.** **45** (4) (1993) 199–203
Hu, Q., *see* **Shen, X.** **46** (2) (1993) 101
Hu, Q., *see* **Shen, X.** **51** (5) (1994) 237–243
Hu, T.C. and **P.A. Tucker,** Optimal alphabetic trees for binary search **67** (3) (1998) 137–140
Hu, X.D., P.D. Chen and **F.K. Hwang,** A new competitive algorithm for the counterfeit coin problem **51** (4) (1994) 213–218
Huang, B.-C., An algorithm for inverting a permutation **12** (5) (1981) 237–238
Huang, B.-C. and **M.A. Langston,** Stable set and multiset operations in optimal time and space **39** (3) (1991) 131–136
Huang, C.-H., J.-Y. Hsiao and **R.C.T. Lee,** An optimal embedding of cycles into incomplete hypercubes **72** (5–6) (1999) 213–218
Huang, C.-H., *see* **Huang, N.-F.** **40** (1) (1991) 13–20
Huang, C.-H., *see* **Huang, N.-F.** **49** (4) (1994) 171–177
Huang, C.-M., J.M. Hsu and **S.-W. Lee,** ECFSM-based probabilistic protocol verification **55** (1) (1995) 1–9
Huang, D.T., *see* **Olsson, R.A.** **39** (1) (1991) 27–33
Huang, K.-C., F.-J. Wang and **J.-H. Tsai,** Two design patterns for data-parallel computation based on master-slave model **70** (4) (1999) 197–204
Huang, N.-F. and **C.-H. Huang,** Complexity of the repeaters allocating problem **40** (1) (1991) 13–20
Huang, N.-F., C.-H. Huang and **Y.-L. Wang,** A sweepline algorithm to solve the two-center problem **49** (4) (1994) 171–177
Huang, N.-F., *see* **Chang, M.S.** **35** (5) (1990) 255–260
Huang, S.-H.S., H. Liu and **R.M. Verma,** On embedding rectangular meshes into rectangular meshes of smaller aspect ratio **63** (3) (1997) 123–129
Huang, S.-T., A fully distributed termination detection scheme **29** (1) (1988) 13–18
Huang, S.-T., Termination detection by using distributed snapshots **32** (3) (1989) 113–119
Huang, S.-T. and **N.-S. Chen,** A self-stabilizing algorithm for constructing breadth-first trees **41** (2) (1992) 109–117
Huang, S.-T. and **T.-J. Liu,** Four-state stabilizing phase clock for unidirectional rings of odd size **65** (6) (1998) 325–329
Huang, S.-T., *see* **Chen, N.-S.** **39** (3) (1991) 147–151
Huang, S.-T., *see* **Hsu, S.-C.** **43** (2) (1992) 77–81
Huang, S.-T., *see* **Kuo, Y.-C.** **59** (1) (1996) 31–36
Huang, S.-T., *see* **Wuu, L.-C.** **49** (5) (1994) 257–262
Huang, X., A lower bound for the edit-distance problem under an arbitrary cost function **27** (6) (1988) 319–321
Huet, G., An algorithm to generate the basis of solutions to homogeneous linear diophantine equations **7** (3) (1978) 144–147
Hughes, C.E., The equivalence of vector addition systems to a subclass of post canonical systems **7** (4) (1978) 201–204
Hughes, J., *see* **Bird, R.S.** **24** (1) (1987) 53–57
Hughes, R.J.M., A novel representation of lists and its application to the function "reverse" **22** (3) (1986) 141–144
Huguet, L., *see* **Basart, J.M.** **31** (2) (1989) 77–81
Hühne, M., Linear speed-up does not hold on Turing machines with tree storages **47** (6) (1993) 313–318
Hui, L.C.K. and **C.U. Martel,** Analyzing self-adjusting linear list algorithms with deletions and unsuccessful searches **58** (5) (1996) 231–236
Hui, L.C.K., *see* **Li, Z.** **75** (5) (2000) 187–189
Huits, M. and **V. Kumar,** The practical significance of Distributive Partitioning Sort **8** (4) (1979) 168–169
Huizing, C. and **W.P. de Roever,** Introduction to design choices in the semantics of Statecharts **37** (4) (1991) 205–213
Hull, M.E.C., A parallel view of stable marriages **18** (2) (1984) 63–66
Hung, C.-N., L.-H. Hsu and **T.-Y. Sung,** Christmas tree: A versatile 1-fault-tolerant design for token rings **72** (1–2) (1999) 55–63
Hung, C.-N., *see* **Hsu, L.-H.** **39** (5) (1991) 277–281
Hung, C.-N., *see* **Tsai, C.-H.** **72** (3–4) (1999) 109–111
Hung, C.-N., *see* **Wang, J.-J.** **65** (3) (1998) 157–161
Hung, C.Y. and **B. Parhami,** Fast RNS division algorithms for fixed divisors with application to RSA encryption **51** (4) (1994) 163–169
Hung, Y.-C., *see* **Chen, G.-H.** **46** (3) (1993) 125–128

Hunt, G.C., M.M. Michael, S. Parthasarathy and **M.L. Scott,** An efficient algorithm for concurrent priority queue heaps **60** (3) (1996) 151–157
Hunt III, H.B., *see* **Ravi, S.S.** **25** (5) (1987) 317–321
Hunt III, H.B., *see* **Rosenkrantz, D.J.** **28** (4) (1988) 189–192
Hur, J.H. and **K. Chon,** Self and selftype **36** (5) (1990) 225–230
Hurtado, F., *see* **Abellanas, M.** **57** (3) (1996) 165–173
Hurtado, F., *see* **Abellanas, M.** **71** (5–6) (1999) 221–227
Huttenlocher, D.P., K. Kedem and **J.M. Kleinberg,** Voronoi diagrams of rigidly moving sets of points **43** (4) (1992) 217–223
Huy, P.T., I. Livotsky and **D.L. Van,** Which finite monoids are syntactic monoids of rational ω-languages **42** (3) (1992) 127–132
Huynh, D.T., On solving hard problems by polynomial-size circuits **24** (3) (1987) 171–176
Huynh, D.T., The effective entropies of some extensions of context-free languages **37** (3) (1991) 165–169
Huynh, D.T., *see* **Cho, S.** **29** (4) (1988) 177–182
Huynh, D.T., *see* **Cho, S.** **42** (2) (1992) 89–94
Huynh, T. and **K. Marriott,** Incremental constraint deletion in systems of linear constraints **55** (2) (1995) 111–115
Hwang, F.K. and **C.K. Pai,** Sequetial construction of a circular consecutive-2 system **75** (5) (2000) 231–235
Hwang, F.K., *see* **Hu, X.D.** **51** (4) (1994) 213–218
Hwang, M.-S., Cryptanalysis of YCN key assignment scheme in a hierarchy **73** (3–4) (2000) 97–101
Hwang, S.-C. and **G.-H. Chen,** A note on cyclic-cubes **72** (3–4) (1999) 131–135
Hwang, S.-J., C.-C. Chang and **W.-P. Yang,** Authenticated encryption schemes with message linkage **58** (4) (1996) 189–194
Hwang, S.-J., *see* **Chang, C.-C.** **63** (1) (1997) 19–21
Hwang, T., Protocols for group oriented secret sharing **42** (4) (1992) 179–182
Hwang, T., Attacks on Okamoto and Tanaka's one-way ID-based key distribution system **43** (2) (1992) 83–86
Hwang, T., Efficient ID-based key distribution with tamperfree devices **44** (1) (1992) 31–34
Hwang, T., Scheme for secure digital mobile communications based on symmetric key cryptography **48** (1) (1993) 35–37
Hwang, T. and **Y.-H. Chen,** On the security of SPLICE/AS—The authentication system in WIDE Internet **53** (2) (1995) 97–101
Hwang, T., N.-Y. Lee, C.-M. Li, M.-Y. Ko and **Y.-H. Chen,** Two attacks on Neuman-Stubblebine authentication protocols **53** (2) (1995) 103–107
Hwang, T. and **C.-H. Wang,** Arbitrated unconditionally secure authentication scheme with multi-senders **65** (4) (1998) 189–193
Hwang, T., *see* **Lee, N.-Y.** **70** (2) (1999) 79–81
Hwang, T., *see* **Wang, C.-H.** **69** (2) (1999) 95–97
Hwang, W.-P. and **C.-L. Wang,** In-place random list permutations **70** (6) (1999) 255–257
Hyafil, L. and **R.L. Rivest,** Constructing optimal binary decision trees is NP-complete **5** (1) (1976) 15–17
Hyafil, L. and **J.P. Van de Wiele,** On the additive complexity of specific polynomials **4** (2) (1975) 45–47
Hyslop, G.A. and **E.A. Lamagna,** Performance of distributive partitioned sort in a demand paging environment **25** (1) (1987) 61–64

Iakovlev, M.F., *see* **Molchanov, I.N.** **2** (3) (1973) 86–90
Ibaraki, T. and **N. Katoh,** On-line computation of transitive closures of graphs **16** (2) (1983) 95–97
Ibaraki, T., *see* **Nagamochi, H.** **31** (6) (1989) 279–285
Ibaraki, T., *see* **Nagamochi, H.** **67** (5) (1998) 239–244
Ibarra, L., Finding pattern matchings for permutations **61** (6) (1997) 293–295
Ibarra, O.H., A note on semilinear sets and bounded-reversal multihead pushdown automata **3** (1) (1974) 25–28
Ibarra, O.H. and **T. Jiang,** Optimal simulation of tree arrays by linear arrays **30** (6) (1989) 295–302
Ibarra, O.H., T. Jiang and **B. Ravikumar,** Some subclasses of context-free languages in NC^1 **29** (3) (1988) 111–117
Ibarra, O.H. and **S. Moran,** Deterministic and probabilistic algorithms for maximum bipartite matching via fast matrix multiplication **13** (1) (1981) 12–15
Ibarra, O.H., S. Moran and **L.E. Rosier,** A note on the parallel complexity of computing the rank of order n matrices **11** (4–5) (1980) 162
Ibarra, O.H., S. Moran and **L.E. Rosier,** Probabilistic algorithms and straight-line programs for some rank decision problems **12** (5) (1981) 227–232
Ibarra, O.H. and **L.E. Rosier,** On the decidability of equivalence for deterministic pushdown transducers **13** (3) (1981) 89–93
Ibarra, O.H., *see* **Chang, J.H.** **25** (1) (1987) 1–9
Ibarra, O.H., *see* **Chang, J.H.** **27** (1) (1988) 53
Ibarra, O.H., *see* **Gurari, E.M.** **8** (5) (1979) 267–271
Ida, T., Some FP algebra with Currying operation **17** (5) (1983) 259–261
Ida, T., *see* **Goto, E.** **6** (1) (1977) 8–13
Ido, N., *see* **Tsuchiya, T.** **71** (1) (1999) 35–42
Ierardi, D., *see* **Ghandeharizadeh, S.** **57** (2) (1996) 75–81
Igarashi, Y., S. Osawa and **W. Unger,** Automorphisms of broadcasting schemes with respect to start rounds **51** (1) (1994) 35–41
Igarashi, Y., *see* **Bao, F.** **62** (4) (1997) 213–216
Igarashi, Y., *see* **Han, Y.** **33** (5) (1990) 233–238
Igarashi, Y., *see* **Iwasaki, Y.** **69** (3) (1999) 155–160
Igarashi, Y., *see* **Mei, A.** **52** (1) (1994) 51–56
Igarashi, Y., *see* **Obokata, K.** **58** (3) (1996) 117–122
Ihler, E., D. Wagner and **F. Wagner,** Modeling hypergraphs by graphs with the same mincut properties **45** (4) (1993) 171–175
Ihm, H.-S. and **S.C. Ntafos,** On legal path problems in digraphs **18** (2) (1984) 93–98
Iida, S., *see* **Kakuta, K.** **23** (1) (1986) 33–37
Ikeda, K., *see* **Hirose, S.** **62** (4) (1997) 189–192
Ikeda, K., *see* **Nishihara, S.** **17** (5) (1983) 251–253
Ilie, L., *see* **Halava, V.** **62** (1) (1997) 1–4
Iliopoulos, C.S., Analysis of algorithms on problems in general abelian groups **20** (4) (1985) 215–220
Iliopoulos, C.S., *see* **Apostolico, A.** **39** (1) (1991) 17–20
Iliopoulos, C.S., *see* **Beynon, W.M.** **20** (3) (1985) 161–163
Illarramendi, A., *see* **Demolombe, R.** **32** (6) (1989) 313–316
Illies, N., A counterexample to the generalized Aanderaa–Rosenberg conjecture **7** (3) (1978) 154–155
Im, B.-M., M.H. Kim, H.-I. Kang and **J.S. Yoo,** Declustering signature files based on a dynamic measure **74** (5–6) (2000) 235–241

Imai, H., Finding connected components of an intersection graph of squares in the Euclidean plane **15** (3) (1982) 125–128
Imai, H., *see* **Asano, T.** **24** (5) (1987) 285–288
Imai, H., *see* **de Fraysseix, H.** **31** (1) (1989) 53–56
Imai, H., *see* **Zheng, Y.** **68** (5) (1998) 227–233
Imase, M. and **Y. Manabe,** Fault-tolerant routings in a κ-connected network **28** (4) (1988) 171–175
Imase, M., *see* **Waxman, B.M.** **29** (6) (1988) 283–287
Immerman, N., *see* **Fischer, M.J.** **25** (3) (1987) 175–181
Impagliazzo, R., *see* **Clementi, A.** **53** (1) (1995) 27–31
Impedovo, S., *see* **Dimauro, G.** **73** (5–6) (2000) 189–198
Imrich, W. and **S. Klavžar,** Recognizing Hamming graphs in linear time and space **63** (2) (1997) 91–95
Inagaki, H., *see* **Sugihara, K.** **54** (5) (1995) 275–280
Inagaki, Y., *see* **Tan, X.-H.** **37** (4) (1991) 201–204
Incerpi, J. and **R. Sedgewick,** Practical variations of Shellsort **26** (1) (1987) 37–43
Ingemarsson, I. and **C.K. Wong,** A user authentication scheme for shared data based on a trap-door one-way function **12** (2) (1981) 63–67
Ingólfsdóttir, A., *see* **Aceto, L.** **64** (3) (1997) 127–134
Innes, D.R. and **S. Tsur,** Interval analysis, pagination and program locality **5** (4) (1976) 91–96
Inoue, K., A. Ito and **I. Takanami,** A relationship between nondeterministic Turing machines and 1-inkdot Turing machines with small space **43** (4) (1992) 225–227
Inoue, K., A. Ito, I. Takanami and **T. Yoshinaga,** A note on multi-inkdot nondeterministic Turing machines with small space **48** (6) (1993) 285–288
Inoue, K. and **I. Takanami,** A note on cyclic closure operations **8** (1) (1979) 15–16
Inoue, K. and **I. Takanami,** A note on bottom-up pyramid acceptors **8** (1) (1979) 34–37
Inoue, K. and **I. Takanami,** A note on decision problems for three-way two-dimensional finite automata **10** (4–5) (1980) 245–248
Inoue, K. and **I. Takanami,** Some considerations about NPRIORITY(1) without ROM **28** (4) (1988) 215–219
Inoue, K., I. Takanami and **A. Nakamura,** A note on two-dimensional finite automata **7** (1) (1978) 49–52
Inoue, K., I. Takanami and **H. Taniguchi,** A note on alternating on-line Turing machines **15** (4) (1982) 164–168
Inoue, K., *see* **Nakamura, A.** **10** (4–5) (1980) 219–222
Inoue, K., *see* **Wang, Y.** **72** (1–2) (1999) 19–24
Inverardi, P. and **M. Nesi,** A rewriting strategy to verify observational congruence **35** (4) (1990) 191–199
Inverardi, P., *see* **Boreale, M.** **43** (3) (1992) 155–160
Ioulidis, S., *see* **Bozapalidis, S.** **29** (4) (1988) 171–175
Irani, S., Two results on the list update problem **38** (6) (1991) 301–306
Irani, S. and **R. Rubinfeld,** A competitive 2-server algorithm **39** (2) (1991) 85–91
Iri, M., K. Murota and **S. Matsui,** Linear-time approximation algorithms for finding the minimum-weight perfect matching on a plane **12** (4) (1981) 206–209
Iri, M., *see* **Ohya, T.** **18** (4) (1984) 227–231
Irving, R.W., On approximating the minimum independent dominating set **37** (4) (1991) 197–200
Irving, R.W., *see* **Gusfield, D.** **30** (5) (1989) 255–259
Ishizaka, H., *see* **Sugimoto, N.** **69** (4) (1999) 161–166
Ishizuka, H., *see* **Sassa, M.** **24** (1) (1987) 31–41
Isozaki, H., *see* **Okuno, H.G.** **66** (4) (1998) 195–199
Israeli, A. and **A. Itai,** A fast and simple randomized parallel algorithm for maximal matching **22** (2) (1986) 77–80
Israeli, A. and **Y. Shiloach,** An improved parallel algorithm for maximal matching **22** (2) (1986) 57–60
Israeli, A. and **A. Shirazi,** The time complexity of updating snapshot memories **65** (1) (1998) 33–40
Israeli, A., *see* **Gibbons, A.M.** **27** (1) (1988) 43–51
Istrail, S., Tag systems generating Thue irreductible sequences **7** (3) (1978) 129–131
Istrail, S. and **D. Zivkovic,** Bounded-width polynomial-size Boolean formulas compute exactly those functions in AC^0 **50** (4) (1994) 211–216
Istrate, G., The strong equivalence of ET0L grammars **62** (4) (1997) 171–176
Itai, A., A randomized algorithm for checking equivalence of circular lists **9** (3) (1979) 118–121
Itai, A., *see* **Dinitz, Y.** **70** (3) (1999) 141–146
Itai, A., *see* **Israeli, A.** **22** (2) (1986) 77–80
Italiano, G.F., Finding paths and deleting edges in directed acyclic graphs **28** (1) (1988) 5–11
Italiano, G.F., *see* **Galil, Z.** **37** (6) (1991) 331–335
Italiano, G.F., *see* **Vigneron, A.** **74** (1–2) (2000) 81–88
Itano, K., Reduction of page swaps on the two dimensional transforms in a paging environment **9** (3) (1979) 137–140
Itano, K., Y. Sato, H. Hirai and **T. Yamagata,** An incremental pattern matching algorithm for the pipelined lexical scanner **27** (5) (1988) 253–258
Ito, A., *see* **Inoue, K.** **43** (4) (1992) 225–227
Ito, A., *see* **Inoue, K.** **48** (6) (1993) 285–288
Ito, A., *see* **Wang, Y.** **72** (1–2) (1999) 19–24
Ito, H. and **M. Yokoyama,** Linear time algorithms for graph search and connectivity determination on complement graphs **66** (4) (1998) 209–213
Ito, M., N. Takagi and **S. Yajima,** Square rooting by iterative multiply-additions **60** (5) (1996) 267–269
Itoh, T., Characterization for a family of infinitely many irreducible equally spaced polynomials **37** (5) (1991) 273–277
Itoh, T. and **S. Tsujii,** An efficient algorithm for deciding quadratic residuosity in finite fields GF(p^m) **30** (3) (1989) 111–114
Ivković, Z. and **E.L. Lloyd,** A fundamental restriction on fully dynamic maintenance of bin packing **59** (4) (1996) 229–232
Ivković, Z. and **E.L. Lloyd,** Partially dynamic bin packing can be solved within $1 + \varepsilon$ in (amortized) polylogarithmic time **63** (1) (1997) 45–50
Iwama, K., C. Iwamoto and **T. Ohsawa,** A faster parallel algorithm for k-connectivity **61** (5) (1997) 265–269
Iwama, K. and **T. Pitassi,** Exponential lower bounds for the tree-like Hajós calculus **54** (5) (1995) 289–294
Iwamoto, C. and **G.T. Toussaint,** Finding Hamiltonian circuits in arrangements of Jordan curves is NP-complete **52** (4) (1994) 183–189
Iwamoto, C., *see* **Iwama, K.** **61** (5) (1997) 265–269
Iwano, K., An improvement of Goldberg, Plotkin and Vaidya's maximal node-disjoint paths algorithm **32** (1) (1989) 25–27

Iwano, K. and **N. Katoh,** Efficient algorithms for finding the most vital edge of a minimum spanning tree **48** (5) (1993) 211–213
Iwano, K., *see* **Dai, Y. 64** (5) (1997) 255–261
Iwasaki, Y., Y. Kajiwara, K. Obokata and **Y. Igarashi,** Independent spanning trees of chordal rings **69** (3) (1999) 155–160
Iwata, A., *see* **Torres, M.A. 69** (5) (1999) 253–258
Iwata, S., S.T. McCormick and **M. Shigeno,** A fast cost scaling algorithm for submodular flow **74** (3–4) (2000) 123–128
Iyengar, S.S., *see* **Kumar, D. 35** (1) (1990) 55–56
Iyengar, S.S., *see* **Rajanarayanan, S. 38** (3) (1991) 143–148
Iyengar, S.S., *see* **Sharma, M.B. 32** (4) (1989) 183–186
Iyengar, S.S., *see* **Vedantham, S. 65** (4) (1998) 179–182
Iyengar, V. and **K. Chakrabarty,** An efficient finite-state machine implementation of Huffman decoders **64** (6) (1997) 271–275
Iyer, A.V., H.D. Ratliff and **G. Vijayan,** Optimal node ranking of trees **28** (5) (1988) 225–229

Jackowski, B.L., R. Kubiak and **S. Sokolowski,** Complexity of sorting by distributive partitioning **9** (2) (1979) 100
Jackson, L.W. and **S. Dasgupta,** The identification of parallel micro-operations **2** (6) (1974) 180–184
Jacob, J., Separability and the detection of hidden channels **34** (1) (1990) 27–29
Jacob, J., A model of reconfiguration in communicating sequential processes **35** (1) (1990) 19–22
Jacob, J., A model of reconfiguration in communicating sequential processes with a notion of transactions **41** (1) (1992) 9–12
Jacob, J., *see* **Clark, J. 56** (3) (1995) 151–155
Jacobs, C.T.M. and **P. van Emde Boas,** Two results on tables **22** (1) (1986) 43–48
Jacobs, D.P., Probabilistic checking of associativity in algebras **37** (4) (1991) 187–191
Jaffar, J., Presburger arithmetic with array segments **12** (2) (1981) 79–82
Jaffe, J., Counting productions in context-free derivations **7** (4) (1978) 196–200
Jagadish, H.V., Analysis of the Hilbert curve for representing two-dimensional space **62** (1) (1997) 17–22
Jain, A., *see* **Deo, N. 50** (2) (1994) 81–87
Jain, N., *see* **Aggarwal, C.C. 53** (1) (1995) 37–47
Jain, R. and **J. Werth,** Analysis of approximate algorithms for edge-coloring bipartite graphs **54** (3) (1995) 163–168
Jain, S., On a question about learning nearly minimal programs **53** (1) (1995) 1–4
Jain, S., On a question of nearly minimal identification of functions **70** (3) (1999) 113–117
Jain, S. and **A. Sharma,** On the non-existence of maximal inference degrees for language identification **47** (2) (1993) 81–88
Ja'Ja', J. and **J. Takche,** Improved lower bounds for some matrix multiplication problems **21** (3) (1985) 123–127
Jájá, J., *see* **Greenberg, R. 44** (5) (1992) 281–284
JáJá, J., *see* **Snelick, R. 54** (3) (1995) 147–153
Jajodia, S., On equivalence of relational and network database models **20** (1) (1985) 51–54
Jajodia, S., *see* **Wolfson, O. 53** (2) (1995) 113–119
Jakobsson, M., Huffman coding in bit-vector compression **7** (6) (1978) 304–307
Jakobsson, M., Evaluation of a hierarchical bit-vector compression technique **14** (4) (1982) 147–149
Jammel, A.J. and **H.G. Stiegler,** On expected costs of deadlock detection **11** (4–5) (1980) 229–231
Jan, J.-K. and **Y.-M. Tseng,** On the security of image encryption method **60** (5) (1996) 261–265
Jan, J.-K., *see* **Tseng, Y.-M. 71** (1) (1999) 1–4
Jan, R.-H., *see* **Hsu, L.-H. 39** (5) (1991) 277–281
Janardan, R., On the dynamic maintenance of maximal points in the plane **40** (2) (1991) 59–64
Janardan, R., *see* **Cheng, S.W. 36** (5) (1990) 251–258
Janardan, R., *see* **Gupta, P. 64** (5) (1997) 263–269
Janardan, R., *see* **Gupta, P. 69** (1) (1999) 7–13
Jančar, P., A note on well quasi-orderings for powersets **72** (5–6) (1999) 155–160
Janiak, A., Minimization of resource consumption under a given deadline in the two-processor flow-shop scheduling problem **32** (3) (1989) 101–112
Janiga, L. and **V. Koubek,** A note on finding minimum cuts in directed planar networks by parallel computations **21** (2) (1985) 75–78
Jansen, K., An approximation algorithm for the general routing problem **41** (6) (1992) 333–339
Janssen, A.J.E.M., An optimization problem related to neural networks **37** (3) (1991) 155–157
Janssens, M.D., *see* **Annot, J.K. 23** (2) (1986) 91–97
Jantzen, M., A note on vector grammars **8** (1) (1979) 32–33
Jantzen, M., A note on a special one-rule semi-Thue system **21** (3) (1985) 135–140
Jard, C., *see* **Fromentin, E. 54** (5) (1995) 267–274
Jaromczyk, J.W., Linear decision trees are too weak for convex hull problem **12** (3) (1981) 138–141
Jaromczyk, J.W., *see* **Drysdale III, R.L. 32** (6) (1989) 301–303
Jarominek, S., *see* **Garrido, O. 57** (2) (1996) 83–87
Jarvis, R.A., On the identification of the convex hull of a finite set of points in the plane **2** (1) (1973) 18–21
Jarzabek, S. and **T. Krawczyk,** LL-regular grammars **4** (2) (1975) 31–37
Jaumard, B. and **M. Minoux,** An efficient algorithm for the transitive closure and a linear worst-case complexity result for a class of sparse graphs **22** (4) (1986) 163–169
Jaumard, B. and **B. Simeone,** On the complexity of the maximum satisfiability problem for Horn formulas **26** (1) (1987) 1–4
Jávor, A., An adaptive time advancement algorithm for discrete simulation **6** (3) (1977) 83–86
Jayanti, P., T.D. Chandra and **S. Toueg,** The cost of graceful degradation for omission failures **71** (3–4) (1999) 167–172
Jazayeri, M., An improvement in the iterative data flow analysis algorithm **10** (2) (1980) 108–110
Jean-Marie, A., *see* **Bermond, J.C. 26** (1) (1987) 45–50
Jędrzejowicz, J., On the enlargement of the class of regular languages by the shuffle closure **16** (2) (1983) 51–54
Jędrzejowicz, J., Nesting of shuffle closure is important **25** (6) (1987) 363–367
Jędrzejowicz, J., Infinite hierarchy of expressions containing shuffle closure operator **28** (1) (1988) 33–37
Jędrzejowicz, J., Infinite hierarchy of shuffle expressions over a finite alphabet **36** (1) (1990) 13–17

Jeffay, K., *see* **Baruah, S.K.** **64** (1) (1997) 43–51
Jeffs, J., Order independent NCE grammars recognized in polynomial time **39** (3) (1991) 161–164
Jégou, P., *see* **Bouquet, F.** **62** (3) (1997) 111–120
Jégou, P., *see* **Chmeiss, A.** **62** (2) (1997) 61–66
Jenkyns, T.A., *see* **Bradford, J.H.** **38** (4) (1991) 169–171
Jenner, B., Knapsack problems for NL **54** (3) (1995) 169–174
Jerebic, I. and **R. Trobec,** Optimal routing in toroidal networks **43** (6) (1992) 285–291
Jerrum, M., Counting trees in a graph is #P-complete **51** (3) (1994) 111–116
Jha, P.K. and **G. Slutzki,** A scheme to construct distance-three codes using latin squares, with applications to the n-cube **55** (3) (1995) 123–127
Jhon, C.S., *see* **Kim, J.-S.** **66** (5) (1998) 247–253
Jiang, B., Traversing graphs in a paging environment, BFS or DFS? **37** (3) (1991) 143–147
Jiang, B., DFS-traversing graphs in a paging environment, LRU or MRU? **40** (4) (1991) 193–196
Jiang, T., M. Li and **D.-Z. Du,** A note on shortest superstrings with flipping **44** (4) (1992) 195–199
Jiang, T. and **B. Ravikumar,** A note on the space complexity of some decision problems for finite automata **40** (1) (1991) 25–31
Jiang, T., *see* **Ibarra, O.H.** **29** (3) (1988) 111–117
Jiang, T., *see* **Ibarra, O.H.** **30** (6) (1989) 295–302
Jiang, T., *see* **Zhang, K.** **49** (5) (1994) 249–254
Jiang, X. and **H. Bunke,** Optimal vertex ordering of graphs **72** (5–6) (1999) 149–154
Jimbo, S. and **A. Maruoka,** On the relationship between the diameter and the size of a boundary of a directed graph **50** (5) (1994) 277–282
Jimbo, S. and **A. Maruoka,** On the relationship between ε-biased random variables and ε-dependent random variables **51** (1) (1994) 17–23
Jin, X., Large processors are good in VLSI chips **18** (1) (1984) 47–49
Jitmedha, C., *see* **Leiss, E.L.** **22** (6) (1986) 319–327
Jodrá, P., *see* **García, A.** **68** (1) (1998) 3–9
Johannsen, J., Lower bounds for monotone real circuit depth and formula size and tree-like Cutting Planes **67** (1) (1998) 37–41
Johansson, Ö., Simple distributed $\Delta + 1$-coloring of graphs **70** (5) (1999) 229–232
Johnson, D. and **B.R. Bryant,** Formal syntax methods for natural language **19** (3) (1984) 135–143
Johnson, D.B., Priority queues with update and finding minimum spanning trees **4** (3) (1975) 53–57
Johnson, D.B., *see* **Gonzalez, T.F.** **15** (3) (1982) 119–124
Johnson, D.S., M. Yannakakis and **C.H. Papadimitriou,** On generating all maximal independent sets **27** (3) (1988) 119–123
Johnson, D.S., *see* **Garey, M.R.** **7** (4) (1978) 175–179
Johnson, D.T., *see* **Yu, C.T.** **5** (4) (1976) 100–101
Johnson, T. and **K. Harathi,** A simple correctness proof of the MCS contention-free lock **48** (5) (1993) 215–220
Johnson Jr., R.B., The complexity of a VLSI adder **11** (2) (1980) 92–93
Johnsson, R., *see* **Reddy, R.** **1** (6) (1972) 246–251
Jokinen, M.O., Customizable garbage collectors **30** (3) (1989) 115–118
Joly, R., *see* **Brandwajn, A.** **10** (2) (1980) 99–103
Jones, C., *see* **Bui, T.N.** **42** (3) (1992) 153–159
Jones, C.B., Partial functions and logics: A warning **54** (2) (1995) 65–67
Jones, C.B., *see* **Henhapl, W.** **1** (1) (1971) 14–16
Jones, J., *see* **Dunten, B.** **59** (2) (1996) 79–84
Jones, N.D., A note on linear time simulation of deterministic two-way pushdown automata **6** (4) (1977) 110–112
Jonkers, H.B.M., A fast garbage compaction algorithm **9** (1) (1979) 26–30
Jonsson, P., A nonapproximability result for finite function generation **63** (3) (1997) 143–145
Jonsson, P., Near-optimal nonapproximability results for some NPO PB-complete problems **68** (5) (1998) 249–253
Jørgensen, K., *see* **Alstrup, S.** **59** (1) (1996) 9–11
Joseph, M., On a problem in real-time computing **20** (4) (1985) 173–177
Josephs, M.B., The date refinement calculator for Z specifications **27** (1) (1988) 29–33
Joshi, A.K., *see* **Yokomori, T.** **17** (3) (1983) 137–143
Jou, J.H. and **P.C. Fischer,** The complexity of recognizing 3NF relation schemes **14** (4) (1982) 187–190
Jouannaud, J.-P. and **P. Lescanne,** On multiset orderings **15** (2) (1982) 57–63
Jouppi, D., *see* **Koplowitz, J.** **7** (1) (1978) 56–57
Jourdan, G.-V., *see* **Fromentin, E.** **54** (5) (1995) 267–274
Jovanović, Z. and **J. Mišić,** Fault tolerance of the star graph interconnection network **49** (3) (1994) 145–150
Jovanovich, A.D., Note on a modification of the fundamental cycles finding algorithm **3** (1) (1974) 33
Juan, M.-T., *see* **Ho, T.-Y.** **59** (2) (1996) 103–107
Jukna, S., Computing threshold functions by depth-3 threshold circuits with smaller thresholds of their gates **56** (3) (1995) 147–150
Jukna, S., Linear codes are hard for oblivious read-once parity branching programs **69** (6) (1999) 267–269
Julia, S., I. Litovsky and **B. Patrou,** On codes, ω-codes and ω-generators **60** (1) (1996) 1–5
Jullien, G.A., *see* **Dimitrov, V.S.** **66** (3) (1998) 155–159
Jung, G., *see* **Choi, K.** **67** (6) (1998) 311–315
Jung, H. and **K. Mehlhorn,** Parallel algorithms for computing maximal independent sets in trees and for updating minimum spanning trees **27** (5) (1988) 227–236
Jung, M.-S., K.-M. Choe and **T. Han,** An efficient computation of right context for LR-based error repair **49** (2) (1994) 63–71
Jung, S., *see* **Choi, K.** **67** (6) (1998) 311–315
Jurdziński, M., Deciding the winner in parity games is in UP ∩ co-UP **68** (3) (1998) 119–124
Justin, J. and **G. Pirillo,** On some factorizations of infinite words by elements of codes **62** (6) (1997) 289–294
Jutla, C.S., *see* **Yellin, D.M.** **48** (1) (1993) 29–34
Juurlink, B.H.H. and **H.A.G. Wijshoff,** Communication primitives for BSP computers **58** (6) (1996) 303–310
Jwo, J.-S. and **T.-C. Tuan,** On transmitting delay in a distance-transitive strongly antipodal graph **51** (5) (1994) 233–235

Kabadi, S.N. and **Y.P. Aneja,** An efficient, strongly polynomial, ε-approximation parametric optimization scheme **64** (4) (1997) 173–177
Kabadi, S.N., *see* **Phillips, J.M.** **67** (2) (1998) 105–110
Kacker, R., *see* **Snelick, R.** **54** (3) (1995) 147–153
Kaehler, E.B., *see* **Knuth, D.E.** **1** (4) (1972) 173–176
Kaivola, R., On modal mu-calculus and Büchi tree automata **54** (1) (1995) 17–22
Kaji, I., *see* **Kurihara, M.** **34** (1) (1990) 1–4
Kajiwara, Y., *see* **Iwasaki, Y.** **69** (3) (1999) 155–160
Kak, S.C., How to detect tampering of data **20** (2) (1985) 109–110
Kakugawa, H., S. Fujita, M. Yamashita and **T. Ae,** A distributed k-mutual exclusion algorithm using k-coterie **49** (4) (1994) 213–218
Kakuta, K., H. Nakamura and **S. Iida,** A parallel reference counting algorithm **23** (1) (1986) 33–37
Kalamboukis, T.Z. and **S.L. Mantzaris,** Towards optimal distributed election on chordal rings **38** (5) (1991) 265–270
Kalantari, B., *see* **Eğecioğlu, Ö.** **32** (4) (1989) 205–211
Kalantari, B., *see* **Grigoriadis, M.D.** **22** (2) (1986) 73–76
Kaldewaij, A., On the decomposition of sequences into ascending subsequences **21** (2) (1985) 69
Kaldewaij, A. and **B. Schoenmakers,** The derivation of a tighter bound for top-down skew heaps **37** (5) (1991) 265–271
Kaldewaij, A., *see* **Dielissen, V.J.** **38** (1) (1991) 1–6
Kalé, L.V., An almost perfect heuristic for the N nonattacking queens problem **34** (4) (1990) 173–178
Kallay, M., The complexity of incremental convex hull algorithms in R^d **19** (4) (1984) 197
Kallay, M., Convex hull made easy **22** (3) (1986) 161
Kamada, T. and **S. Kawai,** An algorithm for drawing general undirected graphs **31** (1) (1989) 7–15
Kamada, T., *see* **Matsuoka, S.** **31** (3) (1989) 119–126
Kamakoti, V. and **C. Pandu Rangan,** An optimal algorithm for reconstructing a binary tree **42** (2) (1992) 113–115
Kamakoti, V., *see* **Graf, T.** **64** (6) (1997) 287–291
Kambayashi, Y., T. Hayashi, Y. Tanaka and **S. Yajima,** A linear storage space algorithm for a reference structure index **7** (2) (1978) 66–71
Kameda, T., On the vector representation of the reachability in planar directed graphs **3** (3) (1975) 75–77
Kameda, T., *see* **Pilarski, S.** **45** (2) (1993) 81–87
Kameda, T., *see* **Suzuki, I.** **66** (1) (1998) 49–52
Kamin, S., Head-strictness is not a monotonic abstract property **41** (4) (1992) 195–198
Kämper, J., A result relating disjunctive self-reducibility to P-immunity **33** (5) (1990) 239–242
Kanchanasut, K., A shortest-path algorithm for Manhattan graphs **49** (1) (1994) 21–25
Kanchanasut, K., *see* **Malhotra, V.M.** **31** (4) (1989) 185–189
Kanchi, S.P., *see* **Chen, J.** **61** (6) (1997) 317–322
Kandzia, P. and **M. Mangelmann,** On covering Boyce–Codd normal forms **11** (4–5) (1980) 218–223
Kaneko, A. and **K. Yoshimoto,** On spanning trees with restricted degrees **73** (5–6) (2000) 163–165
Kanellakis, P.C., On the computational complexity of cardinality constraints in relational databases **11** (2) (1980) 98–101
Kanevsky, A., *see* **Chen, J.** **61** (6) (1997) 317–322
Kang, A.N.C. and **D.A. Ault,** Some properties of a centroid of a free tree **4** (1) (1975) 18–20
Kang, H.-I., *see* **Im, B.-M.** **74** (5–6) (2000) 235–241
Kang, H.-J., K. Kim and **J.H. Kim,** Approximating optimally discrete probability distribution with kth-order dependency for combining multiple decisions **62** (2) (1997) 67–75
Kang, S.T., *see* **Kim, J.S.** **71** (5–6) (1999) 213–220
Kaninke, G., *see* **Becker, M.** **15** (3) (1982) 135–136
Kankanhalli, M.S., *see* **Chang, E.-C.** **48** (3) (1993) 121–125
Kann, V., Maximum bounded 3-dimensional matching is MAX SNP-complete **37** (1) (1991) 27–35
Kann, V., Maximum bounded H-matching is MAX SNP-complete **49** (6) (1994) 309–318
Kann, V., J. Lagergren and **A. Panconesi,** Approximability of maximum splitting of k-sets and some other *Apx*-complete problems **58** (3) (1996) 105–110
Kann, V., J. Lagergren and **A. Panconesi,** Approximate Max k-Cut with subgraph guarantee **65** (3) (1998) 145–150
Kannan, C.S. and **H.Y.H. Chuang,** Fast Hough transform on a mesh connected processor array **33** (5) (1990) 243–248
Kannan, S., *see* **Brassard, G.** **28** (4) (1988) 207–212
Kant, G., G. Liotta, R. Tamassia and **I.G. Tollis,** Area requirement of visibility representations of trees **62** (2) (1997) 81–88
Kanta, M., *see* **Arnold, A.** **64** (2) (1997) 53–59
Kantabutra, V., Traveling salesman cycles are not always subgraphs of Voronoi duals **16** (1) (1983) 11–12
Kao, M.-Y., Linear-time optimal augmentation for componentwise bipartite-completeness of graphs **54** (1) (1995) 59–63
Kao, M.-Y. and **S.R. Tate,** Online matching with blocked input **38** (3) (1991) 113–116
Kao, M.-Y. and **F. Wan,** Not all planar digraphs have small cycle separators **44** (2) (1992) 79–83
Kaplan, H. and **R. Shamir,** The domatic number problem on some perfect graph families **49** (1) (1994) 51–56
Kapur, D. and **M.S. Krishnamoorthy,** Worst-case choice for the stable marriage problem **21** (1) (1985) 27–30
Kapur, S. and **G. Bilardi,** On uniform learnability of language families **44** (1) (1992) 35–38
Karayiannis, A. and **G. Loizou,** Cycle detection in critical path networks **7** (1) (1978) 15–19
Karger, D., *see* **Blum, A.** **61** (1) (1997) 49–53
Karhumäki, J., An example of a PD2L-system with the growth type $2\frac{1}{2}$ **2** (5) (1973) 131–134
Karhumäki, J. and **D. Wood,** Inverse morphic equivalence on languages **19** (5) (1984) 213–218
Karhumäki, J., *see* **Culik II, K.** **23** (1) (1986) 29–31
Karhumäki, J., *see* **Culik II, K.** **26** (5) (1988) 231–236
Kari, J., *see* **Culik II, K.** **48** (6) (1993) 267–274
Karlgren, H., Stacking without really stacking when reducing categorical expressions **1** (1) (1971) 21–22
Karloff, H., Fast algorithms for approximately counting mismatches **48** (2) (1993) 53–60
Karloff, H., *see* **Bartal, Y.** **50** (3) (1994) 113–116
Karloff, H., *see* **Freund, A.** **75** (1–2) (2000) 43–50
Karloff, H.J., R. Paturi and **J. Simon,** Universal traversal sequences of length $n^{O(\log n)}$ for cliques **28** (5) (1988) 241–243

Karlsson, R.G. and **M.H. Overmars,** Normalized divide-and-conquer: A scaling technique for solving multi-dimensional problems **26** (6) (1988) 307–312
Karner, G., A note on terminal balancing of algebraic systems **35** (6) (1990) 291–293
Karp, R.M., *see* **Blum, M.** **13** (4–5) (1981) 164–167
Karpinski, M., *see* **Dahlhaus, E.** **42** (6) (1992) 309–313
Karpinski, M., *see* **Fernandez de la Vega, W.** **70** (2) (1999) 53–55
Karpinski, M., *see* **Lingas, A.** **30** (1) (1989) 27–32
Karpovsky, M.G., K. Chakrabarty, L.B. Levitin and **D.R. Avresky,** On the covering of vertices for fault diagnosis in hypercubes **69** (2) (1999) 99–103
Karush, J.I., *see* **Madsen, N.K.** **5** (2) (1976) 41–45
Kasahara, M., *see* **Morii, M.** **44** (2) (1992) 85–89
Kassel, H., *see* **Ait-Bouziad, A.** **65** (2) (1998) 63–66
Kasyanov, V.N., Some properties of fully reducible graphs **2** (4) (1973) 113–117
Kasyanov, V.N., Loop cleaning **18** (1) (1984) 1–6
Katajainen, J., O. Nevalainen and **J. Teuhola,** A linear expected-time algorithm for computing planar relative neighbourhood graphs **25** (2) (1987) 77–86
Katajainen, J. and **T.A. Pasanen,** In-place sorting with fewer moves **70** (1) (1999) 31–37
Katcoff, J., *see* **Cohen, J.** **6** (4) (1977) 101–104
Katoh, N., *see* **Dai, Y.** **64** (5) (1997) 255–261
Katoh, N., *see* **Ibaraki, T.** **16** (2) (1983) 95–97
Katoh, N., *see* **Iwano, K.** **48** (5) (1993) 211–213
Katsuno, H., When do non-conflict-free multivalued dependency sets appear? **18** (2) (1984) 87–92
Katsura, M., *see* **Shikishima-Tsuji, K.** **61** (2) (1997) 91–96
Katz, M.J. and **M. Sharir,** Optimal slope selection via expanders **47** (3) (1993) 115–122
Katz, M.J., *see* **Efrat, A.** **75** (4) (2000) 169–174
Katz, S., *see* **Abadi, M.** **40** (3) (1991) 141–142
Kavadias, D., L.M. Kirousis and **P. Spirakis,** The complexity of the Reliable Connectivity Problem **39** (5) (1991) 245–252
Kavraki, L., J.-C. Latombe and **R.H. Wilson,** On the complexity of assembly partitioning **48** (5) (1993) 229–235
Kavraki, L.E. and **M.N. Kolountzakis,** Partitioning a planar assembly into two connected parts is NP-complete **55** (3) (1995) 159–165
Kavvadias, D.J., M. Sideri and **E.C. Stavropoulos,** Generating all maximal models of a Boolean expression **74** (3–4) (2000) 157–162
Kawaguchi, K., *see* **Wada, K.** **41** (3) (1992) 169–174
Kawai, H., A formal system for parallel programs in discrete time and space **11** (4–5) (1980) 204–210
Kawai, S., Local authentication in insecure environments **25** (3) (1987) 171–174
Kawai, S., *see* **Kamada, T.** **31** (1) (1989) 7–15
Kawai, S., *see* **Matsuoka, S.** **31** (3) (1989) 119–126
Kaye, R., A Gray Code for set partitions **5** (6) (1976) 171–173
Kaykobad, M., *see* **Manzur Murshed, M.** **57** (4) (1996) 205–209
Kaykobad, M., *see* **Nath, S.K.** **70** (5) (1999) 241–243
Kearns, P., *see* **Mayo, J.** **52** (2) (1994) 105–108
Keber, W., *see* **Becker, M.** **15** (3) (1982) 135–136
Kedem, K., *see* **Huttenlocher, D.P.** **43** (4) (1992) 217–223
Kedem, K., *see* **Segal, M.** **65** (2) (1998) 95–99
Kedem, Z., *see* **Fournier, A.** **9** (3) (1979) 105–107
Keedy, J.L. and **B. Freisleben,** On the efficient use of semaphore primitives **21** (4) (1985) 199–205
Keerthi, S.S., *see* **Sridharan, K.** **51** (4) (1994) 181–188
Keil, J.M., Finding Hamiltonian circuits in interval graphs **20** (4) (1985) 201–206
Keil, J.M., Total domination in interval graphs **22** (4) (1986) 171–174
Keil, M., A simple algorithm for determining the envelope of a set of lines **39** (3) (1991) 121–124
Keir, R.A., Should the stable rounding rule be radix-dependent? **3** (6) (1975) 188–189
Keller, A.M., Set-theoretic problems of null completion in relational databases **22** (5) (1986) 261–266
Keller, J. and **T. Walle,** A note on implementing combining networks **55** (4) (1995) 195–200
Keller, J., *see* **Cross, D.** **45** (2) (1993) 63–67
Kellerer, H., *see* **Caprara, A.** **73** (3–4) (2000) 111–118
Kellerer, H., *see* **Dell'Olmo, P.** **65** (5) (1998) 229–233
Kelmans, A.K., *see* **Dinic, E.A.** **6** (3) (1977) 73–76
Kelsen, P., An optimal parallel algorithm for maximal matching **52** (4) (1994) 223–228
Kelsen, P., *see* **Dahlhaus, E.** **42** (6) (1992) 309–313
Kelsen, P., *see* **Garrido, O.** **58** (2) (1996) 55–58
Kelter, U., The complexity of strict serializability revisited **25** (6) (1987) 407–411
Kelter, U., The pitfall paradox and its solution with virtual objects **30** (3) (1989) 139–143
Kemp, R., A note on the number of leftist trees **25** (4) (1987) 227–232
Kemp, R., A one-to-one correspondence between two classes of ordered trees **32** (5) (1989) 229–234
Kemp, R., A one-to-one correspondence between a class of leftist trees and binary trees **71** (3–4) (1999) 97–105
Kenjale, P.S., *see* **Sethi, A.S.** **7** (2) (1978) 72–77
Kennaway, J.R. and **M.R. Sleep,** Variable abstraction in $O(n \log n)$ space **24** (5) (1987) 343–349
Kennedy, R., Parallel cardinality stacks and an application **38** (6) (1991) 295–299
Kenyon, C., *see* **Fraigniaud, P.** **48** (6) (1993) 297–303
Keohane, J., *see* **Cherniavsky, J.C.** **9** (1) (1979) 8–12
Kern, W., Learning convex bodies under uniform distribution **43** (1) (1992) 35–39
Kessels, J.L.W., The readers and writers problem avoided **10** (3) (1980) 159–162
Kessels, J.L.W., An exercise in proving self-stabilization with a variant function **29** (1) (1988) 39–42
Kessels, J.L.W. and **A.J. Martin,** Two implementations of the conditional critical region using a split binary semaphore **8** (2) (1979) 67–71
Kfoury, A.J., The unwind property for programs with bounded memory **21** (5) (1985) 233–238
Khan, Md.M.H.A., An algorithm for hazard-free minimization of incompletely specified switching function **52** (1) (1994) 23–29

Khan, Md.M.H.A. and **Md.S. Alam,** Algorithms for conversion of minterms to positive polarity Reed–Muller coefficients and vice versa **62** (5) (1997) 223–230
Khardon, R., On using the Fourier transform to learn Disjoint DNF **49** (5) (1994) 219–222
Khoong, C.M., Optimal parallel construction of heaps **48** (4) (1993) 159–161
Khuller, S., On computing graph closures **31** (5) (1989) 249–255
Khuller, S., Coloring algorithms for K_5-minor free graphs **34** (4) (1990) 203–208
Khuller, S., An $O(|V|^2)$ algorithm for single connectedness **72** (3–4) (1999) 105–107
Khuller, S., Addendum to "An $O(|V|^2)$ algorithm for single connectedness" **74** (5–6) (2000) 263
Khuller, S. and **J.S.B. Mitchell,** On a triangle counting problem **33** (6) (1990) 319–321
Khuller, S., A. Moss and **J.S. Naor,** The budgeted maximum coverage problem **70** (1) (1999) 39–45
Khuller, S., B. Raghavachari and **N. Young,** Designing multicommodity flow trees **50** (1) (1994) 49–55
Khuller, S. and **B. Schieber,** On independent spanning trees **42** (6) (1992) 321–323
Khuller, S. and **U. Vishkin,** On the parallel complexity of digraph reachability **52** (5) (1994) 239–241
Kieburtz, R.B., When chasing your tail saves time **23** (6) (1986) 321–324
Kiesler, T., *see* **Harn, L.** **34** (3) (1990) 123–129
Kikuno, T., *see* **Tsuchiya, T.** **71** (1) (1999) 35–42
Kilian, J., *see* **Feige, U.** **73** (1–2) (2000) 69–75
Kim, C., Unambiguous description of chain code picture languages **58** (2) (1996) 75–79
Kim, C. and **J.-S. Kim,** A mean value analysis of the Ethernet throughput **43** (6) (1992) 315–320
Kim, C., *see* **Kim, S.-H.** **63** (6) (1997) 309–315
Kim, D. and **S.-H. Kim,** $O(\log n)$ numerical algorithms on a mesh with wormhole routing **50** (3) (1994) 129–136
Kim, D. and **J. Park,** Two-way dominant sequence clustering for processor scheduling **49** (4) (1994) 203–208
Kim, D.-H. and **K.-M. Choe,** Yet another efficient backward execution algorithm in the AND/OR Process Model **40** (4) (1991) 201–211
Kim, D.-H. and **K.-M. Choe,** Yet another efficient backward execution algorithm in the AND/OR Process Model (*Corrigendum*) **43** (3) (1992) 165
Kim, D.-H., *see* **Lee, G.-O.** **64** (2) (1997) 75–82
Kim, D.-H., *see* **Lee, J.-H.** **75** (1–2) (2000) 35–42
Kim, D.-H., *see* **Lee, S.-H.** **52** (4) (1994) 191–199
Kim, G.C., *see* **Choi, K.-S.** **22** (4) (1986) 207–216
Kim, G.C., *see* **Kim, Y.J.** **32** (2) (1989) 73–80
Kim, H., Finding a maximum independent set in a permutation graph **36** (1) (1990) 19–23
Kim, H., *see* **Corneil, D.G.** **55** (2) (1995) 99–104
Kim, H.-T. and **M.H. Kim,** Starvation-free secure multiversion concurrency control **65** (5) (1998) 247–253
Kim, H.J. and **J.G. Lee,** Partial sum problem mapping into a hypercube **36** (5) (1990) 221–224
Kim, H.J., *see* **Park, H.** **47** (2) (1993) 109–113
Kim, J.-H., *see* **Ra, D.-Y.** **58** (2) (1996) 87–96
Kim, J.-S., S. Ha and **C.S. Jhon,** Relaxed barrier synchronization for the BSP model of computation on message-passing architectures **66** (5) (1998) 247–253
Kim, J.-S., *see* **Kim, C.** **43** (6) (1992) 315–320
Kim, J.H., K.H. Park and **M. Kim,** A model of distributed control: Dependency and uncertainty **30** (2) (1989) 73–77
Kim, J.H., *see* **Kang, H.-J.** **62** (2) (1997) 67–75
Kim, J.L., *see* **Lee, S.** **55** (5) (1995) 265–271
Kim, J.L., *see* **Liu, X.** **43** (3) (1992) 129–133
Kim, J.S., S.T. Kang and **M.H. Kim,** On temporal aggregate processing based on time points **71** (5–6) (1999) 213–220
Kim, J.U., H. Chang and **T.G. Kim,** Multidisk partial match file design with known access pattern **45** (1) (1993) 33–39
Kim, K., *see* **Kang, H.-J.** **62** (2) (1997) 67–75
Kim, K., *see* **Park, S.M.** **61** (4) (1997) 209–212
Kim, M., *see* **Choi, H.K.** **32** (2) (1989) 51–56
Kim, M., *see* **Kim, J.H.** **30** (2) (1989) 73–77
Kim, M., *see* **Lee, J.M.** **36** (2) (1990) 85–90
Kim, M., *see* **Park, C.-I.** **29** (4) (1988) 191–198
Kim, M., *see* **Park, M.H.** **34** (3) (1990) 131–138
Kim, M., *see* **Song, G.** **30** (5) (1989) 245–252
Kim, M.H., J.H. Lee and **Y.J. Lee,** Analysis of fuzzy operators for high quality information retrieval **46** (5) (1993) 251–256
Kim, M.H. and **S. Pramanik,** The FX distribution method for parallel processing of partial match queries **38** (5) (1991) 243–252
Kim, M.H., *see* **Hong, S.H.** **61** (3) (1997) 149–156
Kim, M.H., *see* **Im, B.-M.** **74** (5–6) (2000) 235–241
Kim, M.H., *see* **Kim, H.-T.** **65** (5) (1998) 247–253
Kim, M.H., *see* **Kim, J.S.** **71** (5–6) (1999) 213–220
Kim, M.H., *see* **Pramanik, S.** **29** (4) (1988) 213–220
Kim, M.-S., J.-W. Ahn and **S.-B. Lim,** An algebraic algorithm to compute the exact general sweep boundary of a 2D curved object **47** (5) (1993) 221–229
Kim, S. and **I. Chung,** Application of the special Latin square to a parallel routing algorithm on a recursive circulant network **66** (3) (1998) 141–147
Kim, S.-H., K. Lim and **C. Kim,** Efficient stream distribution algorithm for heterogeneous multimedia multicast with link capacity constraint **63** (6) (1997) 309–315
Kim, S.-H., J.-H. Park, S.-H. Choi, S.Y. Shin and **K.-Y. Chwa,** An optimal algorithm for finding the edge visibility polygon under limited visibility **53** (6) (1995) 359–365
Kim, S.-H., *see* **Kim, D.** **50** (3) (1994) 129–136
Kim, S.-H., *see* **Shin, C.-S.** **66** (3) (1998) 133–139
Kim, S.K., A parallel algorithm for finding a maximum clique of a set of circular arcs of a circle **34** (5) (1990) 235–241
Kim, S.K., Parallel algorithms for the segment dragging problem **36** (6) (1990) 323–327
Kim, S.K., The range co-minima problem **49** (3) (1994) 117–121
Kim, S.K., A note on finding compact sets in graphs represented by an adjacency list **57** (6) (1996) 335–338
Kim, S.K., Logarithmic width, linear area upward drawing of AVL trees **63** (6) (1997) 303–307
Kim, S.K., C.-S. Shin and **T.-C. Yang,** Placing two disks in a convex polygon **73** (1–2) (2000) 33–39
Kim, S.K., *see* **Shin, C.-S.** **66** (3) (1998) 133–139
Kim, T. and **K.-Y. Chwa,** An $O(n \log n \log \log n)$ parallel maximum matching algorithm for bipartite graphs **24** (1) (1987) 15–17

Kim, T., *see* **Choi, K.** **67** (6) (1998) 311–315
Kim, T.G., *see* **Kim, J.U.** **45** (1) (1993) 33–39
Kim, T.G., *see* **Park, U.K.** **55** (5) (1995) 283–289
Kim, Y.-S., An optimal scheduling algorithm for preemptable real-time tasks **50** (1) (1994) 43–48
Kim, Y.J. and **G.C. Kim,** Coordinator: A modification to the monitor concept **32** (2) (1989) 73–80
Kimbrel, T. and **R.K. Sinha,** A probabilistic algorithm for verifying matrix products using $O(n^2)$ time and $\log_2 n + O(1)$ random bits **45** (2) (1993) 107–110
Kimura, S., A. Togashi and **N. Shiratori,** Extension of synthesis algorithm of recursive processes to μ-calculus **58** (2) (1996) 97–104
Kinber, E.B., On inclusion problem for deterministic multitape automata **11** (3) (1980) 144–146
Kinber, E.B., *see* **Auzins, A.J.** **20** (2) (1985) 91–93
Kindler, E. and **W. van der Aalst,** Liveness, fairness, and recurrence in Petri nets **70** (6) (1999) 269–274
Kindler, E. and **R. Walter,** Mutex needs fairness **62** (1) (1997) 31–39
Kindler, E., *see* **Desel, J.** **54** (6) (1995) 327–328
King, A., *see* **Howe, J.M.** **75** (1–2) (2000) 17–23
King, G.-H. and **W.-G. Tzeng,** On-line algorithms for the dominating set problem **61** (1) (1997) 11–14
King, K.N. and **B. Smith-Thomas,** An optimal algorithm for sink-finding **14** (3) (1982) 109–111
King, V., C.K. Poon, V. Ramachandran and **S. Sinha,** An optimal EREW PRAM algorithm for minimum spanning tree verification **62** (3) (1997) 153–159
Kinnersley, N.G., The vertex separation number of a graph equals its path-width **42** (6) (1992) 345–350
Kirchherr, W.W., Transposition of an $l \times l$ matrix requires $\Omega(\log l)$ reversals on conservative Turing machines **28** (2) (1988) 55–59
Kirchherr, W.W., Kolmogorov complexity and random graphs **41** (3) (1992) 125–130
Kirkpatrick, D.G., A note on Delaunay and optimal triangulations **10** (3) (1980) 127–128
Kirkpatrick, D.G., *see* **Edelsbrunner, H.** **14** (2) (1982) 74–79
Kirkpatrick, D.G., *see* **Hell, P.** **12** (1) (1981) 33–35
Kirousis, L.M., P. Spirakis and **P. Tsigas,** Simple atomic snapshots: A linear complexity solution with unbounded time-stamps **58** (1) (1996) 47–53
Kirousis, L.M., *see* **Kavadias, D.** **39** (5) (1991) 245–252
Kirrinnis, P., An optimal bound for path weights in Huffman trees **51** (2) (1994) 107–110
Kirsig, B. and **K.-J. Lange,** Separation with the Ruzzo, Simon, and Tompa relativization implies $\mathrm{DSPACE}(\log n) \neq \mathrm{NSPACE}(\log n)$ **25** (1) (1987) 13–15
Kishore, K.V.R.C.N. and **S. Saxena,** An optimal parallel algorithm for general maximal matchings is as easy as for bipartite graphs **75** (4) (2000) 145–151
Kitagawa, H., *see* **Chen, H.** **43** (6) (1992) 327–333
Kitchen, L., *see* **Cooper, J.** **34** (4) (1990) 209–213
Kitsios, N. and **A. Tsakalidis,** Space-optimal hidden line elimination for rectangles **60** (4) (1996) 195–200
Kitsios, N., *see* **Bozanis, P.** **61** (1) (1997) 37–41
Kittler, J., On the divergence and the Joshi dependence measure in feature selection **3** (5) (1975) 135–137
Kittler, J., A method for determining class subspaces **6** (3) (1977) 77–79
Klapper, A., A lower bound on the complexity of the convex hull problem for simple polyhedra **25** (3) (1987) 159–161
Klasing, R., *see* **Böckenhauer, H.-J.** **75** (3) (2000) 133–138
Klavžar, S., J. Koolen and **H.M. Mulder,** Graphs which locally mirror the hypercube structure **71** (2) (1999) 87–90
Klavžar, S., *see* **Imrich, W.** **63** (2) (1997) 91–95
Klein, P. and **C. Stein,** A parallel algorithm for eliminating cycles in undirected graphs **34** (6) (1990) 307–312
Klein, P., *see* **Hellerstein, L.** **35** (5) (1990) 261–267
Klein, P.N., A data structure for bicategories, with application to speeding up an approximation algorithm **52** (6) (1994) 303–307
Klein, S., *see* **Cerioli, M.R.** **67** (1) (1998) 31–35
Kleinberg, J., *see* **El-Yaniv, R.** **53** (6) (1995) 355–358
Kleinberg, J.M., A lower bound for two-server balancing algorithms **52** (1) (1994) 39–43
Kleinberg, J.M., *see* **Huttenlocher, D.P.** **43** (4) (1992) 217–223
Kleine Büning, H., Existence of simple propositional formulas **36** (4) (1990) 177–182
Kleitman, D., *see* **Aggarwal, A.** **30** (4) (1989) 205–208
Klenk, K.S., *see* **Chen, D.Z.** **57** (6) (1996) 313–319
Klenk, K.S., *see* **Chen, D.Z.** **60** (2) (1996) 105
Klimov, A., *see* **Glück, R.** **62** (3) (1997) 127–134
Kloks, T., $K_{1,3}$-free and W_4-free graphs **60** (4) (1996) 221–223
Kloks, T. and **D. Kratsch,** Computing a perfect edge without vertex elimination ordering of a chordal bipartite graph **55** (1) (1995) 11–16
Kloks, T., D. Kratsch and **H. Müller,** Bandwidth of chain graphs **68** (6) (1998) 313–315
Kloks, T., D. Kratsch and **H. Müller,** Finding and counting small induced subgraphs efficiently **74** (3–4) (2000) 115–121
Kloks, T., H. Müller and **C.K. Wong,** Vertex ranking of asteroidal triple-free graphs **68** (4) (1998) 201–206
Kloks, T., *see* **Blokhuis, A.** **54** (5) (1995) 301–304
Klop, J.W., A. Middeldorp, Y. Toyama and **R. de Vrijer,** Modularity of confluence: A simplified proof **49** (2) (1994) 101–109
Klostermeyer, W., *see* **Luo, K.** **38** (6) (1991) 307–313
Klupp, H., *see* **Schnorr, C.P.** **6** (2) (1977) 35–37
Klupsz, E., A linear algorithm of a deadlock avoidance for nonpreemptible resources **19** (2) (1984) 87–94
Knapik, T. and **É. Payet,** The full quotient and its closure property for regular languages **65** (2) (1998) 57–62
Knapp, E., A predicate transformer for progress **33** (6) (1990) 323–330
Knuth, D.E., A generalization of Dijkstra's algorithm **6** (1) (1977) 1–5
Knuth, D.E. and **R.W. Floyd,** Notes on avoiding "go to" statements **1** (1) (1971) 23–31
Knuth, D.E. and **R.W. Floyd,** Notes on avoiding "go to" statements (*Erratum*) **1** (4) (1972) 177
Knuth, D.E. and **E.B. Kaehler,** An experiment in optimal sorting **1** (4) (1972) 173–176
Knuth, D.E. and **J. Reiser,** Evading the drift in floating-point addition (*Erratum*) **3** (5) (1975) 164
Knuth, D.E. and **J.L. Szwarcfiter,** A structured program to generate all topological sorting arrangements **2** (6) (1974) 153–157

Knuth, D.E. and **J.L. Szwarcfiter,** A structured program to generate all topological sorting arrangements (*Erratum*) **3** (2) (1974) 64
Knuth, D.E., *see* **Reiser, J.F.** **3** (3) (1975) 84–87
Ko, C.W. and **F. Ruskey,** Generating permutations of a bag by interchanges **41** (5) (1992) 263–269
Ko, K.-I., Some observations on the probabilistic algorithms and NP-hard problems **14** (1) (1982) 39–43
Ko, M.-T., *see* **Ho, J.-M.** **63** (2) (1997) 103–108
Ko, M.-Y., *see* **Hwang, T.** **53** (2) (1995) 103–107
Kobayashi, K., A note on extending equivalence theories of algorithms **3** (2) (1974) 54–56
Kobayashi, K., Σ_n^0-complete properties of programs and Martin-Löf randomness **46** (1) (1993) 37–42
Kobayashi, Y., *see* **Shikishima-Tsuji, K.** **61** (2) (1997) 91–96
Köbler, J., *see* **Arvind, V.** **56** (2) (1995) 109–114
Kobuchi, Y., Two characterization theorems of locally catenative developmental systems **6** (4) (1977) 120–124
Kobuchi, Y., Stability of desynchronized 0L systems **17** (2) (1983) 85–90
Kobuchi, Y., A note on symmetrical cellular spaces **25** (6) (1987) 413–415
Kobuchi, Y., Order of state functions and logic functions **41** (2) (1992) 61–66
Kocberber, S. and **F. Can,** Partial evaluation of queries for bit-sliced signature files **60** (6) (1996) 305–311
Koch, G., Automating the semantic component **24** (5) (1987) 299–305
Kochol, M., Efficient monotone circuits for threshold functions **32** (3) (1989) 121–122
Kocsis, F. and **J.F. Böhme,** Rotation-based computations for ray-tracing second-order surfaces and curves **36** (6) (1990) 281–283
Koczkodaj, W.W., *see* **Duszak, Z.** **52** (5) (1994) 273–276
Koczkodaj, W.W., *see* **Herman, M.W.** **57** (1) (1996) 25–29
Koczkodaj, W.W., *see* **Holsztyński, W.** **59** (4) (1996) 197–202
Kogan, A., *see* **Hammer, P.L.** **44** (1) (1992) 23–29
Köhling, S., *see* **Hofmeister, T.** **39** (4) (1991) 219–225
Koiran, P., *see* **Cucker, F.** **62** (4) (1997) 209–212
Kok, J.N., *see* **Udink, R.T.** **47** (6) (1993) 307–311
Kolla, R., Where-oblivious is not sufficient **17** (5) (1983) 263–268
Kollias, J.G., Y. Manolopoulos and **C.H. Papadimitriou,** The optimum execution order of queries in linear storage **36** (3) (1990) 141–145
Kollias, J.G., *see* **Hatzopoulos, M.** **12** (2) (1981) 55–58
Kolountzakis, M.N., Selection of a large sum-free subset in polynomial time **49** (5) (1994) 255–256
Kolountzakis, M.N. and **K.N. Kutulakos,** Fast computation of the Euclidian distance maps for binary images **43** (4) (1992) 181–184
Kolountzakis, M.N., *see* **Kavraki, L.E.** **55** (3) (1995) 159–165
Komlós, J., *see* **Ajtai, M.** **7** (6) (1978) 270–273
Konana, P., J. Lee and **S. Ram,** Updating timestamp interval for dynamic adjustment of serialization order in Optimistic Concurrency Control-Time Interval (OCCTI) protocol **63** (4) (1997) 189–193
Konneker, L.K. and **V.L. Varol,** A note on heuristics for dynamic organization of data structures **12** (5) (1981) 213–216
Koo, R. and **S. Toueg,** Effects of message loss on the termination of distributed protocols **27** (4) (1988) 181–188
Koolen, J., *see* **Klavžar, S.** **71** (2) (1999) 87–90
Koplowitz, J. and **D. Jouppi,** A more efficient convex hull algorithm **7** (1) (1978) 56–57
Korczyński, W. and **J. Winkowski,** A communication concept for distributed systems **15** (3) (1982) 111–114
Korel, B., The program dependence graph in static program testing **24** (2) (1987) 103–108
Korel, B. and **J. Laski,** Dynamic program slicing **29** (3) (1988) 155–163
Kornerup, J., Mapping a functional notation for parallel programs onto hypercubes **53** (3) (1995) 153–158
Kornerup, J., Odd-even sort in powerlists **61** (1) (1997) 15–24
Korsh, J.F., Greedy binary search trees are nearly optimal **13** (1) (1981) 16–19
Korsh, J.F., Growing nearly optimal binary search trees **14** (3) (1982) 139–143
Korsh, J.F., Counting and randomly generating binary trees **45** (6) (1993) 291–294
Korsh, J.F., Loopless generation of k-ary tree sequences **52** (5) (1994) 243–247
Korsh, J.F. and **P. LaFollette,** Loopless generation of Gray codes for k-ary trees **70** (1) (1999) 7–11
Korsh, J.F. and **S. Lipschutz,** Shifts and loopless generation of k-ary trees **65** (5) (1998) 235–240
Kortsarz, G., *see* **Bar-Noy, A.** **71** (3–4) (1999) 135–140
Kosaraju, S.R., *see* **Atallah, M.J.** **13** (2) (1981) 55–57
Kosaraju, S.R., *see* **Atallah, M.J.** **27** (1) (1988) 13–15
Kosub, S., A note on unambiguous function classes **72** (5–6) (1999) 197–203
Kothari, S., *see* **Miller, L.L.** **28** (5) (1988) 269–274
Kothari, S.C. and **K.V.S. Ramarao,** General algorithms for the address calculation of lexicographically ordered tuples **21** (3) (1985) 113–116
Kotov, V., Andrei P. Ershov (1931–1988) **31** (1) (1989) 1–2
Kott, L., *see* **Darondeau, Ph.** **19** (4) (1984) 173–177
Koubek, V., *see* **Goralčík, P.** **22** (2) (1986) 91–95
Koubek, V., *see* **Goralčík, P.** **38** (1) (1991) 7–13
Koubek, V., *see* **Janiga, L.** **21** (2) (1985) 75–78
Koutsoupias, E. and **C. Papadimitriou,** The 2-evader problem **57** (5) (1996) 249–252
Koutsoupias, E. and **C.H. Papadimitriou,** On the greedy algorithm for satisfiability **43** (1) (1992) 53–55
Kovalyov, M.Y. and **Y.M. Shafransky,** Batch scheduling with deadlines on parallel machines: An NP-hard case **64** (2) (1997) 69–74
Kowaltowski, T. and **A. Palma,** Another solution of the mutual exclusion problem **19** (3) (1984) 145–146
Kozen, D.C., *see* **Apt, K.R.** **22** (6) (1986) 307–309
Krahn, T., *see* **Ellis, J.** **75** (5) (2000) 217–224
Král, J., A new additive pseudorandom number generator for extremely short word-lengths **1** (4) (1972) 164–167
Král, J., A new pseudorandom number generator for extremely short word-lengths (*Erratum*) **1** (5) (1972) 216
Král, J., On software equations **19** (4) (1984) 191–196
Král, J. and **J. Demner,** A note on the number of states of the DeRemer's recognizer **2** (1) (1973) 22–23
Kranakis, E., *see* **Czyzowicz, J.** **66** (3) (1998) 125–126

Kranakis, E., *see* **Diks, K.** **51** (1) (1994) 1–6
Kranakis, E., *see* **Diks, K.** **66** (4) (1998) 181–186
Kratsch, D. and **L. Stewart,** Total domination and transformation **63** (3) (1997) 167–170
Kratsch, D., *see* **Damaschke, P.** **36** (5) (1990) 231–236
Kratsch, D., *see* **Deogun, J.S.** **61** (3) (1997) 121–127
Kratsch, D., *see* **Kloks, T.** **55** (1) (1995) 11–16
Kratsch, D., *see* **Kloks, T.** **68** (6) (1998) 313–315
Kratsch, D., *see* **Kloks, T.** **74** (3–4) (2000) 115–121
Krause, K., L.L. Larmore and **D.J. Volper,** Packing items from a triangular distribution **25** (6) (1987) 351–361
Kravets, D., *see* **Aggarwal, A.** **31** (1) (1989) 17–20
Krawczyk, T., Error correction by mutational grammars **11** (1) (1980) 9–15
Krawczyk, T., *see* **Jarzabek, S.** **4** (2) (1975) 31–37
Kreczmar, A., *see* **Cioni, G.** **18** (4) (1984) 179–187
Kreinovich, V., *see* **Blass, A.** **67** (1) (1998) 29–30
Krentel, M.W., A note on the transaction backout problem **24** (3) (1987) 149–152
Kreowski, H.-J. and **G. Rozenberg,** Note on node-rewriting graph grammars **18** (1) (1984) 21–24
Krepyshev, G.B. and **Ya.A. Pollack,** Synthesis of a discrete-time optimal filter algorithm with reduced sensitivity to deviations of a priori statistics **1** (5) (1972) 211–215
Kriaučiukas, V., Tree-like parse and polynomial subclasses of search problems **22** (1) (1986) 49–54
Krichevsky, R.E., Letter to the Editor **14** (5) (1982) 238
Kriegel, H.P. and **Y.S. Kwong,** Insertion-safeness in balanced trees **16** (5) (1983) 259–264
Kriegel, K., *see* **Hoffmann, F.** **29** (2) (1988) 75–79
Krishnamachari, B.R. and **R. Mittal,** Design and analysis of a generalized multi-ring architecture **58** (1) (1996) 17–21
Krishnamoorthy, M., *see* **Erlingsson, Ú.** **60** (3) (1996) 115–120
Krishnamoorthy, M.S., *see* **Chung, M.J.** **28** (4) (1988) 177–181
Krishnamoorthy, M.S., *see* **Deo, N.** **6** (1) (1977) 14–17
Krishnamoorthy, M.S., *see* **Kapur, D.** **21** (1) (1985) 27–30
Krishnamurthy, E.V., *see* **De Vel, O.Y.** **26** (5) (1988) 263–267
Krishnamurthy, M.S. and **H.R. Ramesha Chandra,** A note on precedence functions **4** (4) (1976) 99–100
Krishnamurthy, S., *see* **Greenberg, R.** **44** (5) (1992) 281–284
Krishnamurti, R. and **D.R. Gaur,** An approximation algorithm for nonpreemptive scheduling on hypercube parallel task systems **72** (5–6) (1999) 183–188
Krishnaprasad, T., On the computability of circumscription **27** (5) (1988) 237–243
Krishnaprasad, T., Locality in inheritance networks **46** (6) (1993) 263–268
Krithivasan, K., *see* **Srikant, R.** **37** (6) (1991) 349–353
Křivánek, M., Hexagonal unit network—a tool for proving the NP-completeness results of geometric problems **22** (1) (1986) 37–41
Křivánek, M., The complexity of ultrametric partitions on graphs **27** (5) (1988) 265–270
Krivelevich, M. and **B. Sudakov,** Coloring random graphs **67** (2) (1998) 71–74
Krizanc, D., Integer sorting on a mesh-connected array of processors **47** (6) (1993) 283–289
Krizanc, D., *see* **Diks, K.** **51** (1) (1994) 1–6
Krob, D., *see* **Arnold, A.** **64** (2) (1997) 53–59
Krogdahl, S., A dynamic storage allocation problem **2** (4) (1973) 96–99
Kruchten, Ph., *see* **Brandwajn, A.** **7** (2) (1978) 78–85
Kruijer, H.S.M., Self-stabilization (in spite of distributed control) in tree-structured systems **8** (2) (1979) 91–95
Krumke, S.O., On a generalization of the p-Center Problem **56** (2) (1995) 67–71
Krumke, S.O. and **H.-C. Wirth,** On the minimum label spanning tree problem **66** (2) (1998) 81–85
Krumke, S.O., *see* **Schwarz, S.** **66** (6) (1998) 291–297
Krumme, D.W., *see* **Cybenko, G.** **25** (1) (1987) 35–39
Kruseman Aretz, F.E.J., On a recursive ascent parser **29** (4) (1988) 201–206
Kruszewski, P., A note on the Horton–Strahler number for random binary search trees **69** (1) (1999) 47–51
Kruszewski, P., *see* **Devroye, L.** **52** (3) (1994) 155–159
Kruszewski, P., *see* **Devroye, L.** **56** (2) (1995) 95–99
Krzemień, R. and **A. Łukasiewicz,** Automatic generation of lexical analyzers in a compiler–compiler **4** (6) (1976) 165–168
Krznaric, D., *see* **Levcopoulos, C.** **57** (3) (1996) 129–135
Kshemkalyani, A., *see* **Singhal, M.** **43** (1) (1992) 47–52
Kubale, M., The complexity of scheduling independent two-processor tasks on dedicated processors **24** (3) (1987) 141–147
Kubale, M., *see* **Giaro, K.** **75** (1–2) (2000) 65–69
Kubiak, R., *see* **Jackowski, B.L.** **9** (2) (1979) 100
Kubiak, W., *see* **Dror, M.** **61** (6) (1997) 297–301
Kubiak, W., *see* **Dror, M.** **71** (3–4) (1999) 127–134
Kubiak, W., *see* **Gordon, V.** **68** (3) (1998) 153–159
Kučera, A., On finite representations of infinite-state behaviours **70** (1) (1999) 23–30
Kučera, A., Regularity of normed PA processes **72** (1–2) (1999) 9–17
Kučera, L., Parallel computation and conflicts in memory access **14** (2) (1982) 93–96
Kučera, L., Erratum and Addendum to: Parallel computation and conflicts in memory access (*Erratum*) **17** (2) (1983) 107
Kučera, L., Graphs with small chromatic numbers are easy to color **30** (5) (1989) 233–236
Kučera, L., Computing OR on a randomized fixed adversary CRCW PRAM **63** (3) (1997) 165–166
Kucherov, G. and **M. Rusinowitch,** Undecidability of ground reducibility for word rewriting systems with variables **53** (4) (1995) 209–215
Kucherov, G., *see* **Plaisted, D.A.** **71** (3–4) (1999) 159–165
Kühn, U., Local calculation of Voronoi diagrams **68** (6) (1998) 307–312
Kuich, W., Representations and complete semiring morphisms **56** (6) (1995) 293–298
Kulasinghe, P. and **S. Bettayeb,** Multiply-twisted hypercube with five or more dimensions is not vertex-transitive **53** (1) (1995) 33–36
Kulasinghe, P.D., Connectivity of the crossed cube **61** (4) (1997) 221–226
Kulkarni, K.H., *see* **Sprague, A.P.** **42** (4) (1992) 229–234
Kulkarni, S., *see* **Malhotra, V.M.** **58** (4) (1996) 201–206
Kulkarni, S.S. and **A. Arora,** Multitolerant barrier synchronization **64** (1) (1997) 29–36

Kulkarni, S.S., *see* **Dhamdhere, D.M.** **50** (3) (1994) 151–157
Kumar, A. and **S.Y. Cheung,** A high availability $\sqrt{N}$ hierarchical grid algorithm for replicated data **40** (6) (1991) 311–316
Kumar, A. and **V.M. Malhotra,** A new computation rule for PROLOG **27** (5) (1988) 249–252
Kumar, D., S.S. Iyengar and **M.B. Sharma,** Corrections to a distributed depth-first search algorithm (*Corrigendum*) **35** (1) (1990) 55–56
Kumar, D. and **A. Silberschatz,** A counter-example to an algorithm for the generalized input–output construct of CSP **61** (6) (1997) 287
Kumar, G.P. and **G.P. Babu,** Optimal network partitioning for fault-tolerant network management using evolutionary programming **50** (3) (1994) 145–149
Kumar, M.P., *see* **Malhotra, V.M.** **7** (6) (1978) 277–278
Kumar, S., *see* **Harikumar, S.** **58** (1) (1996) 11–15
Kumar, S.R., R. Panigrahy, A. Russell and **R. Sundaram,** A note on optical routing on trees **62** (6) (1997) 295–300
Kumar, V., Concurrency control on extendible hashing **31** (1) (1989) 35–41
Kumar, V., *see* **Huits, M.** **8** (4) (1979) 168–169
Kummer, M., A learning-theoretic characterization of classes of recursive functions **54** (4) (1995) 205–211
Kuncheva, L., Genetic algorithm for feature selection for parallel classifiers **46** (4) (1993) 163–168
Kunde, M. and **H. Steppat,** On the worst-case ratio of a compound multiprocessor scheduling algorithm **25** (6) (1987) 389–396
Kundu, S., A linear algorithm for the hamiltonian completion number of a tree **5** (2) (1976) 55–57
Kundu, S., Sorting tree, nestling tree and inverse permutation **6** (3) (1977) 94–96
Kundu, S., An intermediate-value theorem for optimum tree valuation **8** (3) (1979) 141–145
Kundu, S., An optimal $O(N^2)$ algorithm for computing the min-transitive closure of a weighted graph **74** (5–6) (2000) 215–220
Kung, H.T., A new upper bound on the complexity of derivative evaluation **2** (5) (1973) 146–147
Kung, H.T., *see* **Brent, R.P.** **11** (1) (1980) 46–48
Kuo, R.T. and **S.S. Tseng,** The necessary and sufficient condition for the worst-case male optimal stable matching **34** (5) (1990) 261–263
Kuo, S.-Y., *see* **Lin, J.-W.** **74** (5–6) (2000) 257–262
Kuo, S.-Y., *see* **Tsai, J.** **69** (1) (1999) 31–37
Kuo, Y.-C. and **S.-T. Huang,** A simple scheme to construct k-coteries with $O(\sqrt{N})$ uniform quorum sizes **59** (1) (1996) 31–36
Kuo, Y.-S., *see* **Wang, D.W.** **28** (6) (1988) 281–286
Kurihara, M. and **I. Kaji,** Modular term rewriting systems and the termination **34** (1) (1990) 1–4
Kurosawa, K. and **K. Okada,** Combinatorial lower bounds for secret sharing schemes **60** (6) (1996) 301–304
Kurosawa, K., K. Okada and **S. Tsujii,** Low exponent attack against elliptic curve RSA **53** (2) (1995) 77–83
Kurosawa, K., *see* **Obana, S.** **58** (6) (1996) 293–295
Kurosawa, K., *see* **Ogata, W.** **58** (6) (1996) 285–292
Kuroyanagi, S., *see* **Torres, M.A.** **69** (5) (1999) 253–258
Kurshan, R.P., *see* **Clarke, E.M.** **46** (6) (1993) 301–308
Kurtz, S.A., M.J. O'Donnell and **J.S. Royer,** How to prove representation-independent independence results **24** (1) (1987) 5–10
Kushilevitz, E., A simple algorithm for learning $O(\log n)$-term DNF **61** (6) (1997) 289–292
Kushilevitz, E., *see* **Beimel, A.** **73** (5–6) (2000) 213–220
Kushilevitz, E., *see* **Chor, B.** **45** (4) (1993) 205–210
Küspert, K., *see* **Bechtold, U.** **19** (1) (1984) 21–26
Kutten, S., Optimal fault-tolerant distributed construction of a spanning forest **27** (6) (1988) 299–307
Kutulakos, K.N., *see* **Kolountzakis, M.N.** **43** (4) (1992) 181–184
Kutyłowski, M., Remarks on sorting and one-way multihead finite automata **36** (4) (1990) 215–218
Kuzjurin, N.N., Multi-processor scheduling and expanders **51** (6) (1994) 315–319
Kwai, D.-M. and **B. Parhami,** Pruned three-dimensional toroidal networks **68** (4) (1998) 179–183
Kwiatkowska, M., *see* **Baier, C.** **66** (2) (1998) 71–79
Kwiatkowska, M.Z., A metric for traces **35** (3) (1990) 129–135
Kwon, Y.R., *see* **Cha, S.** **46** (1) (1993) 43–50
Kwong, Y.S., *see* **Kriegel, H.P.** **16** (5) (1983) 259–264

Lacoste, T., Finitistic proofs of 0-1 laws for fragments of second-order logic **58** (1) (1996) 1–4
Ladermann, M. and **H. Petersen,** Notes on looping deterministic two-way pushdown automata **49** (3) (1994) 123–127
Ladner, R.E., *see* **Chaudhuri, S.** **37** (1) (1991) 13–20
Ladner, R.E., *see* **Greenberg, A.C.** **15** (1) (1982) 31–35
Ladner, R.E., *see* **Honeyman, P.** **10** (1) (1980) 14–19
LaFollette, P., *see* **Korsh, J.F.** **70** (1) (1999) 7–11
Lagarias, J.C. and **D.E. Swartwout,** Minimal storage representations for binary relations **14** (2) (1982) 63–66
Lagergren, J., *see* **Kann, V.** **58** (3) (1996) 105–110
Lagergren, J., *see* **Kann, V.** **65** (3) (1998) 145–150
Lagogiannis, G., C. Makris and **A. Tsakalidis,** A new algorithm for rectangle enclosure reporting **72** (5–6) (1999) 177–182
Lahav (Haddad), S., *see* **Hassin, R.** **52** (2) (1994) 87–90
Lai, T.-H. and **A. Sprague,** A note on anomalies in parallel branch-and-bound algorithms with one-to-one bounding functions **23** (3) (1986) 119–122
Lai, T.-H. and **S.-S. Wei,** The Edge Hamiltonian Path Problem is NP-complete for bipartite graphs **46** (1) (1993) 21–26
Lai, T.-H., *see* **Chen, G.-I.** **28** (4) (1988) 201–206
Lai, T.H. and **T.H. Yang,** On distributed snapshots **25** (3) (1987) 153–158
Laih, C.-S., F.-K. Tu and **W.-C. Tai,** On the security of the Lucas function **53** (5) (1995) 243–247
Laih, C.-S., *see* **Yang, C.-N.** **62** (3) (1997) 141–143
Laih, C.S., J.Y. Lee and **L. Harn,** A new threshold scheme and its application in designing the conference key distribution cryptosystem **32** (3) (1989) 95–99
Lakhal, J. and **L. Litzler,** A polynomial algorithm for the extendability problem in bipartite graphs **65** (1) (1998) 11–16
Lakshmanan, K.B., N. Meenakshi and **K. Thulasiraman,** A time-optimal message-efficient distributed algorithm for depth-first-search **25** (2) (1987) 103–109
Lakshmanan, K.B., *see* **Czyzowicz, J.** **37** (3) (1991) 127–132
Lakshmivarahan, S., *see* **Liang, Y.** **37** (4) (1991) 219–224

Lakshmivarahan, S., *see* **Rhee, C.** **49** (1) (1994) 45–50
Lakshmivarahan, S., *see* **Yang, S.B.** **49** (3) (1994) 157–163
Lalgudi, K.N. and **M.C. Papaefthymiou,** Computing strictly-second shortest paths **63** (4) (1997) 177–181
Laliberté, N., *see* **Clouâtre, A.** **32** (5) (1989) 257–262
Lam, N.H., A note on codes having no finite completions **55** (4) (1995) 185–188
Lam, T.W., *see* **Choi, Y.** **61** (4) (1997) 213–220
Lamagna, E.A., *see* **Hyslop, G.A.** **25** (1) (1987) 61–64
Lamb, D.A., Benign side effects **29** (6) (1988) 301–305
Lamb, D.A. and **R. Dawes,** Testing for class membership in multi-parent hierarchies **28** (1) (1988) 21–25
Lambert, T., An optimal algorithm for realizing a Delaunay triangulation **62** (5) (1997) 245–250
Lambrichts, E., P. Nees, J. Paredaens, P. Peelman and **L. Tanca,** Checking functional consistency in deductive databases **35** (3) (1990) 115–120
Lamma, E., *see* **Brogi, A.** **36** (6) (1990) 285–291
Lamma, E., *see* **Brogi, A.** **42** (6) (1992) 331–338
Lamma, E., *see* **Ciampolini, A.** **58** (4) (1996) 163–170
Lamport, L., Comments on "A synchronization anomaly" **4** (4) (1976) 88–89
Lamport, L., *see* **Abadi, M.** **40** (3) (1991) 141–142
Lan, Y.-F., Y.-L. Wang and **H. Suzuki,** A linear-time algorithm for solving the center problem on weighted cactus graphs **71** (5–6) (1999) 205–212
Lan, Y.-F., *see* **Chen, H.-C.** **69** (3) (1999) 119–122
Landau, G.M., *see* **Amir, A.** **68** (3) (1998) 125–132
Landau, G.M., *see* **Fischetti, V.A.** **45** (1) (1993) 11–18
Landau, G.M., *see* **Fischetti, V.A.** **46** (3) (1993) 157
Landau, G.M., *see* **Gusfield, D.** **41** (4) (1992) 181–185
Landowne, E., *see* **Pan, V.** **44** (3) (1992) 149–153
Lang, S.-D., *see* **Driscoll, J.R.** **26** (1) (1987) 5–18
Lang, T. and **E.B. Fernández,** Scheduling of unit-length independent tasks with execution constraints **4** (4) (1976) 95–98
Lang, T., *see* **Wood, C.** **16** (2) (1983) 99–104
Lange, K.-J., *see* **Kirsig, B.** **25** (1) (1987) 13–15
Lange, K.-J., *see* **Yokomori, T.** **14** (3) (1982) 97–100
Lange, K.-J., *see* **Yokomori, T.** **21** (1) (1985) 53
Langemyr, L., Circuits for computing the GCD of two polynomials over an algebraic number field **38** (3) (1991) 129–134
Langmaack, H., W. Lippe and **F. Wagner,** The formal termination problem for programs with finite ALGOL 68-modes **9** (3) (1979) 155–159
Langston, M.A., *see* **Fellows, M.R.** **26** (3) (1987) 157–162
Langston, M.A., *see* **Friesen, D.K.** **18** (5) (1984) 295–296
Langston, M.A., *see* **Govindan, R.** **68** (1) (1998) 17–23
Langston, M.A., *see* **Huang, B.-C.** **39** (3) (1991) 131–136
Lao, M.J., A new data structure for the UNION-FIND problem **9** (1) (1979) 39–45
Laporte, G., *see* **Eiselt, H.A.** **58** (2) (1996) 71–74
Lapsien, R., *see* **Erni, W.** **12** (3) (1981) 146–150
Larmore, L.L., An optimal algorithm with unknown time complexity for convex matrix searching **36** (3) (1990) 147–151
Larmore, L.L. and **W. Rytter,** An optimal sublinear time parallel algorithm for some dynamic programming problems **52** (1) (1994) 31–34
Larmore, L.L., *see* **Bein, W.W.** **74** (1–2) (2000) 73–79
Larmore, L.L., *see* **Chrobak, M.** **38** (4) (1991) 173–175
Larmore, L.L., *see* **Chrobak, M.** **63** (2) (1997) 79–83
Larmore, L.L., *see* **Krause, K.** **25** (6) (1987) 351–361
Laroussinie, F., About the expressive power of CTL combinators **54** (6) (1995) 343–345
Larsen, K.S., Regular expressions with nested levels of back referencing form a hierarchy **65** (4) (1998) 169–172
Larsen, K.S., M.I. Schwartzbach and **E.M. Schmidt,** A new formalism for relational algebra **41** (3) (1992) 163–168
Larson, S.M., *see* **Cull, P.** **55** (1) (1995) 53–55
Laski, J., An algorithm for the derivation of codefinitions in computer programs **23** (2) (1986) 85–90
Laski, J., *see* **Korel, B.** **29** (3) (1988) 155–163
Lassez, J.-L., V.L. Nguyen and **E.A. Sonenberg,** Fixed point theorems and semantics: A folk tale **14** (3) (1982) 112–116
Lassez, J.-L., *see* **van der Knijff, D.** **8** (5) (1979) 241–243
Latifi, S., Distributed subcube identification algorithms for reliable hypercubes **38** (6) (1991) 315–321
Latifi, S., On the fault-diameter of the star graph **46** (3) (1993) 143–150
Latifi, S., *see* **de Azevedo, M.M.** **58** (2) (1996) 81–85
Latombe, J.-C., *see* **Kavraki, L.** **48** (5) (1993) 229–235
Latteux, M., On a language without star **16** (1) (1983) 27–30
Latteux, M. and **E. Timmerman,** Finitely generated ω-languages **23** (4) (1986) 171–175
Latteux, M. and **E. Timmerman,** Bifaithful starry transductions **28** (1) (1988) 1–4
Latteux, M., *see* **Clerbout, M.** **13** (2) (1981) 45–47
Lau, F.C.M., *see* **Cheung, S.** **43** (2) (1992) 101–105
Lau, F.C.M., *see* **Cheung, S.** **45** (5) (1993) 225–228
Lau, F.C.M., *see* **Xu, C.-Z.** **47** (4) (1993) 181–187
Lau, M.F., *see* **Chen, T.F.** **60** (3) (1996) 135–141
Lauer, P.E., *see* **Devillers, R.E.** **7** (3) (1978) 156–158
Laugerotte, E., *see* **Flouret, M.** **64** (3) (1997) 123–126
Laumond, J.-P., Enumeration of articulation pairs of a planar graph **21** (4) (1985) 173–179
Laumond, J.-P., Obstacle growing in a nonpolygonal world **25** (1) (1987) 41–50
Laumond, J.-P., Connectivity of plane triangulations **34** (2) (1990) 87–96
Launchbury, J., Strictness analysis aids inductive proofs **35** (3) (1990) 155–159
Laut, A., Safe procedural implementations of algebraic types **11** (4–5) (1980) 147–151
Lautemann, C., BPP and the polynomial hierarchy **17** (4) (1983) 215–217
Lautemann, C. and **F. Meyer auf der Heide,** Lower time bounds for integer programming with two variables **21** (2) (1985) 101–105
Lavallee, I. and **G. Roucairol,** A fully distributed (minimal) spanning tree algorithm **23** (2) (1986) 55–62
Lavault, C., Average number of messages for distributed leader-finding in rings of processors **30** (4) (1989) 167–176
Lavault, C. and **S.M. Sedjelmaci,** Worst-case analysis of Weber's GCD algorithm **72** (3–4) (1999) 125–130
Lavault, C., *see* **Sedjelmaci, M.S.** **61** (1) (1997) 31–36
Lavín, V., *see* **Castro, J.** **67** (2) (1998) 75–79
Lavín, V., *see* **Guijarro, D.** **70** (5) (1999) 233–239

Lawler, E.L., A note on the complexity of the chromatic number problem **5** (3) (1976) 66–67
Lawler, E.L. and **C.U. Martel,** Scheduling periodically occurring tasks on multiple processors **12** (1) (1981) 9–12
Lawler, E.L. and **S. Sarkissian,** An algorithm for "Ulam's Game" and its application to error correcting codes **56** (2) (1995) 89–93
Lawler, E.L., *see* **Tong, P.** **17** (2) (1983) 73–76
Lawrence, J., *see* **Burris, S.** **36** (1) (1990) 37–38
Lazos, C., A comparison of simulation results and a mathematical model of a multiprogramming system **3** (5) (1975) 127–134
Lê, N.-M., On non-smooth convex distance functions **63** (6) (1997) 323–329
Lea, D., Digital and Hilbert k-d trees **27** (1) (1988) 35–41
Lecroq, T., G. Luce and **J.F. Myoupo,** A faster linear systolic algorithm for recovering a longest common subsequence **61** (3) (1997) 129–136
Lecroq, T., *see* **Crochemore, M.** **63** (4) (1997) 195–203
Lecroq, T., *see* **Crochemore, M.** **71** (3–4) (1999) 107–113
Lee, C.-Y., *see* **Wang, Y.-L.** **56** (2) (1995) 83–87
Lee, C.C. and **D.T. Lee,** On a circle-cover minimization problem **18** (2) (1984) 109–115
Lee, D., K.-M. Choe and **T. Han,** A description of dynamic behavior for compilers based on object oriented modeling **48** (4) (1993) 163–170
Lee, D., *see* **Song, G.** **30** (5) (1989) 245–252
Lee, D.-L., On access and alignment of data in a parallel processor **33** (1) (1989) 11–14
Lee, D.-L., Efficient address generation in a parallel processor **36** (3) (1990) 111–116
Lee, D.-T., Semantic data modelling using linear logic **60** (1) (1996) 19–27
Lee, D.T. and **Y.T. Ching,** The power of geometric duality revisited **21** (3) (1985) 117–122
Lee, D.T. and **E. Papadopoulou,** The all-pairs quickest path problem **45** (5) (1993) 261–267
Lee, D.T. and **F.P. Preparata,** The all nearest-neighbor problem for convex polygons **7** (4) (1978) 189–192
Lee, D.T. and **F.P. Preparata,** Parallel batched planar point location on the CCC **33** (4) (1989) 175–179
Lee, D.T. and **C.C. Yang,** Location of multiple points in a planar subdivision **9** (4) (1979) 190–193
Lee, D.T., *see* **Alsuwaiyel, M.H.** **55** (2) (1995) 75–79
Lee, D.T., *see* **Lee, C.C.** **18** (2) (1984) 109–115
Lee, D.T., *see* **Yang, C.C.** **8** (4) (1979) 193–194
Lee, E.-J. and **K.-M. Choe,** Grammar coverings of a deterministic parser with action conflicts **51** (2) (1994) 85–92
Lee, G.-O. and **K.-M. Choe,** An LR parser with pre-determined reduction goals **72** (5–6) (1999) 189–196
Lee, G.-O. and **D.-H. Kim,** Characterization of extended LR (k) grammars **64** (2) (1997) 75–82
Lee, H.S., *see* **Chang, R.C.** **41** (2) (1992) 99–102
Lee, J., *see* **Konana, P.** **63** (4) (1997) 189–193
Lee, J.-H., G.-H. Cha and **C.-W. Chung,** A model for k-nearest neighbor query processing cost in multidimensional data space **69** (2) (1999) 69–76
Lee, J.-H. and **K.-Y. Chwa,** Tight analysis of a self-approaching strategy for the online kernel-search problem **69** (1) (1999) 39–45
Lee, J.-H., D.-H. Kim, S.-L. Lee, C.-W. Chung and **G.-H. Cha,** Distributed similarity search algorithm in distributed heterogeneous multimedia databases **75** (1–2) (2000) 35–42
Lee, J.G., *see* **Kim, H.J.** **36** (5) (1990) 221–224
Lee, J.H., *see* **Kim, M.H.** **46** (5) (1993) 251–256
Lee, J.M., J.S. Park and **M. Kim,** An upper bound on buffer size for join operation using nonclustered indexes **36** (2) (1990) 85–90
Lee, J.Y., *see* **Laih, C.S.** **32** (3) (1989) 95–99
Lee, K.H., *see* **Tscha, Y.** **48** (3) (1993) 107–112
Lee, K.O. and **H.Y. Yeom,** A dynamic scheduling algorithm for large scale multimedia servers **68** (5) (1998) 235–240
Lee, K.P. and **G. Rozenberg,** The length sets of D0L languages are uniformly bounded **2** (6) (1974) 185–188
Lee, M.-J. and **K.-M. Choe,** SLR(k) covering for LR(k) grammars **37** (6) (1991) 337–347
Lee, M.-J. and **K.-M. Choe,** SLR(k) covering for LR(k) grammars (*Corrigendum*) **38** (5) (1991) 281
Lee, M.-J., *see* **Park, W.-J.** **47** (5) (1993) 245–251
Lee, N.-Y., T. Hwang and **C.-H. Wang,** The security of two ID-based multisignature protocols for sequential and broadcasting architectures **70** (2) (1999) 79–81
Lee, N.-Y., *see* **Hwang, T.** **53** (2) (1995) 103–107
Lee, N.-Y., *see* **Wang, C.-H.** **69** (2) (1999) 95–97
Lee, P.J., *see* **Lim, C.H.** **53** (2) (1995) 91–96
Lee, R.C.T., *see* **Chao, H.S.** **61** (6) (1997) 311–316
Lee, R.C.T., *see* **Ho, C.-W.** **28** (6) (1988) 301–309
Lee, R.C.T., *see* **Ho, C.-W.** **31** (2) (1989) 61–68
Lee, R.C.T., *see* **Hsu, F.R.** **43** (2) (1992) 69–75
Lee, R.C.T., *see* **Huang, C.-H.** **72** (5–6) (1999) 213–218
Lee, R.C.T., *see* **Liaw, B.-C.** **52** (2) (1994) 69–75
Lee, R.C.T., *see* **Peng, C.H.** **52** (2) (1994) 77–85
Lee, R.C.T., *see* **Wu, Q.S.** **65** (3) (1998) 119–123
Lee, R.C.T., *see* **Yen, C.-C.** **35** (6) (1990) 295–299
Lee, S. and **J.L. Kim,** Resolving all deadlocks in distributed systems **55** (5) (1995) 265–271
Lee, S., *see* **Park, S.M.** **61** (4) (1997) 209–212
Lee, S.-G., *see* **Chang, J.-Y.** **72** (5–6) (1999) 205–212
Lee, S.-H., D.-H. Kim and **K.-M. Choe,** Path for AND-parallel execution of logic programs **52** (4) (1994) 191–199
Lee, S.-L., *see* **Lee, J.-H.** **75** (1–2) (2000) 35–42
Lee, S.-W., *see* **Huang, C.-M.** **55** (1) (1995) 1–9
Lee, S.C., *see* **Asai, H.** **3** (5) (1975) 147–152
Lee, S.H. and **L.J. Henschen,** Semantics and properties of existential quantifiers in deductive databases **47** (2) (1993) 101–108
Lee, T.P., *see* **Barkley, R.E.** **30** (4) (1989) 201–203
Lee, W.-B. and **C.-C. Chang,** Integrating authentication in public key distribution system **57** (1) (1996) 49–52
Lee, W.-B. and **C.-C. Chang,** Authenticated encryption schemes with linkage between message blocks **63** (5) (1997) 247–250
Lee, Y.-C., *see* **Hsu, L.-H.** **39** (5) (1991) 277–281
Lee, Y.J., *see* **Kim, M.H.** **46** (5) (1993) 251–256
Lee, Y.J., *see* **Seo, S.K.** **58** (3) (1996) 123–128
Lee, Y.J., *see* **Yang, J.D.** **39** (5) (1991) 283–289
Leermakers, R., A recursive ascent Earley parser **41** (2) (1992) 87–91
Lefmann, H., *see* **Hofmeister, T.** **58** (5) (1996) 207–210
Leighton, T., *see* **Aggarwal, A.** **35** (6) (1990) 301–304

Leino, K.R.M., Constructing a program with exceptions **53** (3) (1995) 159–163
Leino, K.R.M. and **R. Stata,** Virginity: A contribution to the specification of object-oriented software **70** (2) (1999) 99–105
Leipälä, T., On a generalization of binary search **8** (5) (1979) 230–233
Leipälä, T., On optimal multilevel indexed sequential files **15** (5) (1982) 191–195
Leiss, E., A note on a signature system based on probabilistic logic **11** (2) (1980) 110–113
Leiss, E.L., The inaccessible set: A classification by query type of security risks in statistical databases **23** (6) (1986) 275–279
Leiss, E.L., On the degree of dominator trees **29** (4) (1988) 199–200
Leiss, E.L. and **C. Jitmedha,** Horizontally and vertically bounded propagation of privileges **22** (6) (1986) 319–327
Leiss, E.L. and **H.N. Reddy,** Embedding complete binary trees into hypercubes **38** (4) (1991) 197–199
Leiss, E.L., *see* **Reddy, H.N.** **49** (6) (1994) 319–325
Leland, W., R. Finkel, L. Qiao, M. Solomon and **L. Uhr,** High density graphs for processor interconnection **12** (3) (1981) 117–120
Lemaître, M., *see* **Castan, M.** **24** (3) (1987) 183–188
Leng, P.H., *see* **Dunne, P.E.** **54** (1) (1995) 23–33
Lengauer, T. and **R.E. Tarjan,** The space complexity of pebble games on trees **10** (4–5) (1980) 184–188
Lenhart, W. and **G. Liotta,** Drawing outerplanar minimum weight triangulations **57** (5) (1996) 253–260
Lenstra Jr., H.W., Miller's primality test **8** (2) (1979) 86–88
Lentfert, P. and **M.H. Overmars,** Data structures in a real-time environment **31** (3) (1989) 151–155
Leonardi, S., *see* **Feuerstein, E.** **66** (4) (1998) 175–180
Le Rest, M., *see* **Crochemore, M.** **16** (4) (1983) 179–180
Lescanne, P., *see* **Jouannaud, J.-P.** **15** (2) (1982) 57–63
Lester, L.N., Accuracy of approximating queueing network departure processes with independent renewal processes **16** (1) (1983) 43–48
Leszczylowski, J., S. Bonnier and **J. Maluszyński,** Logic programming with external procedures: Introducing *S*-unification **27** (3) (1988) 159–165
Leu, F.-C., Y.-T. Tsai and **C.Y. Tang,** An efficient external sorting algorithm **75** (4) (2000) 159–163
Leu, S.-J., *see* **Chang, R.-S.** **63** (5) (1997) 277–282
Leuchner, J.H., L. Miller and **G. Slutzki,** A note on the equivalence of a set of egds to a set of FDs **49** (4) (1994) 185–188
Leung, C.H.C., Optimal database reorganisation: Some practical difficulties **15** (1) (1982) 23–27
Leung, C.H.C., Approximate storage utilisation of B-trees: A simple derivation and generalisations **19** (4) (1984) 199–201
Leung, H., A note on finitely ambiguous distance automata **44** (6) (1992) 329–331
Leung, H., D. Ranjan, H.J. Hernández, D. Tang and **A. González,** A simple proof on the decidability of equivalence between recursive and nonrecursive Datalog programs **55** (5) (1995) 279–282
Leung, J.Y.-T., Bounds on list scheduling of UET tasks with restricted resource constraints **9** (4) (1979) 167–170
Leung, J.Y.-T., Bin packing with restricted piece sizes **31** (3) (1989) 145–149
Leung, J.Y.-T. and **M.L. Merrill,** A note on preemptive scheduling of periodic, real-time tasks **11** (3) (1980) 115–118
Leung, J.Y.-T. and **W.-D. Wei,** Tighter bounds on a heuristic for a partition problem **56** (1) (1995) 51–57
Leung, J.Y.-T. and **G.H. Young,** Preemptive scheduling to minimize mean weighted flow time **34** (1) (1990) 47–50
Leung, J.Y.-T., *see* **Dror, M.** **71** (3–4) (1999) 127–134
Leung, J.Y.-T., *see* **Du, J.** **28** (4) (1988) 183–188
Leung, J.Y.-T., *see* **Ho, K.I.-J.** **48** (6) (1993) 315–320
Leung, J.Y.-T., *see* **Hong, D.** **55** (1) (1995) 17–24
Levcopoulos, C., An $\Omega(\sqrt{n})$ lower bound for the nonoptimality of the greedy triangulation **25** (4) (1987) 247–251
Levcopoulos, C. and **D. Krznaric,** Tight lower bounds for minimum weight triangulation heuristics **57** (3) (1996) 129–135
Levcopoulos, C. and **O. Petersson,** A note on adaptive parallel sorting **33** (4) (1989) 187–191
Levcopoulos, C. and **O. Petersson,** Splitsort—An adaptive sorting algorithm **39** (4) (1991) 205–211
Levcopoulos, C., *see* **Aspvall, B.** **57** (2) (1996) 89–93
Levene, M. and **G. Loizou,** How to prevent interaction of functional and inclusion dependencies **71** (3–4) (1999) 115–125
Le Verge, H., *see* **Saouter, Y.** **69** (6) (1999) 291–295
Levialdi, S., *see* **Bottoni, P.** **67** (1) (1998) 13–19
Levin, G., *see* **Gries, D.** **11** (2) (1980) 68–69
Levin, G.M., Letter to the Editor **15** (5) (1982) 242
Levitin, L.B., *see* **Karpovsky, M.G.** **69** (2) (1999) 99–103
Levner, E., *see* **Gens, G.** **67** (5) (1998) 261–265
Levy, L., *see* **Buneman, P.** **10** (4–5) (1980) 243–244
Levy, L.S., An improved list-searching algorithm **15** (1) (1982) 43–45
Levy, M.R., Complete operator precedence **4** (2) (1975) 38–40
Levy, M.R., *see* **Horspool, R.N.** **24** (4) (1987) 265–273
Lewenstein, M., *see* **Amir, A.** **68** (3) (1998) 125–132
Lewenstein, M., *see* **Amir, A.** **70** (4) (1999) 185–190
Lewenstein, N., *see* **Amir, A.** **68** (3) (1998) 125–132
Lewi, J., *see* **Branquart, P.** **1** (4) (1972) 141–148
Lewis, G.N., N.J. Boynton and **F.W. Burton,** Expected complexity of fast search with uniformly distributed data **13** (1) (1981) 4–7
Lewis, G.N., *see* **Burton, F.W.** **10** (4–5) (1980) 198–201
Lewis, H.R. and **R. Statman,** Unifiability is complete for co-NLogSpace **15** (5) (1982) 220–222
Li, B., *see* **Vigneron, A.** **74** (1–2) (2000) 81–88
Li, C.-M., *see* **Hwang, T.** **53** (2) (1995) 103–107
Li, C.M., A constraint-based approach to narrow search trees for satisfiability **71** (2) (1999) 75–80
Li, H., Trajectory planning in *H*-space **50** (5) (1994) 253–258
Li, H.F., *see* **Venkatesh, K.** **25** (5) (1987) 295–303
Li, J., *see* **Luke, E.A.** **66** (5) (1998) 223–229
Li, M., A separator theorem for one-dimensional graphs under linear mapping **27** (1) (1988) 9–11
Li, M. and **P.M.B. Vitányi,** Average case complexity under the universal distribution equals worst-case complexity **42** (3) (1992) 145–149
Li, M. and **P.M.B. Vitányi,** Optimality of wait-free atomic multiwriter variables **43** (2) (1992) 107–112
Li, M. and **Y. Yesha,** String-matching cannot be done by a two-head one-way deterministic finite automaton **22** (5) (1986) 231–235
Li, M., *see* **Jiang, T.** **44** (4) (1992) 195–199

Li, S.-Y.R., On full utilization of multi-channel capacity with priority protocol **36** (3) (1990) 129–133
Li, T.F. and **S.W. Chang,** An algorithm to estimate the fraction defective and the exponential mean life using unlabeled samples **49** (3) (1994) 129–133
Li, Z., L.C.K. Hui, K.P. Chow, C.F. Chong, W.W. Tsang and **H.W. Chan,** Security of Tseng–Jan's group signature schemes **75** (5) (2000) 187–189
Liang, F.M., A lower bound for on-line bin packing **10** (2) (1980) 76–79
Liang, W., Fast parallel algorithms for the approximate edge-coloring problem **55** (6) (1995) 333–338
Liang, W., B.D. McKay and **H. Shen,** NC algorithms for dynamically solving the all pairs shortest paths problem and related problems **58** (3) (1996) 149–155
Liang, W., *see* **Shen, X. 51** (5) (1994) 237–243
Liang, Y., C. Rhee, S.K. Dhall and **S. Lakshmivarahan,** A new approach for the domination problem on permutation graphs **37** (4) (1991) 219–224
Liang, Y.D., On the feedback vertex set problem in permutation graphs **52** (3) (1994) 123–129
Liang, Y.D., Dominations in trapezoid graphs **52** (6) (1994) 309–315
Liang, Y.D., Steiner set and connected domination in trapezoid graphs **56** (2) (1995) 101–108
Liang, Y.D. and **N. Blum,** Circular convex bipartite graphs: Maximum matching and Hamiltonian circuits **56** (4) (1995) 215–219
Liang, Y.D. and **C. Rhee,** Finding a maximum matching in a circular-arc graph **45** (4) (1993) 185–190
Liang, Y.D. and **C. Rhee,** Finding biconnected components in O(n) time for a class of graphs **60** (3) (1996) 159–163
Liang, Y.D., *see* **Rhee, C. 49** (1) (1994) 45–50
Liang, Y.D., *see* **Rhee, C. 57** (5) (1996) 287–290
Liao, K.-H., *see* **Yen, S.-M. 62** (2) (1997) 77–80
Liaw, B.-C. and **R.C.T. Lee,** An optimal algorithm to solve the minimum weakly cooperative guards problem for 1-spiral polygons **52** (2) (1994) 69–75
Liaw, W.-H., *see* **Sheu, J.-P. 48** (5) (1993) 237–241
Liberatore, V., Uniform multipaging reduces to paging **67** (1) (1998) 9–12
Libeskind-Hadas, R., *see* **Barden, B. 70** (1) (1999) 13–16
Libkin, L. and **L. Wong,** Conservativity of nested relational calculi with internal generic functions **49** (6) (1994) 273–280
Libkin, L. and **L. Wong,** On representation and querying incomplete information in databases with bags **56** (4) (1995) 209–214
Lickteig, T., A note on border rank **18** (3) (1984) 173–178
Lickteig, T., Gaussian elimination is optimal for solving linear equations in dimension two **22** (6) (1986) 277–279
Liebl, P., *see* **Friš, I. 61** (3) (1997) 157–160
Lifschitz, V., On verification of programs with goto statements **18** (4) (1984) 221–225
Lifschitz, V. and **L. Pesotchinsky,** A note on the complexity of a partition algorithm **17** (3) (1983) 117–120
Ligozat, G. and **H. Bestougeff,** On relations between intervals **32** (4) (1989) 177–182
Likas, A. and **A. Stafylopatis,** A parallel algorithm for the minimum weighted vertex cover problem **53** (4) (1995) 229–234
Lim, A., Minimum area joining of k compacted cells **58** (6) (1996) 265–269
Lim, A., Y.M. Chee and **S.-W. Cheng,** Single jog minimum area joining of compacted cells **47** (4) (1993) 167–172
Lim, A., *see* **Chee, Y.M. 43** (2) (1992) 63–68
Lim, C.H. and **P.J. Lee,** Several practical protocols for authentication and key exchange **53** (2) (1995) 91–96
Lim, J.I., *see* **Son, J.J. 65** (3) (1998) 139–144
Lim, K., *see* **Kim, S.-H. 63** (6) (1997) 309–315
Lim, S.-B., *see* **Kim, M.-S. 47** (5) (1993) 221–229
Lin, C.-C. and **F.-C. Lin,** Minimal fully adaptive wormhole routing on hypercubes **50** (6) (1994) 297–301
Lin, C.-J., Parallel algorithm for generating permutations on linear array **35** (4) (1990) 167–170
Lin, C.-Y., *see* **Sung, T.-Y. 66** (4) (1998) 201–207
Lin, F.-C. and **W.-K. Shih,** Long edges in the layouts of shuffle-exchange and cube-connected cycles graphs **23** (1) (1986) 5–9
Lin, F.-C., *see* **Chung, K.-L. 33** (2) (1989) 67–72
Lin, F.-C., *see* **Lin, C.-C. 50** (6) (1994) 297–301
Lin, F.-C., *see* **Wang, B.-F. 34** (4) (1990) 187–192
Lin, F.-C., *see* **Wang, F.-H. 45** (4) (1993) 177–183
Lin, G.-H. and **G. Xue,** Steiner tree problem with minimum number of Steiner points and bounded edge-length **69** (2) (1999) 53–57
Lin, H.-Y. and **L. Harn,** Fair reconstruction of a secret **55** (1) (1995) 45–47
Lin, I.-P., *see* **Chen, C.-C. 45** (3) (1993) 131–136
Lin, J.-H. and **J.S. Vitter,** Approximation algorithms for geometric median problems **44** (5) (1992) 245–249
Lin, J.-W. and **S.-Y. Kuo,** Resolving error propagation in distributed systems **74** (5–6) (2000) 257–262
Lin, K.-C. and **M.-S. Chern,** The most vital edges in the minimum spanning tree problem **45** (1) (1993) 25–31
Lin, K.-J., *see* **Han, C.-C. 42** (2) (1992) 61–66
Lin, K.-J., *see* **Liu, L.-T. 46** (3) (1993) 129–133
Lin, M.-S. and **D.-J. Chen,** The computational complexity of the reliability problem on distributed systems **64** (3) (1997) 143–147
Lin, R., Fast algorithms for lowest common ancestors on a processor array with reconfigurable buses **40** (4) (1991) 223–230
Lin, R. and **S. Olariu,** A fast parallel algorithm to recognize partitionable graphs **36** (3) (1990) 153–157
Lin, X., *see* **Eades, P. 47** (6) (1993) 319–323
Lin, X., *see* **Yu, B. 37** (1) (1991) 55–59
Lin, Y.-B., Parallel trace-driven simulation of packet-switched multiplexer under priority scheduling policy **47** (4) (1993) 197–201
Lin, Y.-B., Determining the global progress of parallel simulation with FIFO communication property **50** (1) (1994) 13–17
Lin, Y.-C., Perfectly overlapped merging and sorting on a two-way linear array **60** (4) (1996) 183–187
Lin, Y.-C. and **C.-K. Liu,** Finding optimal parallel prefix circuits with fan-out 2 in constant time **70** (4) (1999) 191–195
Lin, Y.-C. and **C.-S. Yeh,** Efficient parallel prefix algorithms on multiport message-passing systems **71** (2) (1999) 91–95
Linardis, P., *see* **Dervos, D. 65** (2) (1998) 101–106
Linders, J.G., *see* **Balakrishnan, M. 27** (1) (1988) 1–7
Lindhorst, G. and **F. Shahrokhi,** On renaming a set of clauses as a Horn set **30** (6) (1989) 289–293
Lindstrom, G., Scanning list structures without stacks or tag bits **2** (2) (1973) 47–51

Ling, A.C.H., *see* **Colbourn, C.J.** **75** (1–2) (2000) 9–12
Lingas, A., The Greedy and Delauney triangulations are not bad in the average case **22** (1) (1986) 25–31
Lingas, A., Voronoi diagrams with barriers and the shortest diagonal problem **32** (4) (1989) 191–198
Lingas, A., Bit complexity of matrix products **38** (5) (1991) 237–242
Lingas, A. and **M. Karpinski**, Subtree isomorphism is NC reducible to bipartite perfect matching **30** (1) (1989) 27–32
Lingas, A., *see* **Aspvall, B.** **57** (2) (1996) 89–93
Lingas, A., *see* **Dessmark, A.** **65** (2) (1998) 107–109
Lingas, A., *see* **Garrido, O.** **57** (2) (1996) 83–87
Lingas, A., *see* **Garrido, O.** **58** (2) (1996) 55–58
Linna, M., The D0L-ness for context-free languages is decidable **5** (5) (1976) 149–151
Lins, R.D., Cyclic reference counting with lazy mark-scan **44** (4) (1992) 215–220
Lins, R.D., Generational cyclic reference counting **46** (1) (1993) 19–20
Lins, R.D., *see* **Martínez, A.D.** **34** (1) (1990) 31–35
Liotta, G., *see* **Kant, G.** **62** (2) (1997) 81–88
Liotta, G., *see* **Lenhart, W.** **57** (5) (1996) 253–260
Lipman, M.J., *see* **Cheng, E.** **73** (1–2) (2000) 5–10
Lippe, W., *see* **Langmaack, H.** **9** (3) (1979) 155–159
Lipschutz, S., *see* **Korsh, J.F.** **65** (5) (1998) 235–240
Lipski Jr., W., One more polynomial complete consecutive retrieval problem **6** (3) (1977) 91–93
Lipski Jr., W., An $O(n \log n)$ Manhattan path algorithm **19** (2) (1984) 99–102
Lipski Jr., W., *see* **Ehrich, H.-D.** **4** (4) (1976) 101–104
Lipton, R.J., On proving that a graph has no large clique: A connection with Ramsey theory **58** (1) (1996) 39–42
Lipton, R.J. and **R.E. Miller**, A batching method for coloring planar graphs **7** (4) (1978) 185–188
Lipton, R.J. and **A. Park**, The Processor Identity Problem **36** (2) (1990) 91–94
Lipton, R.J. and **R.W. Tuttle**, A synchronization anomaly **3** (3) (1975) 65–66
Lipton, R.J., *see* **Demillo, R.A.** **7** (4) (1978) 193–195
Lipton, R.J., *see* **Dobkin, D.** **8** (2) (1979) 96–97
Lischke, G., Two types of properties for complexity measures **12** (3) (1981) 123–126
Liśkiewicz, M., On the relationship between deterministic time and deterministic reversal **45** (3) (1993) 143–146
Liśkiewicz, M. and **K. Loryś**, Alternating real-time computations **28** (6) (1988) 311–316
Litovsky, I., Prefix-free languages as ω-generators **37** (2) (1991) 61–65
Litovsky, I., *see* **Julia, S.** **60** (1) (1996) 1–5
Litow, B., On iterated integer product **42** (5) (1992) 269–272
Litow, B., The influence of graph structure on generalized dimension exchange **54** (6) (1995) 347–353
Litow, B. and **B. Mans**, A note on the Ádám conjecture for double loops **66** (3) (1998) 149–153
Litzler, L., *see* **Lakhal, J.** **65** (1) (1998) 11–16
Liu, C.-K., *see* **Lin, Y.-C.** **70** (4) (1999) 191–195
Liu, H., *see* **Huang, S.-H.S.** **63** (3) (1997) 123–129
Liu, H.-N., *see* **Book, R.V.** **26** (1) (1987) 29–32
Liu, K.C., *see* **Miller, L.L.** **28** (5) (1988) 269–274
Liu, L. and **A. Demers**, An algorithm for testing lossless join property in relational databases **11** (2) (1980) 73–76
Liu, L.-T., G.-H. Chen and **K.-J. Lin**, An algorithm for coalescing operations with precedence constraints in real-time systems **46** (3) (1993) 129–133
Liu, L.T., *see* **Chen, G.-H.** **28** (6) (1988) 297–299
Liu, P., *see* **Chern, M.-S.** **32** (2) (1989) 61–71
Liu, R. and **S. Ntafos**, On decomposing polygons into uniformly monotone parts **27** (2) (1988) 85–89
Liu, T.-J., *see* **Huang, S.-T.** **65** (6) (1998) 325–329
Liu, W.-P., *see* **Di Battista, G.** **36** (6) (1990) 317–322
Liu, X. and **J.L. Kim**, An efficient parallel sorting algorithm **43** (3) (1992) 129–133
Liu, X., *see* **Megson, G.M.** **72** (3–4) (1999) 99–103
Liu, Y.-C., *see* **Chang, M.-S.** **48** (4) (1993) 205–210
Liu, Z., A note on Graham's bound **36** (1) (1990) 1–5
Liu, Z. and **J.-H. You**, An implementation of a nonlinear skewing scheme **42** (4) (1992) 209–215
Liu, Z., W. Yu and **T.C.E. Cheng**, Scheduling groups of unit length jobs on two identical parallel machines **69** (6) (1999) 275–281
Livotsky, I., *see* **Huy, P.T.** **42** (3) (1992) 127–132
Lloyd, E.L., List scheduling bounds for UET systems with resources **10** (1) (1980) 28–31
Lloyd, E.L., List scheduling bounds for UET systems with resources (*Erratum*) **11** (1) (1980) 57
Lloyd, E.L., Coffman–Graham scheduling of UET task systems with 0–1 resources **12** (1) (1981) 40–45
Lloyd, E.L., On a simple deadlock recovery problem **16** (4) (1983) 175–178
Lloyd, E.L., A fast algorithm for finding interlocking sets **32** (1) (1989) 47–50
Lloyd, E.L., *see* **Blair, J.R.S.** **40** (1) (1991) 43–49
Lloyd, E.L., *see* **Ivković, Z.** **59** (4) (1996) 229–232
Lloyd, E.L., *see* **Ivković, Z.** **63** (1) (1997) 45–50
Löbbing, M., D. Sieling and **I. Wegener**, Parity OBDDs cannot be handled efficiently enough **67** (4) (1998) 163–168
Löbbing, M., *see* **Bollig, B.** **59** (5) (1996) 233–239
Lobo, J. and **V.S. Subrahmanian**, Relating minimal models and pre-requisite-free normal defaults **44** (3) (1992) 129–133
Lockwood Morris, F., Letter to the Editor **16** (4) (1983) 215
Lodi, E. and **F. Luccio**, Split sequence hash search **20** (3) (1985) 131–136
Lodi, E., F. Luccio and **L. Pagli**, Routing in times square mode **35** (1) (1990) 41–48
Loescher, B., One unary function says less than two in existential second order logic **61** (2) (1997) 69–75
Logothetis, G., *see* **Altman, T.** **35** (3) (1990) 111–114
Logothetis, G., *see* **Bermudez, M.E.** **31** (5) (1989) 233–238
Loh, N.K., *see* **Zhu, M.** **26** (3) (1987) 121–126
Loizou, G., Mathematical solution for a data processing system **8** (5) (1979) 252–256
Loizou, G., On a cycle finding algorithm **11** (1) (1980) 33–36
Loizou, G., *see* **Karayiannis, A.** **7** (1) (1978) 15–19
Loizou, G., *see* **Levene, M.** **71** (3–4) (1999) 115–125
Loncour, G., *see* **Galand, S.** **3** (4) (1975) 97–103
Long, P.M., Halfspace learning, linear programming, and nonmalicious distributions **51** (5) (1994) 245–250

Longpré, L. and **S. Mocas,** Symmetry of information and one-way functions **46** (2) (1993) 95–100
Longpré, L., *see* **Blass, A.** **67** (1) (1998) 29–30
Loos, R., *see* **Calmet, J.** **11** (2) (1980) 94–95
López, D., *see* **Sempere, J.M.** **56** (4) (1995) 201–208
López-Ortiz, A., New lower bounds for element distinctness on a one-tape Turing machine **51** (6) (1994) 311–314
Lopriore, L., Software-controlled cache coherence protocol for multicache systems **33** (3) (1989) 125–130
Loryś, K., *see* **Liśkiewicz, M.** **28** (6) (1988) 311–316
Lotker, Z. and **B. Patt-Shamir,** A note on randomized mutual search **71** (5–6) (1999) 187–191
Lotti, G., Area-time tradeoff for rectangular matrix multiplication in VLSI models **19** (2) (1984) 95–98
Lotti, G., *see* **Bini, D.** **8** (5) (1979) 234–235
Lotti, G., *see* **Codenotti, B.** **21** (3) (1985) 159–163
Lotti, G., *see* **Codenotti, B.** **22** (4) (1986) 193–195
Lotti, G., *see* **Codenotti, B.** **23** (2) (1986) 107–109
Lotti, G., *see* **Codenotti, B.** **23** (3) (1986) 111–114
Louchard, G., *see* **Devillers, R.** **2** (4) (1973) 105–107
Loui, M.C., A note on the pebble game **11** (1) (1980) 24–26
Loui, M.C., T.A. Matsushita and **D.B. West,** Election in a complete network with a sense of direction **22** (4) (1986) 185–187
Loui, M.C., T.A. Matsushita and **D.B. West,** Election in a complete network with a sense of direction (*Corrigendum*) **28** (6) (1988) 327
Loui, M.C. and **M.A. Sohoni,** An algorithm for load balancing in multiprocessor systems **35** (5) (1990) 223–228
Louka, B. and **M. Tchuente,** Dynamic programming on two-dimensional systolic arrays **29** (2) (1988) 97–104
Low, C.-P., A polynomial time solvable instance of the feasible minimum cover problem **68** (3) (1998) 141–146
Low, C.P., A fast search algorithm for the quorumcast routing problem **66** (2) (1998) 87–92
Lowe, G., An attack on the Needham–Schroeder public-key authentication protocol **56** (3) (1995) 131–133
Lowry, A., *see* **Wang, Y.-M.** **50** (4) (1994) 223–230
Lozano, A., *see* **Borchert, B.** **59** (4) (1996) 211–215
Lozinskii, E.L., On a problem in storage optimization **5** (3) (1976) 78–80
Lozinskii, E.L., Counting propositional models **41** (6) (1992) 327–332
Lu, B.-K., F.-R. Hsu and **C.Y. Tang,** Guarding in a simple polygon **75** (4) (2000) 153–158
Lu, C.-S., *see* **Chen, W.-H.** **36** (1) (1990) 7–11
Lu, C.L. and **C.Y. Tang,** A linear-time algorithm for the weighted feedback vertex problem on interval graphs **61** (2) (1997) 107–111
Lu, E.-H., Y.-C. Chen and **H.-P. Wuu,** A complete decoding algorithm for double-error-correcting primitive binary BCH codes of odd m **51** (3) (1994) 117–120
Lu, E.-H., Y.-C. Cheng and **H.-P. Wuu,** A complete decoding algorithm for double-error-correcting primitive binary BCH codes of odd m (*Corrigendum*) **52** (6) (1994) 341
Lu, E.H., *see* **Cheng, Y.C.** **68** (4) (1998) 215–217
Lu, H., *see* **Tan, K.-L.** **48** (4) (1993) 189–195
Lu, H., *see* **Tan, K.-L.** **55** (5) (1995) 251–257
Lu, J., Parallelizing Mallat algorithm for 2-D wavelet transforms **45** (5) (1993) 255–259
Lu, J.J. and **L.J. Henschen,** The completeness of gp-resolution for annotated logics **44** (3) (1992) 135–140
Lu, M., *see* **Nagumo, H.** **59** (2) (1996) 91–96
Lubiw, A., Counterexample to a conjecture of Szymanski on hypercube routing **35** (2) (1990) 57–61
Lubiw, A., *see* **Bose, P.** **65** (5) (1998) 277–283
Luby, M., A. Sinclair and **D. Zuckerman,** Optimal speedup of Las Vegas algorithms **47** (4) (1993) 173–180
Luby, M., *see* **Cook, S.A.** **27** (3) (1988) 141–145
Luby, M., *see* **Hambrusch, S.** **38** (5) (1991) 257–263
Lucas, S., Root-neededness and approximations of neededness **67** (5) (1998) 245–254
Lucas, S., *see* **Hanus, M.** **67** (1) (1998) 1–8
Luccio, F. and **S. Mazzone,** A cryptosystem for multiple communication **10** (4–5) (1980) 180–183
Luccio, F. and **L. Pagli,** A linear algorithm to determine minimal spanning forests in chain graphs **15** (1) (1982) 1–4
Luccio, F. and **L. Pagli,** On the upper bound on the rotation distance of binary trees **31** (2) (1989) 57–60
Luccio, F. and **L. Pagli,** An efficient algorithm for some tree matching problems **39** (1) (1991) 51–57
Luccio, F. and **L. Pagli,** An insight on PRAM computational bounds **63** (6) (1997) 331–336
Luccio, F. and **A. Pedrotti,** A parallel list update problem **52** (5) (1994) 277–284
Luccio, F., A. Pietracaprina and **G. Pucci,** A probabilistic simulation of PRAMs on a bounded degree network **28** (3) (1988) 141–147
Luccio, F., A. Pietracaprina and **G. Pucci,** Analysis of parallel uniform hashing **37** (2) (1991) 67–69
Luccio, F. and **F.P. Preparata,** Storage for consecutive retrieval **5** (3) (1976) 68–71
Luccio, F., *see* **Bongiovanni, G.** **7** (4) (1978) 183–184
Luccio, F., *see* **Chung, K.M.** **10** (4–5) (1980) 226–230
Luccio, F., *see* **Chung, K.M.** **11** (2) (1980) 81–83
Luccio, F., *see* **De Iaco, B.** **44** (2) (1992) 73–77
Luccio, F., *see* **Grossi, R.** **33** (3) (1989) 113–120
Luccio, F., *see* **Lodi, E.** **20** (3) (1985) 131–136
Luccio, F., *see* **Lodi, E.** **35** (1) (1990) 41–48
Luccio, F.L., Almost exact minimum feedback vertex set in meshes and butterflies **66** (2) (1998) 59–64
Luce, G., *see* **Lecroq, T.** **61** (3) (1997) 129–136
Lucena, C.J. and **D.D. Cowan,** Toward a system's environment for computer assisted programming **5** (2) (1976) 35–40
Lucena, C.J., *see* **Pequeno, T.H.** **8** (2) (1979) 98–103
Luchetti, C. and **M.C. Pinotti,** Some comments on building heaps in parallel **47** (3) (1993) 145–148
Lueker, G.S. and **D.E. Willard,** A data structure for dynamic range queries **15** (5) (1982) 209–213
Luk, W.S., 'Possible' membership of a multivalued dependency in a relational database **9** (2) (1979) 80–83
Łukasiewicz, A., *see* **Krzemień, R.** **4** (6) (1976) 165–168
Łukaszewicz, L., Functional grammars **6** (5) (1977) 146–150
Łukaszewicz, L., Universal grammars **15** (2) (1982) 76–80
Luke, E.A., I. Banicescu and **J. Li,** The optimal effectiveness metric for parallel application analysis **66** (5) (1998) 223–229
Luken, W., *see* **Narayanaswami, C.** **50** (4) (1994) 205–210

Lumelsky, V.J., On fast computation of distance between line segments **21** (2) (1985) 55–61
Lund, C., *see* **Broder, A.Z.** **55** (6) (1995) 329–332
Lund, C., *see* **Chrobak, M.** **63** (2) (1997) 79–83
Lunn, A.D., *see* **May, J.H.R.** **53** (6) (1995) 307–314
Luo, C., *see* **Rao, N.S.V.** **47** (5) (1993) 231–236
Luo, G., G. von Bochmann, A. Das and **C. Wu,** Failure-equivalent transformation of transition systems to avoid internal actions **44** (6) (1992) 333–343
Luo, K., W. Klostermeyer, Y.-C. Chow and **R. Newman-Wolfe,** Optimal deadlock resolutions in edge-disjoint reducible wait-for graphs **38** (6) (1991) 307–313
Luo, Y., *see* **Wada, K.** **41** (3) (1992) 169–174
Luque, E. and **A. Ripoll,** Tuning architecture via microprogramming **11** (2) (1980) 102–109
Luque, E. and **A. Ripoll,** Integer linear programming for microprograms register allocation **19** (2) (1984) 81–85
Lutz, E., Some proofs of data refinement **34** (4) (1990) 179–185
Lynch, N.A., *see* **Borodin, A.** **12** (2) (1981) 71–75
Lynch, N.A., *see* **Fischer, M.J.** **14** (4) (1982) 183–186
Lyon, G., Batch scheduling from short lists **8** (2) (1979) 57–59
Lyon, G., A tagless marking that is linear over subtrees **27** (1) (1988) 23–28
Lyon, G., *see* **Snelick, R.** **54** (3) (1995) 147–153
Lysne, O., Extending Bachmair's method for proof by consistency to the final algebra **51** (6) (1994) 303–310

Ma, E., B. Narahari and **L. Tao,** Optimal embedding of 2-D torus into ring **41** (4) (1992) 227–231
Ma, F., *see* **Seroussi, G.** **17** (3) (1983) 145–148
Ma, W.Y., *see* **Ma, Z.M.** **72** (1–2) (1999) 25–29
Ma, Y. and **S. Plotkin,** An improved lower bound for load balancing of tasks with unknown duration **62** (6) (1997) 301–303
Ma, Z.M., W.J. Zhang and **W.Y. Ma,** Assessment of data redundancy in fuzzy relational databases based on semantic inclusion degree **72** (1–2) (1999) 25–29
Macarie, I.I., Decreasing the bandwidth of a transition matrix **53** (6) (1995) 315–320
Macarie, I.I. and **J.I. Seiferas,** Amplification of slight probabilistic advantage at absolutely no cost in space **72** (3–4) (1999) 113–118
Macarie, I.I., *see* **Dietz, P.F.** **50** (3) (1994) 123–127
MacDavid Tolle, D. and **W.E. Siddall,** On the complexity of vector computations in binary tree machines **13** (3) (1981) 120–124
MacGillivray, G., *see* **Brewster, R.** **40** (3) (1991) 149–151
MacGillivray, G., *see* **Ellis, J.A.** **32** (4) (1989) 199–204
Machi, A., *see* **Böhm, C.** **10** (4–5) (1980) 231–233
Machida, H., *see* **Noshita, K.** **7** (5) (1978) 237–243
Madan, B.B., *see* **Zubair, M.** **24** (4) (1987) 225–231
Madanlal, M.S., G. Venkatesan and **C. Pandu Rangan,** Tree 3-spanners on interval, permutation and regular bipartite graphs **59** (2) (1996) 97–102
Madduri, H. and **R. Finkel,** Extension of the Banker's algorithm for resource allocation in a distributed operating system **19** (1) (1984) 1–8
Madduri, H.H., *see* **Finkel, R.** **24** (1) (1987) 25–30
Madhukar, K., *see* **Srinivasan, A.** **56** (3) (1995) 165–171
Madlener, K. and **F. Otto,** Using string-rewriting for solving the word problem for finitely presented groups **24** (5) (1987) 281–284
Madnick, S.E., *see* **Hsu, M.** **27** (6) (1988) 291–297
Madsen, J., An experiment in formal definition of operating system facilities **6** (6) (1977) 187–189
Madsen, N.K., G.H. Rodrigue and **J.I. Karush,** Matrix multiplication by diagonals on a vector/parallel processor **5** (2) (1976) 41–45
Maes, M., On a cyclic string-to-string correction problem **35** (2) (1990) 73–78
Maffioli, F., *see* **Camerini, P.M.** **3** (3) (1975) 81–83
Maffioli, F., *see* **Galbiati, G.** **52** (1) (1994) 45–49
Magazine, M.J., Optimality of intuitive checkpointing policies **17** (2) (1983) 63–66
Magdy, M.A., *see* **Platt, D.** **28** (5) (1988) 231–234
Maggiolo-Schettini, A., *see* **Germano, G.** **4** (1) (1975) 1–6
Maggs, B.M. and **S.A. Plotkin,** Minimum-cost spanning tree as a path-finding problem **26** (6) (1988) 291–293
Maggs, B.M. and **E.J. Schwabe,** Real-time emulations of bounded-degree networks **66** (5) (1998) 269–276
Magott, J., Performance evaluation of concurrent systems using Petri nets **18** (1) (1984) 7–13
Magott, J., Performance evaluation of systems of cyclic sequential processes with mutual exclusion using Petri nets **21** (5) (1985) 229–232
Magott, J., Performance evaluation of concurrent systems using conflict-free and persistent Petri nets **26** (2) (1987) 77–80
Mah, P.S., *see* **Chung, S.M.** **59** (2) (1996) 109–115
Mahajan, M., T. Thierauf and **N.V. Vinodchandran,** A note on SpanP functions **51** (1) (1994) 7–10
Mahajan, M. and **N.V. Vinodchandran,** A note on *Mod* and generalised *Mod* classes **55** (1) (1995) 27–31
Mahajan, S., *see* **Deng, X.** **37** (4) (1991) 193–196
Mahanti, A., *see* **Ghosh, S.** **40** (6) (1991) 335–340
Mahapatra, R.N. and **H. Pareek,** Modelling a fast parallel thinning algorithm for shared memory SIMD computers **40** (5) (1991) 257–261
Maheshwari, A., *see* **Ghosh, S.K.** **36** (6) (1990) 277–280
Maheshwari, A., *see* **Ghosh, S.K.** **44** (3) (1992) 155–160
Maheshwari, S.N., *see* **Cheriyan, J.** **31** (3) (1989) 157–161
Maheshwari, S.N., *see* **Malhotra, V.M.** **7** (6) (1978) 277–278
Maheshwari, S.N., *see* **Nath, D.** **14** (1) (1982) 7–11
Mahmoud, H.M., On rotations in fringe-balanced binary trees **65** (1) (1998) 41–46
Mahmoud, S.A., Motion estimation based on modified Fourier spectrum **37** (6) (1991) 311–313
Maibaum, T., *see* **Dimitrakos, T.** **74** (1–2) (2000) 65–71
Maibaum, T., *see* **Duarte, C.H.C.** **74** (1–2) (2000) 55–63
Maibaum, T.S.E., *see* **Veloso, P.A.S.** **53** (5) (1995) 287–293
Maier, D. and **S.C. Salveter,** Hysterical B-trees **12** (4) (1981) 199–202
Main, M.G., Permutations are not context-free: An application of the Interchange Lemma **15** (2) (1982) 68–71
Main, M.G., An infinite square-free co-CFL **20** (2) (1985) 105–107
Maio, D., M.R. Scalas and **P. Tiberio,** On estimating access costs in relational databases **19** (3) (1984) 157–161

Maio, D., *see* **Ciaccia, P.** **28** (5) (1988) 253–257
Maire, F., Polyominos and perfect graphs **50** (2) (1994) 57–61
Mairson, H.G., Generating words in a context-free language uniformly at random **49** (2) (1994) 95–99
Maitra, S. and **P. Sarkar,** Hamming weights of correlation immune Boolean functions **71** (3–4) (1999) 149–153
Majewski, B.S., *see* **Czech, Z.J.** **43** (5) (1992) 257–264
Majithia, J.C., *see* **Balakrishnan, M.** **27** (1) (1988) 1–7
Majster-Cederbaum, M.E., A simple relation between relational and predicate transformer semantics for nondeterministic programs **11** (4–5) (1980) 190–192
Majster-Cederbaum, M.E., On the uniqueness of fixed points of endofunctors in a category of complete metric spaces **29** (6) (1988) 277–281
Majster-Cederbaum, M.E., The contraction property is sufficient to guarantee the uniqueness of fixed points of endofunctors in a category of complete metric spaces **33** (1) (1989) 15–19
Majster-Cederbaum, M.E., Ensuring the existence of a BCNF-decomposition that preserves functional dependencies in $O(N^2)$ time **43** (2) (1992) 95–100
Majster-Cederbaum, M. and **M. Roggenbach,** Transition systems from event structures revisited **67** (3) (1998) 119–124
Majster-Cederbaum, M.E., *see* **Baier, C.** **59** (3) (1996) 135–143
Majumdar, A., *see* **Simha, R.** **50** (2) (1994) 105–110
Majumdar, A.K., *see* **Balakrishnan, M.** **27** (1) (1988) 1–7
Majumdar, A.K., *see* **Upendra Rao, S.** **20** (1) (1985) 29–33
Makarov, O.M., A noncommutative algorithm for multiplying 5×5 matrices using 102 multiplications **23** (3) (1986) 115–117
Makarov, O.M., On the synthesis of fast algorithms for signal processing **36** (5) (1990) 267–272
Makarov, O.M., Using duality to compute the pair of matrix products QY ad $Y^{\mathrm{T}}Q$ over a commutative ring **8** (1) (1979) 46–49
Makarov, O.M., Using duality for the synthesis of an optimal algorithm involving matrix multiplication **13** (2) (1981) 48–49
Makedon, F., D. Sheinwald and **Y. Wolfsthal,** A simple linear-time algorithm for the recognition of bandwidth-2 biconnected graphs **46** (2) (1993) 103–107
Mäkinen, E., Boundedness testing for unambiguous context-free grammars **17** (4) (1983) 181–183
Mäkinen, E., On derivation preservation **19** (5) (1984) 225–228
Mäkinen, E., A note on undercover relation **20** (1) (1985) 19–21
Mäkinen, E., An undecidable problem for context-free grammars **20** (3) (1985) 141–142
Mäkinen, E., A note on pure grammars **23** (5) (1986) 271–274
Mäkinen, E., On the rotation distance of binary trees (*Note*) **26** (5) (1988) 271–272
Mäkinen, E., On linear search heuristics **29** (1) (1988) 35–36
Mäkinen, E., On the subtree isomorphism problem for ordered trees **32** (5) (1989) 271–273
Mäkinen, E., The grammatical inference problem for the Szilard languages of linear grammars **36** (4) (1990) 203–206
Mäkinen, E., On the structural grammatical inference problem for some classes of context-free grammars **42** (1) (1992) 1–5
Mäkinen, E., Remarks on the structural grammatical inference problem for context-free grammars **44** (3) (1992) 125–127
Mäkinen, E., Inferring uniquely terminating regular languages from positive data **62** (2) (1997) 57–60
Mäkinen, E., On inferring linear single-tree languages **73** (1–2) (2000) 1–3
Makki, S.A.M. and **G. Havas,** Distributed algorithms for depth-first search **60** (1) (1996) 7–12
Makris, C. and **A. Tsakalidis,** Algorithms for three-dimensional dominance searching in linear space **66** (6) (1998) 277–283
Makris, C., *see* **Bozanis, P.** **61** (1) (1997) 37–41
Makris, C., *see* **Lagogiannis, G.** **72** (5–6) (1999) 177–182
Maler, O., *see* **Bouajjani, A.** **74** (5–6) (2000) 221–227
Maley, F.M., An observation concerning constraint-based compaction **25** (2) (1987) 119–122
Malhotra, V.M., M.P. Kumar and **S.N. Maheshwari,** An $O(|V|^3)$ algorithm for finding maximum flows in networks **7** (6) (1978) 277–278
Malhotra, V.M., B. Srinivasan and **S. Kulkarni,** Storage-efficient data structure for large lookup dictionaries **58** (4) (1996) 201–206
Malhotra, V.M., T.V. To and **K. Kanchanasut,** An improved data-dependency-based backtracking scheme for Prolog **31** (4) (1989) 185–189
Malhotra, V.M., *see* **Kumar, A.** **27** (5) (1988) 249–252
Małuszyński, J. and **J.F. Nilsson,** Grammatical unification **15** (4) (1982) 150–158
Maluszyński, J., *see* **Leszczylowski, J.** **27** (3) (1988) 159–165
Malvestuto, F.M., A complete axiomatization of full acyclic join dependencies **68** (3) (1998) 133–139
Manabe, Y., *see* **Imase, M.** **28** (4) (1988) 171–175
Manacher, G., An application of pattern matching to a problem in geometrical complexity **5** (1) (1976) 6–7
Manacher, G.K., Steady-paced-output and fractional-on-line algorithms on a RAM **15** (2) (1982) 47–52
Manacher, G.K. and **T.A. Mankus,** Incorporating negative-weight vertices in certain vertex-search graph algorithms **42** (6) (1992) 293–294
Manacher, G.K., T.A. Mankus and **C.J. Smith,** An optimum $\Theta(n \log n)$ algorithm for finding a canonical Hamiltonian path and a canonical Hamiltonian circuit in a set of intervals **35** (4) (1990) 205–211
Manacher, G.K. and **A.L. Zobrist,** Neither the greedy nor the Delaunay triangulation of a planar point set approximates the optimal triangulation **9** (1) (1979) 31–34
Manber, U., A probabilistic lower bound for checking disjointness of sets **19** (1) (1984) 51–53
Manber, U., Recognizing breadth-first search trees in linear time **34** (4) (1990) 167–171
Manber, U. and **R. Baeza-Yates,** An algorithm for string matching with a sequence of don't cares **37** (3) (1991) 133–136
Manber, U. and **S. Wu,** An algorithm for approximate membership checking with application to password security **50** (4) (1994) 191–197
Manber, U., *see* **Wu, S.** **35** (6) (1990) 317–323
Măndoiu, I.I., Optimum extensions of prefix codes **66** (1) (1998) 35–40
Măndoiu, I.I. and **A.Z. Zelikovsky,** A note on the MST heuristic for bounded edge-length Steiner trees with minimum number of Steiner points **75** (4) (2000) 165–167
Mandrioli, D., n-reconstructability of context-free grammars **5** (2) (1976) 58–62
Mandrioli, D., *see* **Crespi-Reghizzi, S.** **3** (3) (1975) 78–80

Mandrioli, D., *see* **Crespi-Reghizzi, S.** **3** (5) (1975) 164
Mandrioli, D., *see* **Crespi-Reghizzi, S.** **7** (1) (1978) 24–26
Mandyam, N.K., *see* **Sharma, M.B.** **32** (4) (1989) 183–186
Maneth, S., *see* **Fülöp, Z.** **73** (5–6) (2000) 175–180
Mangelmann, M., *see* **Kandzia, P.** **11** (4–5) (1980) 218–223
Manku, G.S., A linear time algorithm for the Bottleneck Biconnected Spanning Subgraph problem **59** (1) (1996) 1–7
Mankus, T.A., *see* **Manacher, G.K.** **35** (4) (1990) 205–211
Mankus, T.A., *see* **Manacher, G.K.** **42** (6) (1992) 293–294
Mannila, H. and **K. Mehlhorn**, A fast algorithm for renaming a set of clauses as a Horn set **21** (5) (1985) 269–272
Mannila, H. and **E. Ukkonen**, A simple linear-time algorithm for in situ merging **18** (4) (1984) 203–208
Manohar, M., *see* **Srinivas Kumar, P.** **22** (3) (1986) 109–111
Manolopoulos, Y., Batched search of index sequential files **22** (5) (1986) 267–272
Manolopoulos, Y. and **A. Vakali**, Seek distances in disks with two independent heads per surface **37** (1) (1991) 37–42
Manolopoulos, Y., *see* **Dervos, D.** **65** (2) (1998) 101–106
Manolopoulos, Y., *see* **Kollias, J.G.** **36** (3) (1990) 141–145
Manolopoulos, Y., *see* **Vakali, A.** **61** (6) (1997) 323–329
Manos, H., Construction of halvers **69** (6) (1999) 303–307
Mans, B., *see* **Diks, K.** **51** (1) (1994) 1–6
Mans, B., *see* **Flocchini, P.** **63** (1) (1997) 23–31
Mans, B., *see* **Litow, B.** **66** (3) (1998) 149–153
Mansour, Y. and **M. Parnas**, Learning conjunctions with noise under product distributions **68** (4) (1998) 189–196
Mansour, Y., *see* **Alon, N.** **54** (6) (1995) 337–342
Mansour, Y., *see* **Bshouty, N.H.** **63** (4) (1997) 211–213
Mansour, Y., *see* **Gerstel, O.** **30** (3) (1989) 127–132
Mantzaris, S.L., *see* **Kalamboukis, T.Z.** **38** (5) (1991) 265–270
Manuel, P.D., *see* **Dahlhaus, E.** **65** (6) (1998) 301–303
Manzini, G., Radix sort on the hypercube **38** (2) (1991) 77–81
Manzini, G., Sparse matrix vector multiplication on distributed architectures: Lower bounds and average complexity results **50** (5) (1994) 231–238
Manzini, G., *see* **Codenotti, B.** **56** (4) (1995) 191–195
Manzur Murshed, M. and **M. Kaykobad**, Seek distances in two-headed disk systems **57** (4) (1996) 205–209
Marathe, M.V. and **S.S. Ravi**, On approximation algorithms for the minimum satisfiability problem **58** (1) (1996) 23–29
March, S.T., *see* **Palvia, P.** **19** (2) (1984) 75–79
Marchetti-Spaccamela, A., **U. Nanni** and **H. Rohnert**, Maintaining a topological order under edge insertions **59** (1) (1996) 53–58
Marchetti-Spaccamela, A. and **G. Romano**, On different approximation criteria for subset product problems **21** (4) (1985) 213–218
Marchetti-Spaccamela, A., *see* **Feuerstein, E.** **66** (4) (1998) 175–180
Marcus, L., *see* **Samet, H.** **10** (2) (1980) 89–95
Margara, L., *see* **Codenotti, B.** **56** (4) (1995) 191–195
Marie, R. and **K.S. Trivedi**, A note on the effect of preemptive policies on the stability of a priority queue **24** (6) (1987) 397–401
Markstein, P.W., *see* **Warren Jr., H.S.** **13** (4–5) (1981) 215–217
Marriott, K., *see* **Huynh, T.** **55** (2) (1995) 111–115
Marsaglia, G., **K. Ananthanarayanan** and **N.J. Paul**, Improvements on fast methods for generating normal random variables **5** (2) (1976) 27–30
Martel, C., Self-adjusting multi-way search trees **38** (3) (1991) 135–141
Martel, C.U., Lower bounds on parallel algorithms for finding the first maximal independent set **22** (2) (1986) 81–85
Martel, C.U., Maximum finding on a multiple access broadcast network **52** (1) (1994) 7–13
Martel, C.U. and **D. Gusfield**, A fast parallel quicksort algorithm **30** (2) (1989) 97–102
Martel, C.U., *see* **Hui, L.C.K.** **58** (5) (1996) 231–236
Martel, C.U., *see* **Lawler, E.L.** **12** (1) (1981) 9–12
Martelli, M. and **C. Tricomi**, A new SLDNF-tree **43** (2) (1992) 57–62
Martello, S. and **P. Toth**, A note on 0.5-bounded greedy algorithms for the 0/1 knapsack problem **44** (4) (1992) 221–222
Martin, A.J., The probe: An addition to communication primitives **20** (3) (1985) 125–130
Martin, A.J., The probe: An addition to communication primitives (*Erratum*) **21** (2) (1985) 107
Martin, A.J., A new generalization of Dekker's algorithm for mutual exclusion **23** (6) (1986) 295–297
Martin, A.J. and **J.R. Burch**, Fair mutual exclusion with unfair P and V operations **21** (2) (1985) 97–100
Martin, A.J. and **M. Rem**, A presentation of the Fibonacci algorithm **19** (2) (1984) 67–68
Martin, A.J., *see* **Kessels, J.L.W.** **8** (2) (1979) 67–71
Martin, J.J., Precise typing and filters **17** (3) (1983) 109–112
Martin, U., Extension functions for multiset orderings **26** (4) (1987) 181–186
Martin, U., A note on division orderings on strings **36** (5) (1990) 237–240
Martinek, J., *see* **Nawrocki, J.R.** **25** (5) (1987) 305–310
Martinelli, E., *see* **Alia, G.** **18** (3) (1984) 141–145
Martinelli, F., An improvement of algorithms for solving interface equations **67** (4) (1998) 185–190
Martínez, A.D., **R. Wachenchauzer** and **R.D. Lins**, Cyclic reference counting with local mark-scan **34** (1) (1990) 31–35
Martínez, S., *see* **Goles, E.** **42** (6) (1992) 339–343
Maruoka, A., *see* **Jimbo, S.** **50** (5) (1994) 277–282
Maruoka, A., *see* **Jimbo, S.** **51** (1) (1994) 17–23
Marzetta, A., *see* **Nievergelt, J.** **72** (1–2) (1999) 47–53
Massart, T., An agent calculus with simple actions where the enabling and disabling are derived operators **40** (4) (1991) 213–218
Massazza, P., *see* **Bertoni, A.** **34** (3) (1990) 117–121
Massini, A., *see* **Calamoneri, T.** **72** (3–4) (1999) 137–141
Mastrobuoni, V., *see* **Nardelli, E.** **63** (1) (1997) 9–12
Mastrobuoni, V., *see* **Nardelli, E.** **64** (3) (1997) 149–154
Masucci, B., *see* **De Santis, A.** **74** (5–6) (2000) 243–251
Masuda, E., *see* **Noshita, K.** **7** (5) (1978) 237–243
Masuyama, S. and **S. Naito**, Deciding whether graph G has page number one is in NC **44** (1) (1992) 7–10
Masuyama, S., *see* **Cheng, P.** **51** (4) (1994) 195–199
Masuyama, S., *see* **Nakayama, S.-I.** **62** (6) (1997) 323–327
Masuzawa, T., *see* **Fujiwara, A.** **54** (5) (1995) 295–300
Mata, M., *see* **Ellis, J.A.** **32** (4) (1989) 199–204

Matamala, M. and **K. Meer,** On the computational structure of the connected components of a hard problem **72** (3–4) (1999) 83–90
Matamala, M., *see* **Cucker, F.** **62** (4) (1997) 209–212
Math, P., *see* **Wagh, M.D.** **75** (1–2) (2000) 25–27
Mathematics of Program Construction Group, Fixed-point calculus **53** (3) (1995) 131–136
Mathew, L., *see* **Siromoney, R.** **35** (1) (1990) 33–36
Mathew, L., *see* **Siromoney, R.** **50** (2) (1994) 101–104
Mathieu, C., C. Puech and **H. Yahia,** Average efficiency of data structures for binary image processing **26** (2) (1987) 89–93
Mathon, R., A note on the graph isomorphism counting problem **8** (3) (1979) 131–132
Matias, Y., *see* **Gil, J.** **51** (1) (1994) 31–34
Matoušek, J., Line arrangements and range search **27** (6) (1988) 275–280
Matoušek, J., On-line computation of convolutions **32** (1) (1989) 15–16
Matoušek, J., Computing dominances in E^n (*Short communication*) **38** (5) (1991) 277–278
Matoušek, J., Randomized optimal algorithm for slope selection **39** (4) (1991) 183–187
Matoušek, J., On enclosing k points by a circle **53** (4) (1995) 217–221
Matsliach, G., Performance analysis of file organizations that use multi-bucket data leaves **36** (6) (1990) 301–310
Matsliach, G. and **O. Shmueli,** Distributing a B^+-tree in a loosely coupled environment **34** (6) (1990) 313–321
Matsui, S., *see* **Iri, M.** **12** (4) (1981) 206–209
Matsuoka, S., T. Kamada and **S. Kawai,** Asymptotic evaluation of window visibility **31** (3) (1989) 119–126
Matsushita, T.A., *see* **Loui, M.C.** **22** (4) (1986) 185–187
Matsushita, T.A., *see* **Loui, M.C.** **28** (6) (1988) 327
Mattern, F., Global quiescence detection based on credit distribution and recovery **30** (4) (1989) 195–200
Mattern, F., An efficient distributed termination test **31** (4) (1989) 203–208
Mattern, F., *see* **Singhal, M.** **55** (3) (1995) 117–121
Mattern, F., *see* **Tel, G.** **31** (3) (1989) 127–128
Matwin, S., On the completeness of a set of transformations optimizing linear programs **6** (5) (1977) 165–167
Matwin, S., An experimental investigation of Geschke's method of global program optimization **6** (6) (1977) 177–179
Mauceri, S. and **A. Restivo,** A family of codes commutatively equivalent to prefix codes **12** (1) (1981) 1–4
Mauney, J. and **C.N. Fischer,** An improvement to immediate error detection in strong LL(1) parsers **12** (5) (1981) 211–212
Maurer, H.A., The solution of a problem by Ginsburg **1** (1) (1971) 7–10
Maurer, H.A., Th. Ottmann and **H.-W. Six,** Implementing dictionaries using binary trees of very small height **5** (1) (1976) 11–14
Maurer, H.A., *see* **Albert, J.** **6** (6) (1977) 190–195
Maurer, H.A., *see* **Bentley, J.L.** **8** (3) (1979) 133–136
Maurer, H.A., *see* **Cremers, A.B.** **2** (2) (1973) 31–33
Maurer, H.A., *see* **Culik II, K.** **8** (4) (1979) 181–186
Maurer, H.A., *see* **Edelsbrunner, H.** **13** (4–5) (1981) 177–181
Maurer, H.A., *see* **Edelsbrunner, H.** **14** (2) (1982) 74–79
Maurer, H.A., *see* **Edelsbrunner, H.** **21** (1) (1985) 39–47
Mauri, G., *see* **Bertoni, A.** **8** (1) (1979) 50–53
Mauri, G., *see* **Bertoni, A.** **12** (3) (1981) 142–145
Mavronicolas, M., *see* **Busch, C.** **63** (2) (1997) 85–90
May, J.H.R. and **A.D. Lunn,** New statistics for demand-based software testing **53** (6) (1995) 307–314
Mayer, D., *see* **Cellary, W.** **10** (3) (1980) 137–147
Mayer, O., *see* **Cremers, A.B.** **2** (2) (1973) 31–33
Mayo, J. and **P. Kearns,** Distributed termination detection with roughly synchronized clocks **52** (2) (1994) 105–108
Mayoh, B.H., Recursion and stacks **1** (3) (1972) 115–116
Mayoh, B.H., Models of programs and processes **17** (4) (1983) 211–214
Mayr, E.W., *see* **Anderson, R.** **24** (2) (1987) 121–126
Mazurkiewicz, A., Solvability of the asynchronous ranking problem **28** (5) (1988) 221–224
Mazurkiewicz, A., Distributed disassembly of mosaics **46** (4) (1993) 173–178
Mazurkiewicz, A., Distributed enumeration **61** (5) (1997) 233–239
Mazzanti, S., Succinct iterative characterizations of primitive computable unary functions **56** (6) (1995) 315–319
Mazzone, S., *see* **Luccio, F.** **10** (4–5) (1980) 180–183
McCallum, D. and **D. Avis,** A linear algorithm for finding the convex hull of a simple polygon **9** (5) (1979) 201–206
McColl, W.F., The maximum depth of monotone formulae **7** (2) (1978) 65
McColl, W.F. and **M.S. Paterson,** The planar realization of Boolean functions **24** (3) (1987) 165–170
McCormick, S.T., *see* **Iwata, S.** **74** (3–4) (2000) 123–128
McCune, W., Automatic proofs and counterexamples for some ortholattice identities **65** (6) (1998) 285–291
McCune, W.W., Un-Skolemizing clause sets **29** (5) (1988) 257–263
McCurley, E.R., Auxiliary variables in partial correctness programming logics **33** (3) (1989) 131–133
McGlinn, R.J., Is SSS* better than alpha–beta? **16** (3) (1983) 113–120
McIver, A., *see* **Morgan, C.** **59** (3) (1996) 159–163
McKay, B., *see* **Eades, P.** **19** (3) (1984) 131–133
McKay, B.D., *see* **Colbourn, C.J.** **11** (2) (1980) 96–97
McKay, B.D., *see* **Liang, W.** **58** (3) (1996) 149–155
McKellar, S. and **R. Davis,** Redundancy removal in multicast protocols **73** (5–6) (2000) 169–173
McKenzie, P., Permutations of bounded degree generate groups of polynomial diameter **19** (5) (1984) 253–254
McKeown, G.P., A special purpose MIMD parallel processor **20** (1) (1985) 23–27
McKeown, G.P. and **V.J. Rayward-Smith,** Communication problems on MIMD parallel computers **19** (2) (1984) 69–73
McKeown, G.P., *see* **Burton, F.W.** **29** (1) (1988) 31–34
McLean, J., A comment on the 'Basic Security Theorem' of Bell and LaPadula **20** (2) (1985) 67–70
Medidi, M., *see* **Deo, N.** **50** (2) (1994) 81–87
Meenakshi, N., *see* **Lakshmanan, K.B.** **25** (2) (1987) 103–109
Meer, K., *see* **Matamala, M.** **72** (3–4) (1999) 83–90
Meertens, L., A space-saving technique for assigning ALGOL 68 multiple values **5** (4) (1976) 97–99

Megiddo, N., A note on approximate linear programming **42** (1) (1992) 53
Megson, G.M., Systolic partitioning algorithms **46** (1) (1993) 13–18
Megson, G.M. and **F.M.F. Gaston,** Improved matrix triangularisation using a double pipeline systolic array **36** (2) (1990) 103–109
Megson, G.M., X. Yang and **X. Liu,** Honeycomb tori are Hamiltonian **72** (3–4) (1999) 99–103
Mehlhorn, K., Bracket-languages are recognizable in logarithmic space **5** (6) (1976) 168–170
Mehlhorn, K., A faster approximation algorithm for the Steiner problem in graphs **27** (3) (1988) 125–128
Mehlhorn, K. and **S. Näher,** Bounded ordered dictionaries in $O(\log\log N)$ time and $O(n)$ space **35** (4) (1990) 183–189
Mehlhorn, K., S. Näher and **C. Uhrig,** Hidden line elimination for isooriented rectangles **35** (3) (1990) 137–143
Mehlhorn, K. and **M.H. Overmars,** Optimal dynamization of decomposable searching problems **12** (2) (1981) 93–98
Mehlhorn, K., *see* **Alt, H.** **19** (2) (1984) 61–65
Mehlhorn, K., *see* **Alt, H.** **37** (4) (1991) 237–240
Mehlhorn, K., *see* **Alt, H.** **42** (1) (1992) 25–27
Mehlhorn, K., *see* **Althaus, E.** **66** (3) (1998) 109–113
Mehlhorn, K., *see* **Arikati, S.R.** **70** (5) (1999) 251–254
Mehlhorn, K., *see* **Becker, M.** **15** (3) (1982) 135–136
Mehlhorn, K., *see* **Bilardi, G.** **51** (2) (1994) 101–105
Mehlhorn, K., *see* **Cheriyan, J.** **69** (5) (1999) 239–242
Mehlhorn, K., *see* **Ching, Y.-T.** **35** (1) (1990) 37–40
Mehlhorn, K., *see* **Fries, O.** **25** (4) (1987) 269–273
Mehlhorn, K., *see* **Jung, H.** **27** (5) (1988) 227–236
Mehlhorn, K., *see* **Mannila, H.** **21** (5) (1985) 269–272
Mehndiratta, S.L., *see* **Ramesh, S.** **17** (4) (1983) 189–195
Mehta, S., M. Mukherjee and **G. Nagy,** Constrained integer approximation to planar line intersection **40** (3) (1991) 137–139
Mei, A. and **Y. Igarashi,** An efficient strategy for robot navigation in unknown environment **52** (1) (1994) 51–56
Mei, A., *see* **Bao, F.** **62** (4) (1997) 213–216
Meidânis, J., Lower bounds for arithmetic problems **38** (2) (1991) 83–87
Meidanis, J., *see* **de Figueiredo, C.M.H.** **56** (3) (1995) 179–184
Meidanis, J., *see* **de Figueiredo, C.M.H.** **70** (3) (1999) 147–152
Meijer, H., A note on "A cryptosystem for multiple communication" **12** (4) (1981) 179–181
Meijer, H. and **S.G. Akl,** The design and analysis of a new hybrid sorting algorithm **10** (4–5) (1980) 213–218
Meijer, H. and **D. Rappaport,** Computing the minimum weight triangulation of a set of linearly ordered points **42** (1) (1992) 35–38
Meijer, H., *see* **Denning, D.E.** **13** (3) (1981) 125–126
Meijer, H., *see* **Qiu, K.** **36** (1) (1990) 51–52
Meijer, H., *see* **Qiu, K.** **39** (3) (1991) 125–129
Meinel, C., Logic vs. complexity theoretic properties of the graph accessibility problem for directed graphs of bounded degree **34** (3) (1990) 143–146
Meinel, C., *see* **Gergov, J.** **50** (6) (1994) 317–322
Meira, S.L., A linear applicative solution for the Set Union Problem **20** (1) (1985) 43–45
Meira, S.R.L., Strict combinators **24** (4) (1987) 255–258
Melançon, G., Viennot factorization of infinite words **60** (2) (1996) 53–57
Melhem, R., *see* **Ramarao, K.V.S.** **27** (4) (1988) 169–174
Melkman, A.A., On-line construction of the convex hull of a simple polyline **25** (1) (1987) 11–12
Melkman, A.A. and **S.E. Shimony,** Algorithms for parsimonious complete sets in directed graphs **59** (6) (1996) 335–339
Mello, P., *see* **Brogi, A.** **36** (6) (1990) 285–291
Mello, P., *see* **Brogi, A.** **42** (6) (1992) 331–338
Mello, P., *see* **Ciampolini, A.** **58** (4) (1996) 163–170
Melville, R. and **D. Gries,** Controlled density sorting **10** (4–5) (1980) 169–172
Melville, R., *see* **Hood, R.** **13** (2) (1981) 50–54
Mendelzon, A.O., *see* **Graham, M.H.** **14** (2) (1982) 57–62
Mereghetti, C. and **G. Pighizzini,** A remark on middle space bounded alternating Turing machines **56** (4) (1995) 229–232
Mereghetti, C., *see* **Bertoni, A.** **50** (6) (1994) 289–292
Mereghetti, C., *see* **Bertoni, A.** **52** (6) (1994) 339
Merlini, D., R. Sprugnoli and **M.C. Verri,** A uniform model for the storage utilization of B-tree-like structures **57** (1) (1996) 53–58
Merrett, T.H., General programs for management systems **1** (1) (1971) 17–20
Merrett, T.H., Relations as programming language elements **6** (1) (1977) 29–33
Merrett, T.H., QT logic: Simpler and more expressive than predicate calculus **7** (6) (1978) 251–255
Merrett, T.H., *see* **Clouâtre, A.** **32** (5) (1989) 257–262
Merrill, M.L., *see* **Leung, J.Y.-T.** **11** (3) (1980) 115–118
Merritt, M. and **G. Taubenfeld,** Speeding Lamport's fast mutual exclusion algorithm **45** (3) (1993) 137–142
Merritt, M., *see* **Orda, A.** **62** (1) (1997) 41–46
Meskes, M. and **J. Noack,** The generalized supplementary magic-sets transformation for stratified Datalog **47** (1) (1993) 31–41
Messeguer, X., Dynamic behaviour in updating process over BST of size two with probabilistic deletion algorithms **38** (2) (1991) 89–100
Messeguer, X., *see* **Gabarró, J.** **68** (2) (1998) 79–85
Metivier, Y., About the rewriting systems produced by the Knuth–Bendix completion algorithm **16** (1) (1983) 31–34
Métivier, Y. and **E. Ochmanski,** On lexicographic semi-commutations **26** (2) (1987) 55–59
Métivier, Y. and **N. Saheb,** Medians and centres of polyominoes **57** (4) (1996) 175–181
Métivier, Y., *see* **Bottreau, A.** **68** (2) (1998) 55–61
Meyer, B., Incremental string matching **21** (5) (1985) 219–227
Meyer, J.-J.Ch., *see* **Bergstra, J.A.** **14** (2) (1982) 80–85
Meyer, R., *see* **Guaiana, G.** **67** (6) (1998) 277–282
Meyer auf der Heide, F., Infinite cube-connected cycles **16** (1) (1983) 1–2
Meyer auf der Heide, F., *see* **Breslauer, D.** **62** (2) (1997) 103–110
Meyer auf der Heide, F., *see* **Lautemann, C.** **21** (2) (1985) 101–105
Micali, S., Two-way deterministic finite automata are exponentially more succinct than sweeping automata **12** (2) (1981) 103–105
Micciancio, D., *see* **Goldreich, O.** **71** (2) (1999) 55–61
Michael, M.M., *see* **Hunt, G.C.** **60** (3) (1996) 151–157

Micheneau, C., Disjoint Hamiltonian cycles in recursive circulant graphs **61** (5) (1997) 259–264
Middeldorp, A., *see* **Hanus, M.** **67** (1) (1998) 1–8
Middeldorp, A., *see* **Klop, J.W.** **49** (2) (1994) 101–109
Middendorf, M., Minimum Broadcast Time is NP-complete for 3-regular planar graphs and deadline 2 **46** (6) (1993) 281–287
Middleton, A.G., Cost-oriented program optimisation **2** (6) (1974) 167–170
Mignosi, F., *see* **Crochemore, M.** **67** (3) (1998) 111–117
Miguet, S., *see* **Grigg, K.** **35** (5) (1990) 239–248
Mihail, M., On coupling and the approximation of the permanent **30** (2) (1989) 91–95
Milgram, D.L. and **A. Rosenfeld,** A note on scattered context grammars **1** (2) (1971) 47–50
Milgram, D.L., *see* **Rosenfeld, A.** **2** (2) (1973) 43–46
Mili, A., Verifying programs by induction on their data structure: General format and applications **17** (3) (1983) 155–160
Miller, G.L., *see* **Anderson, R.J.** **33** (5) (1990) 269–273
Miller, G.L., *see* **Gazit, H.** **28** (2) (1988) 61–65
Miller, L., *see* **Leuchner, J.H.** **49** (4) (1994) 185–188
Miller, L.L., Generating hinges from arbitrary subhypergraphs **41** (6) (1992) 307–312
Miller, L.L., S.K. Gadia, S. Kothari and **K.C. Liu,** Completeness issues for join dependencies derived from the universal relation join dependency **28** (5) (1988) 269–274
Miller, M., *see* **Dahlhaus, E.** **65** (6) (1998) 301–303
Miller, R., *see* **Boxer, L.** **32** (2) (1989) 57–60
Miller, R., *see* **Boxer, L.** **33** (5) (1990) 249–254
Miller, R., *see* **Boxer, L.** **35** (1) (1990) 53
Miller, R.E., *see* **De Millo, R.A.** **9** (1) (1979) 35–38
Miller, R.E., *see* **Lipton, R.J.** **7** (4) (1978) 185–188
Miller, W., *see* **Wu, S.** **35** (6) (1990) 317–323
Miller, W.C., *see* **Dimitrov, V.S.** **66** (3) (1998) 155–159
Miller Maley, F., *see* **Greenberg, R.I.** **43** (4) (1992) 201–205
Miltersen, P.B., Circuit depth relative to a random oracle **42** (6) (1992) 295–298
Milton, D.R., *see* **Fischer, C.N.** **8** (5) (1979) 261–266
Min, S.L., *see* **Park, K.** **63** (4) (1997) 183–188
Minato, S.-i., *see* **Okuno, H.G.** **66** (4) (1998) 195–199
Minker, J. and **G.J. VanderBrug,** The Earley algorithm as a problem representation **3** (1) (1974) 1–7
Minker, J. and **G. Zanon,** An extension to linear resolution with selection function **14** (4) (1982) 191–194
Minoux, M., LTUR: A simplified linear-time unit resolution algorithm for Horn formulae and computer implementation **29** (1) (1988) 1–12
Minoux, M., *see* **Jaumard, B.** **22** (4) (1986) 163–169
Minsker, S., The Towers of Antwerpen problem **38** (2) (1991) 107–111
Minsky, N., Representation of binary trees on associative memories **2** (1) (1973) 1–5
Minsky, N.H., *see* **Fridman, F.J.** **8** (4) (1979) 204–206
Mints, G. and **E. Tyugu,** Semantics of a declarative language **23** (3) (1986) 147–151
Mints, G. and **E. Tyugu,** Semantics of a declarative language (*Corrigendum*) **25** (2) (1987) 139
Miola, A., Algebraic approach to p-adic conversion of rational numbers **18** (3) (1984) 167–171
Mione, L., *see* **De Luca, A.** **49** (4) (1994) 179–183
Mirzaian, A., A halving technique for the longest stuttering subsequence problem **26** (2) (1987) 71–75
Mirzaian, A. and **E. Arjomandi,** Selection in $X + Y$ and matrices with sorted rows and columns **20** (1) (1985) 13–17
Mishra, B., *see* **Chen, J.** **39** (1) (1991) 21–26
Mishra, P., Strictness analysis of the untyped λ-calculus **28** (3) (1988) 121–125
Mišić, J., *see* **Jovanović, Z.** **49** (3) (1994) 145–150
Misra, J., Space-time trade off in implementing certain set operations **8** (2) (1979) 81–85
Misra, J., A simple proof of a simple consensus algorithm **33** (1) (1989) 21–24
Misra, J., Phase synchronization **38** (2) (1991) 101–105
Misra, J., Phase synchronization (*Corrigendum*) **41** (1) (1992) 59
Misra, J. and **D. Gries,** A constructive proof of Vizing's Theorem **41** (3) (1992) 131–133
Misra, J. and **R.E. Tarjan,** Optimal chain partitions of trees **4** (1) (1975) 24–26
Misra, J., *see* **Chandy, K.M.** **9** (4) (1979) 185–189
Missikoff, M., *see* **Formica, A.** **62** (5) (1997) 269–279
Mitchell, J.C., *see* **Harper, R.** **70** (1) (1999) 1–5
Mitchell, J.R., *see* **Garg, V.K.** **63** (6) (1997) 295–302
Mitchell, J.S.B., G. Rote, G. Sundaram and **G. Woeginger,** Counting convex polygons in planar point sets **56** (1) (1995) 45–49
Mitchell, J.S.B., *see* **Khuller, S.** **33** (6) (1990) 319–321
Mitchell, S. and **S. Hedetniemi,** Linear algorithms for edge-coloring trees and unicyclic graphs **9** (3) (1979) 110–112
Mitchell, S.L., Linear algorithms to recognize outerplanar and maximal outerplanar graphs **9** (5) (1979) 229–232
Mitchem, J., *see* **Bagchi, A.** **34** (4) (1990) 197–202
Mitrana, V., Primitive morphisms **64** (6) (1997) 277–281
Mittal, H.B., A fast backtrack algorithm for graph isomorphism **29** (2) (1988) 105–110
Mittal, R., *see* **Krishnamachari, B.R.** **58** (1) (1996) 17–21
Mitzenmacher, M., *see* **Albers, S.** **64** (3) (1997) 155–160
Miyadera, Y., K. Anzai, H. Unno and **T. Yaku,** Depth-first layout algorithm for trees **66** (4) (1998) 187–194
Miyano, S., Remarks on two-way automata with weak-counters **18** (2) (1984) 105–107
Miyano, S., A parallelizable lexicographically first maximal edge-induced subgraph problem **27** (2) (1988) 75–78
Mizumoto, M., J. Toyoda and **K. Tanaka,** Examples of formal grammars with weights **2** (3) (1973) 74–78
Mizuno, M., A structured approach for developing concurrent programs in Java **69** (5) (1999) 233–238
Mizuno, M. and **M. Nesterenko,** A transformation of self-stabilizing serial model programs for asynchronous parallel computing environments **66** (6) (1998) 285–290
Mizuno, M., *see* **Neilsen, M.L.** **50** (5) (1994) 247–252
Mizuno, M., *see* **Neilsen, M.N.** **60** (6) (1996) 319
Mňuk, M., A div(n) depth Boolean circuit for smooth modular inverse **38** (3) (1991) 153–156
Mo, J., *see* **Wagh, M.D.** **60** (4) (1996) 177–181
Mocas, S., *see* **Longpré, L.** **46** (2) (1993) 95–100
Moffat, A. and **T. Takaoka,** A priority queue for the all pairs shortest path problem **18** (4) (1984) 189–193

Moffat, A. and **J. Zobel,** Supporting random access in files of variable length records **46** (2) (1993) 71–77
Moffat, A., *see* **Turpin, A.** **68** (1) (1998) 1–2
Mogensen, T.Æ., WORM-2DPDAs: An extension to 2DPDAs that can be simulated in linear time **52** (1) (1994) 15–22
Mohanty, S.P., *see* **Panda, B.S.** **49** (3) (1994) 139–143
Mok, W.Y., On keys and normal forms **62** (5) (1997) 255–258
Mok, W.Y. and **D.W. Embley,** On improving dependency implication algorithms **64** (3) (1997) 135–141
Molchanov, I.N. and **E.F. Galba,** On the convergence of difference schemes approximating a plane static problem of the theory of elasticity with mixed boundary conditions **2** (4) (1973) 118–122
Molchanov, I.N. and **M.F. Iakovlev,** On one class of iterative methods for obtaining the generalized solution of non-consistent systems of linear algebraic equations **2** (3) (1973) 86–90
Molchanov, I.N. and **L.D. Nikolenko,** On an approach to integrating boundary problems with a non-unique solution **1** (4) (1972) 168–172
Molchanov, I.N. and **N.I. Stepanets,** Iterative methods for solving difference equations of the theory of elasticity not depending on the spacing of the difference net **1** (5) (1972) 205–210
Molchanov, I.N., *see* **Heuer, H.** **2** (5) (1973) 148–151
Møller-Nielsen, P. and **J. Staunstrup,** Experiments with a fast string searching algorithm **18** (3) (1984) 129–135
Molter, U., *see* **Belogay, E.** **64** (1) (1997) 17–22
Molter, U., *see* **Brandt, J.** **40** (2) (1991) 113–117
Molter, U., *see* **Brandt, J.** **41** (6) (1992) 347
Molter, U.M., *see* **Cabrelli, C.A.** **66** (3) (1998) 161–164
Molva, R. and **G. Tsudik,** Secret sets and applications **65** (1) (1998) 47–55
Monien, B., Deterministic two-way one-head pushdown automata are very powerful **18** (5) (1984) 239–242
Montagne, E., *see* **Surós, R.** **25** (5) (1987) 335–341
Montaña, J.L. and **L.M. Pardo,** On Kolmogorov complexity in the real Turing machine setting **67** (2) (1998) 81–86
Monti, A., On the computational complexity of graph closures **57** (6) (1996) 291–295
Monti, A. and **A. Roncato,** Completeness results concerning systolic tree automata and E0L languages **53** (1) (1995) 11–16
Monti, A. and **A. Roncato,** A gap theorem for the anonymous torus **57** (5) (1996) 279–285
Montoya Vitini, F., **J. Muñoz Masqué** and **A. Peinado Domínguez,** Linear complexity of the $x^2 \bmod p$ orbits **72** (1–2) (1999) 3–7
Moon, S.-J., *see* **Ha, J.-C.** **66** (2) (1998) 105–107
Moore, D. and **W.F. Smyth,** An optimal algorithm to compute all the covers of a string **50** (5) (1994) 239–246
Moore, D. and **W.F. Smyth,** A correction to "An optimal algorithm to compute all the covers of a string" **54** (2) (1995) 101–103
Moore, J.S., A mechanical proof of the termination of Takeuchi's function **9** (4) (1979) 176–181
Mor, T., *see* **Boykin, P.O.** **75** (3) (2000) 101–107
Moran, S., A note on 'Is shortest path problem not harder than matrix multiplication?' **13** (2) (1981) 85–86
Moran, S., Generalized lower bounds derived from Hastad's main lemma **25** (6) (1987) 383–388
Moran, S. and **Y. Wolfstahl,** Extended impossibility results for asynchronous complete networks **26** (3) (1987) 145–151
Moran, S., *see* **Fischer, M.J.** **45** (2) (1993) 101–105
Moran, S., *see* **Ibarra, O.H.** **11** (4–5) (1980) 162
Moran, S., *see* **Ibarra, O.H.** **12** (5) (1981) 227–232
Moran, S., *see* **Ibarra, O.H.** **13** (1) (1981) 12–15
Moret, B.M.E., *see* **Collins, M.J.** **68** (6) (1998) 317–319
Moretti, S., *see* **Bertossi, A.A.** **33** (6) (1990) 275–281
Morfuni, N.M., *see* **Atzeni, P.** **18** (4) (1984) 233–238
Morgan, C., Global and logical time in distributed algorithms **20** (4) (1985) 189–194
Morgan, C., Auxiliary variables in data refinement **29** (6) (1988) 293–296
Morgan, C. and **A. McIver,** Unifying *wp* and *wlp* **59** (3) (1996) 159–163
Morgan, C.C., Data refinement by miracles **26** (5) (1988) 243–246
Morii, M. and **M. Kasahara,** Perfect staircase profile of linear complexity for finite sequences **44** (2) (1992) 85–89
Morillo, P., **C. Padró**, **G. Sáez** and **J.L. Villar,** Weighted threshold secret sharing schemes **70** (5) (1999) 211–216
Morita, K., Computation-universality of one-dimensional one-way reversible cellular automata **42** (6) (1992) 325–329
Morita, K., *see* **Umeo, H.** **14** (4) (1982) 158–161
Moriya, E., On two-way tree automata **50** (3) (1994) 117–121
Moriya, T., Closure property of principal cones under substitution **29** (6) (1988) 315–317
Moriya, T. and **H. Yamasaki,** Literal shuffle on ω-languages **59** (3) (1996) 165–168
Morris, F.L., Another compacting garbage collector **15** (4) (1982) 139–142
Morris, J.M., A starvation-free solution to the mutual exclusion problem **8** (2) (1979) 76–80
Morris, J.M., Traversing binary trees simply and cheaply **9** (5) (1979) 197–200
Morris, J.M., Varieties of weakest liberal preconditions **25** (3) (1987) 207–210
Morris, J.M., Well-founded induction and the invariance theorem for loops **32** (3) (1989) 155–158
Morris, J.M., Non-deterministic expressions and predicate transformers **61** (5) (1997) 241–246
Morris, R.J.T. and **W.S. Wong,** Systematic choice of initial points in local search: Extensions and application to Neural Networks **39** (4) (1991) 213–217
Morris, R.J.T., *see* **Wong, W.S.** **30** (2) (1989) 67–72
Morrison, J.F., Parallel p-adic computation **28** (3) (1988) 137–140
Morrison, R., **M.P. Atkinson**, **A.L. Brown** and **A. Dearle,** On the classification of binding mechanisms **34** (1) (1990) 51–55
Morrison, R., *see* **Gunn, H.I.E.** **9** (1) (1979) 1–4
Morzenti, A., *see* **Galbiati, G.** **52** (1) (1994) 45–49
Mosca, C., *see* **Dal Bono, I.** **3** (3) (1975) 88–90
Mosca, R., Polynomial algorithms for the maximum stable set problem on particular classes of P_5-free graphs **61** (3) (1997) 137–143
Moscarini, M., *see* **D'Atri, A.** **29** (5) (1988) 271–274
Moss, A., *see* **Khuller, S.** **70** (1) (1999) 39–45
Mostefaoui, A., **M. Raynal** and **F. Tronel,** From Binary Consensus to Multivalued Consensus in asynchronous message-passing systems **73** (5–6) (2000) 207–212

Mostowski, A.W., Determinancy of sinking automata on infinite trees and inequalities between various Rabin's pair indices **15** (4) (1982) 159–163
Mostowski, A.W., Alternating automata with start formulas **35** (6) (1990) 287–290
Motoki, T., A note on upper bounds for the selection problem **15** (5) (1982) 214–219
Motoki, T., Inductive inference from all positive and some negative data **39** (4) (1991) 177–182
Motwani, R., *see* **Bar-Noy, A.** **44** (5) (1992) 251–253
Mouneix, B., *see* **Brandwajn, A.** **6** (4) (1977) 125–132
Mount, J.A., Estimating the range of a function in an online setting **72** (1–2) (1999) 31–35
Moura, A., A note on grammatical covers **11** (3) (1980) 127–129
Mowbray, M., Finitary logics for some CCS observational bisimulations **42** (3) (1992) 161–165
Mühlbacher, J., *F*-factors of graphs: A generalized matching problem **8** (4) (1979) 207–214
Mukherjee, M., *see* **Mehta, S.** **40** (3) (1991) 137–139
Mukherjee, R.N., *see* **Boreddy, J.** **33** (4) (1989) 205–206
Mukhopadhyaya, K. and **B.P. Sinha,** Hamiltonian graphs with minimum number of edges for fault-tolerant topologies **44** (2) (1992) 95–99
Mukkamala, R., Some properties of view-based replication control algorithms for distributed systems **31** (6) (1989) 295–298
Mulder, H.M., *see* **Klavžar, S.** **71** (2) (1999) 87–90
Muller, D.E., *see* **Preparata, F.P.** **3** (5) (1975) 144–146
Müller, F., Confluence of the lambda calculus with left-linear algebraic rewriting **41** (6) (1992) 293–299
Müller, H., Sorting numbers using limited systolic coprocessors **24** (6) (1987) 351–354
Müller, H. and **F. Nicolai,** Polynomial time algorithms for Hamiltonian problems on bipartite distance-hereditary graphs **46** (5) (1993) 225–230
Müller, H., *see* **Damaschke, P.** **36** (5) (1990) 231–236
Müller, H., *see* **Kloks, T.** **68** (4) (1998) 201–206
Müller, H., *see* **Kloks, T.** **68** (6) (1998) 313–315
Müller, H., *see* **Kloks, T.** **74** (3–4) (2000) 115–121
Müller, M., C. Rüb and **W. Rülling,** A circuit for exact summation of floating-point numbers **57** (3) (1996) 159–163
Mullin, J.K., A caution on universal classes of hash functions **37** (5) (1991) 247–256
Mundhenk, M., *see* **Arvind, V.** **56** (2) (1995) 109–114
Muñoz Masqué, J., *see* **Montoya Vitini, F.** **72** (1–2) (1999) 3–7
Munro, I., Efficient determination of the transitive closure of a directed graph **1** (2) (1971) 56–58
Munro, I., *see* **Borodin, A.** **1** (2) (1971) 66–68
Munro, J.I., *see* **Alt, H.** **19** (2) (1984) 61–65
Murota, K., *see* **Iri, M.** **12** (4) (1981) 206–209
Murota, K., *see* **Ohya, T.** **18** (4) (1984) 227–231
Murphy, O., A unifying framework for trie design heuristics **34** (5) (1990) 243–249
Murphy, O.J. and **S.M. Selkow,** The efficiency of using *k-d* trees for finding nearest neighbors in discrete space **23** (4) (1986) 215–218
Murphy, O.J. and **S.M. Selkow,** Finding nearest neighbors with Voronoi tessellations **34** (1) (1990) 37–41
Murtagh, F., Expected-time complexity results for hierarchic clustering algorithms which use cluster centres **16** (5) (1983) 237–241
Muscholl, A. and **H. Petersen,** A note on the commutative closure of star-free languages **57** (2) (1996) 71–74
Musser, D.R., *see* **Collins, G.E.** **6** (5) (1977) 151–155
Mussio, P., *see* **Di Zenzo, S.** **64** (4) (1997) 207–215
Muthukrishnan, D.R., *see* **Satyanarayanan, R.** **43** (5) (1992) 249–255
Muthukrishnan, S., *see* **Amir, A.** **49** (3) (1994) 111–115
Muthukrishnan, S., *see* **Farach, M.** **61** (1) (1997) 7–10
Muthuswamy, V.P., *see* **Thangavel, P.** **46** (2) (1993) 89–94
Myers, E.W., An applicative random-access stack **17** (5) (1983) 241–248
Myers, G., Approximately matching context-free languages **54** (2) (1995) 85–92
Myers, G., *see* **Wu, S.** **35** (6) (1990) 317–323
Myoupo, J.-F. and **A. Wabbi,** Improved linear systolic algorithms for substring statistics **61** (5) (1997) 253–258
Myoupo, J.F., Dynamic programming on linear pipelines **39** (6) (1991) 333–341
Myoupo, J.F., Dynamic programming on linear pipelines (*Corrigendum*) **41** (5) (1992) 289
Myoupo, J.F., *see* **Lecroq, T.** **61** (3) (1997) 129–136
Myrvold, W., *see* **Yan, W.-M.** **68** (6) (1998) 295–298

Nagai, N., *see* **Zhou, X.** **56** (6) (1995) 321–328
Nagamochi, H. and **T. Ibaraki,** On max-flow min-cut and integral flow properties for multicommodity flows in directed networks **31** (6) (1989) 279–285
Nagamochi, H. and **T. Ibaraki,** A note on minimizing submodular functions **67** (5) (1998) 239–244
Nagaraj, S.V., *see* **Balasubramanian, R.** **58** (2) (1996) 59–63
Nagavamsi, P., *see* **Balachandran, V.** **58** (4) (1996) 181–184
Nagavamsi, P., *see* **Chang, M.-S.** **66** (2) (1998) 65–70
Nagavamsi, P., *see* **Srinivasan, A.** **56** (3) (1995) 165–171
Nagumo, H., M. Lu and **K. Watson,** On-line longest fragment first parsing algorithm **59** (2) (1996) 91–96
Nagy, G., *see* **Mehta, S.** **40** (3) (1991) 137–139
Näher, S., *see* **Becker, M.** **15** (3) (1982) 135–136
Näher, S., *see* **Fries, O.** **25** (4) (1987) 269–273
Näher, S., *see* **Mehlhorn, K.** **35** (3) (1990) 137–143
Näher, S., *see* **Mehlhorn, K.** **35** (4) (1990) 183–189
Nair, K.P.K., *see* **Punnen, A.P.** **50** (5) (1994) 283–286
Naito, S., *see* **Masuyama, S.** **44** (1) (1992) 7–10
Nakamura, A., Some remarks on one-pebble rectangular array acceptors **13** (2) (1981) 80–84
Nakamura, A. and **K. Aizawa,** Acceptors for isometric parallel context-free array languages **13** (4–5) (1981) 182–186
Nakamura, A. and **K. Inoue,** A remark on two-dimensional finite automata **10** (4–5) (1980) 219–222
Nakamura, A., *see* **Aizawa, K.** **22** (6) (1986) 295–301
Nakamura, A., *see* **Inoue, K.** **7** (1) (1978) 49–52
Nakamura, H., *see* **Kakuta, K.** **23** (1) (1986) 33–37
Nakano, S.-I., Md.S. Rahman and **T. Nishizeki,** A linear-time algorithm for four-partitioning four-connected planar graphs **62** (6) (1997) 315–322

Nakata, I. and **M. Sassa,** L-attributed LL(1)-grammars are LR-attributed **23** (6) (1986) 325–328
Nakata, I., *see* **Sassa, M.** **24** (1) (1987) 31–41
Nakata, I., *see* **Sassa, M.** **24** (2) (1987) 113–120
Nakata, I., *see* **Sassa, M.** **29** (1) (1988) 43–51
Nakayama, S.-I. and **S. Masuyama,** A parallel algorithm for solving the coloring problem on trapezoid graphs **62** (6) (1997) 323–327
Nanni, U., *see* **Franciosa, P.G.** **61** (2) (1997) 113–120
Nanni, U., *see* **Marchetti-Spaccamela, A.** **59** (1) (1996) 53–58
Naor, J., A fast parallel coloring of planar graphs with five colors **25** (1) (1987) 51–53
Naor, J., *see* **Bar-Noy, A.** **44** (5) (1992) 251–253
Naor, J.S., *see* **Khuller, S.** **70** (1) (1999) 39–45
Naor, M., *see* **Blundo, C.** **75** (6) (2000) 255–259
Narahari, B., *see* **Han, Y.** **44** (3) (1992) 141–148
Narahari, B., *see* **Ma, E.** **41** (4) (1992) 227–231
Narasimhan, G., A note on the Hamiltonian Circuit Problem on directed path graphs **32** (4) (1989) 167–170
Narayanaswami, C. and **W.R. Franklin,** Edge intersection on the hypercube computer **41** (5) (1992) 257–262
Narayanaswami, C. and **W. Luken,** Approximating x^n efficiently **50** (4) (1994) 205–210
Nardelli, E., V. Mastrobuoni and **A. Santomo,** On building the transitive reduction of a two-dimensional poset **63** (1) (1997) 9–12
Nardelli, E., V. Mastrobuoni and **A. Santomo,** Computing a poset from its realizer **64** (3) (1997) 149–154
Nardelli, E., G. Proietti and **P. Widmayer,** Finding the detour-critical edge of a shortest path between two nodes **67** (1) (1998) 51–54
Narendran, P. and **F. Otto,** Preperfectness is undecidable for Thue systems containing only length-reducing rules and a single commutation rule **29** (3) (1988) 125–130
Nash, J., Scalable and predictable performance for irregular problems using the WPRAM computational model **66** (5) (1998) 237–246
Näslund, T., *see* **Bonnier, S.** **40** (2) (1991) 73–78
Nassar, H., A Markov model for multibus multiprocessor systems under asynchronous operation **54** (1) (1995) 11–16
Nassif, N. and **N. Bagherzadeh,** A grid embedding into the star graph for image analysis solutions **60** (5) (1996) 255–260
Natali, A., *see* **Boari, M.** **5** (4) (1976) 118–123
Natali, A., *see* **Boari, M.** **7** (2) (1978) 112–121
Natali, A., *see* **Boari, M.** **7** (4) (1978) 207
Natarajan, K.S. and **L.J. White,** Optimum domination in weighted trees **7** (6) (1978) 261–265
Natarajan, S., *see* **Corneil, D.G.** **55** (2) (1995) 99–104
Nath, D. and **S.N. Maheshwari,** Parallel algorithms for the connected components and minimal spanning tree problems **14** (1) (1982) 7–11
Nath, S.K., R.A. Chowdhury and **M. Kaykobad,** On average edge length of minimum spanning trees **70** (5) (1999) 241–243
Natschläger, T. and **M. Schmitt,** Exact VC-dimension of Boolean monomials **59** (1) (1996) 19–20
Natschläger, T. and **M. Schmitt,** Erratum to "Exact VC-dimension of Boolean monomials" **60** (2) (1996) 107
Natu, M. and **S.-C. Fang,** On the point-to-point connection problem **53** (6) (1995) 333–336
Naumann, D.A., A recursion theorem for predicate transformers on inductive data types **50** (6) (1994) 329–336
Navarro, G. and **R. Baeza-Yates,** Very fast and simple approximate string matching **72** (1–2) (1999) 65–70
Nawrocki, J.R., Contiguous segmentation with limited compacting **17** (2) (1983) 57–62
Nawrocki, J.R., Conflict detection and resolution in a lexical analyzer generator **38** (6) (1991) 323–328
Nawrocki, J.R., A. Czajka and **W. Complak,** Scheduling cyclic tasks with binary periods **65** (4) (1998) 173–178
Nawrocki, J.R. and **J. Martinek,** A storage allocation method with invalidating dangling references **25** (5) (1987) 305–310
Nawrocki, J.R. and **A. Urbański,** Fixed-sized blocks optimization **29** (4) (1988) 165–169
Nayak, A., V. Accia and **P. Gissi,** A note on isomorphic chordal rings **55** (6) (1995) 339–341
Nayak, A., V. Acciaro and **P. Gissi,** A note on isomorphic chordal rings (*Erratum*) **57** (2) (1996) 115
Nayak, A., J. Ren and **N. Santoro,** An improved testing scheme for catastrophic fault patterns **73** (5–6) (2000) 199–206
Nazareth, J.L. and **K.A. Ariyawansa,** On accelerating Newton's method based on a conic model **30** (6) (1989) 277–281
Neaderhouser Purdy, C. and **G.B. Purdy,** The area-time complexity of the greatest common divisor problem: A lower bound **34** (1) (1990) 43–46
Nees, P., *see* **Lambrichts, E.** **35** (3) (1990) 115–120
Negri, M. and **G. Pelagatti,** Join during merge: An improved sort based algorithm **21** (1) (1985) 11–16
Neiger, G., Distributed Consensus revisited **49** (4) (1994) 195–201
Neilsen, M.L. and **M. Mizuno,** Nondominated k-coteries for multiple mutual exclusion **50** (5) (1994) 247–252
Neilsen, M.N. and **M. Mizuno,** Erratum to "Nondominated k-coteries for multiple mutual exclusion" **60** (6) (1996) 319
Nelson, P.C., *see* **Dillenburg, J.F.** **45** (1) (1993) 5–10
Nepomniaschy, V.A., Symbolic verification method for definite iteration over data structures **69** (4) (1999) 207–213
Nesi, M., *see* **Boreale, M.** **43** (3) (1992) 155–160
Nesi, M., *see* **Inverardi, P.** **35** (4) (1990) 191–199
Nesterenko, M., *see* **Mizuno, M.** **66** (6) (1998) 285–290
Neufeld, S.W., A pursuit-evasion problem on a grid **58** (1) (1996) 5–9
Nevalainen, O., *see* **Katajainen, J.** **25** (2) (1987) 77–86
Newcomer, J., *see* **Reddy, R.** **1** (6) (1972) 246–251
Newman, I., Private vs. common random bits in communication complexity **39** (2) (1991) 67–71
Newman-Wolfe, R., *see* **Luo, K.** **38** (6) (1991) 307–313
Ng, J.K.-Y., S. Song and **W. Zhao,** Statistical delay analysis on an ATM switch with self-similar input traffic **74** (3–4) (2000) 163–173
Nguyen, V., The incompleteness of Misra and Chandy's proof systems **21** (2) (1985) 93–96
Nguyen, V.L., *see* **Lassez, J.-L.** **14** (3) (1982) 112–116
Ni, W.-C., *see* **Chen, W.-C.** **51** (3) (1994) 129–132
Nicholl, T.M., *see* **Fung, K.Y.** **35** (2) (1990) 85–92
Nicolai, F., *see* **Müller, H.** **46** (5) (1993) 225–230
Nicosia, G., *see* **Gambosi, G.** **73** (1–2) (2000) 61–68

Niedermeier, R. and **P. Rossmanith,** A general method to speed up fixed-parameter-tractable algorithms **73** (3–4) (2000) 125–129
Niehren, J., S. Tison and **R. Treinen,** On rewrite constraints and context unification **74** (1–2) (2000) 35–40
Nielsen, F., Output-sensitive peeling of convex and maximal layers **59** (5) (1996) 255–259
Nieminen, J., On homomorphic images of transition graphs **4** (1) (1975) 14–15
Nieminen, J., Some observations on the determination of an upper bound for the clique number of a graph **4** (1) (1975) 16–17
Nieuwenhuis, R., Simple LPO constraint solving methods **47** (2) (1993) 65–69
Nieuwenhuis, R. and **P. Nivela,** Efficient deduction in equality Horn logic by Horn-completion **39** (1) (1991) 1–6
Nievergelt, J. and **N. Deo,** Metric graphs elastically embeddable in the plane **55** (6) (1995) 309–315
Nievergelt, J., N. Deo and **A. Marzetta,** Memory-efficient enumeration of constrained spanning trees **72** (1–2) (1999) 47–53
Nievergelt, J., J. Pradels, C.K. Wong and **P.C. Yue,** Bounds on the weighted path length of binary trees **1** (6) (1972) 220–225
Nievergelt, J., *see* **Hinrichs, K.** **26** (5) (1988) 255–261
Nievergelt, J., *see* **Staunstrup, J.** **30** (3) (1989) 145–151
Nijholt, A., From left-regular to Greibach normal form grammars **9** (1) (1979) 51–55
Nijholt, A., A note on the sufficiency of Sokolowski's criterion for context-free languages **14** (5) (1982) 207
Nijholt, A., On the relationship between the LL(k) and LR(k) grammars **15** (3) (1982) 97–101
Nikolenko, L.D., *see* **Molchanov, I.N.** **1** (4) (1972) 168–172
Nikolik, B., Constraint preservation through loops **55** (3) (1995) 143–148
Nikolopoulos, S.D., Constant-time parallel recognition of split graphs **54** (1) (1995) 1–8
Nikolopoulos, S.D., Recognizing cographs and threshold graphs through a classification of their edges **74** (3–4) (2000) 129–139
Nikolopoulos, S.D. and **C. Papadopoulos,** On the performance of the first-fit coloring algorithm on permutation graphs **75** (6) (2000) 265–273
Nikolopoulos, S.D. and **P. Rondogiannis,** On the number of spanning trees of multi-star related graphs **65** (4) (1998) 183–188
Nikolskaïa, M., *see* **Williams, P.F.** **75** (1–2) (2000) 85–89
Nilsson, J.F., *see* **Małuszyński, J.** **15** (4) (1982) 150–158
Nilsson, S., *see* **Andersson, A.** **46** (6) (1993) 295–300
Nilsson, U., *see* **Bonnier, S.** **40** (2) (1991) 73–78
Nirkhe, V., *see* **Carson, S.D.** **41** (6) (1992) 341–345
Nishihara, S. and **K. Ikeda,** Address calculation algorithms for ordered sets of combinations **17** (5) (1983) 251–253
Nishino, T., *see* **Tanaka, K.** **59** (5) (1996) 273–279
Nishitani, Y., *see* **Obokata, K.** **58** (3) (1996) 117–122
Nishizeki, T., *see* **Nakano, S.-I.** **62** (6) (1997) 315–322
Nishizeki, T., *see* **Suzuki, H.** **33** (5) (1990) 227–231
Nishizeki, T., *see* **Zhou, X.** **56** (6) (1995) 321–328
Nitsche, U. and **P. Ochsenschläger,** Approximately satisfied properties of systems and simple language homomorphisms **60** (4) (1996) 201–206
Nivat, M., *see* **Del Lungo, A.** **65** (6) (1998) 293–299
Nivat, M., *see* **van Leeuwen, J.** **14** (1) (1982) 34–38
Nivela, P., *see* **Nieuwenhuis, R.** **39** (1) (1991) 1–6
Njau, E.C., Details of distortions in the computed Fourier transforms of signals. Part I: Short periodic signals **20** (3) (1985) 111–113
Noack, J., *see* **Meskes, M.** **47** (1) (1993) 31–41
Noga, M.T., *see* **Allison, D.C.S.** **11** (1) (1980) 7–8
Noga, M.T., *see* **Allison, D.C.S.** **18** (4) (1984) 195–199
Noshita, K., Median selection of 9 elements in 14 comparisons **3** (1) (1974) 8–12
Noshita, K., Translation of Turner Combinators in O($n \log n$) space **20** (2) (1985) 71–74
Noshita, K., E. Masuda and **H. Machida,** On the expected behaviors of the Dijkstra's shortest path algorithm for complete graphs **7** (5) (1978) 237–243
Noshita, K., *see* **Hitotumatu, H.** **8** (4) (1979) 174–175
Nourine, L. and **O. Raynaud,** A fast algorithm for building lattices **71** (5–6) (1999) 199–204
Nozaki, A., A note on the complexity of approximative evaluation of polynomials **9** (2) (1979) 73–75
Ntafos, S., On gallery watchmen in grids **23** (2) (1986) 99–102
Ntafos, S., The robber route problem **34** (2) (1990) 59–63
Ntafos, S., *see* **Chin, W.-P.** **28** (1) (1988) 39–44
Ntafos, S., *see* **Liu, R.** **27** (2) (1988) 85–89
Ntafos, S.C., *see* **Ihm, H.-S.** **18** (2) (1984) 93–98
Nuutila, E., An efficient transitive closure algorithm for cyclic digraphs **52** (4) (1994) 207–213
Nuutila, E. and **E. Soisalon-Soininen,** On finding the strongly connected components in a directed graph **49** (1) (1994) 9–14
Nykänen, M. and **E. Ukkonen,** Finding lowest common ancestors in arbitrary directed trees **50** (6) (1994) 307–310
Nyström, S.-O., There is no fully abstract fixpoint semantics for non-deterministic languages with infinite computations **60** (6) (1996) 289–293

Obana, S. and **K. Kurosawa,** Veto is impossible in secret sharing schemes **58** (6) (1996) 293–295
Oberoi, S., $\lambda_{\beta\prime}$—A λ-calculus with a generalized β-reduction rule **54** (1) (1995) 45–53
Obokata, K., Y. Nishitani and **Y. Igarashi,** A probably optimal embedding of hyper-rings in hypercubes **58** (3) (1996) 117–122
Obokata, K., *see* **Iwasaki, Y.** **69** (3) (1999) 155–160
Ochmański, E., Inevitability in concurrent systems **25** (4) (1987) 221–225
Ochmanski, E., *see* **Gastin, P.** **44** (2) (1992) 65–71
Ochmanski, E., *see* **Métivier, Y.** **26** (2) (1987) 55–59
Ochsenschläger, P., *see* **Baumgarten, B.** **22** (1) (1986) 15–20
Ochsenschläger, P., *see* **Nitsche, U.** **60** (4) (1996) 201–206
O'Connor, L., An upper bound on the number of functions satisfying the Strict Avalanche Criterion **52** (6) (1994) 325–327
O'Connor, L., A new lower bound on the expected size of irredundant forms for Boolean functions **53** (6) (1995) 347–353
Odijk, M.A. and **H. van Maaren,** Improved solutions to the Steiner triple covering problem **65** (2) (1998) 67–69
Odlyzko, A., *see* **Gilbert, H.** **68** (4) (1998) 197–199
O'Donnell, M.J., *see* **Kurtz, S.A.** **24** (1) (1987) 5–10
Ó'Dúnlaing, C., A tight lower bound for the complexity of path-planning for a disc **28** (4) (1988) 165–170

Oellermann, O. and **J.P. Spinrad,** A polynomial algorithm for testing whether a graph is 3-Steiner distance hereditary **55** (3) (1995) 149–154
Ogata, W., **K. Sakano** and **K. Kurosawa,** Multisymbol majority vote and hard core **58** (6) (1996) 285–292
Ogihara, M., On helping by parity-like languages **54** (1) (1995) 41–43
Ogihara, M., Functions computable with limited access to NP **58** (1) (1996) 35–38
Ogilvie, J.C. and **C.L. Olson,** On the use of complete subgraphs in cluster analysis **1** (3) (1972) 76–79
Oh, S.B., An analytical evidence for Kalé's heuristic for the *N* queens problem **46** (1) (1993) 51–54
Oh, S.M. and **J.C.H. Park,** A note on removing loops from table-driven code generators **21** (1) (1985) 31–34
O'Hallaron, D.R. and **P.F. Reynolds Jr.,** A generalized deadlock predicate **23** (4) (1986) 181–188
Ohbo, N., *see* **Chen, H.** **43** (6) (1992) 327–333
Ohlebusch, E., Termination is not modular for confluent variable-preserving term rewriting systems **53** (4) (1995) 223–228
Ohlebusch, E., A uniform framework for term and graph rewriting applied to combined systems **73** (1–2) (2000) 53–59
Ohsawa, T., *see* **Iwama, K.** **61** (5) (1997) 265–269
Ohtsuka, H., A proof of the substitution lemma in de Bruijn's notation **46** (2) (1993) 63–66
Ohya, T., **M. Iri** and **K. Murota,** A fast Voronoi-diagram algorithm with quaternary tree bucketing **18** (4) (1984) 227–231
Okada, K., *see* **Kurosawa, K.** **53** (2) (1995) 77–83
Okada, K., *see* **Kurosawa, K.** **60** (6) (1996) 301–304
Okazaki, T., *see* **Wang, Y.** **72** (1–2) (1999) 19–24
Okuno, H.G., **S.-i. Minato** and **H. Isozaki,** On the properties of combination set operations **66** (4) (1998) 195–199
Olariu, S., Paw-free graphs (*Short Note*) **28** (1) (1988) 53–54
Olariu, S., On the unimodality of convex polygons **29** (6) (1988) 289–292
Olariu, S., A simple linear-time algorithm for computing the RNG and MST of unimodal polygons **31** (5) (1989) 243–247
Olariu, S., A generalization of Chvátal's Star-Cutset Lemma **33** (6) (1990) 301–303
Olariu, S., On the closure of triangle-free graphs under substitution **34** (2) (1990) 97–101
Olariu, S., An optimal greedy heuristic to color interval graphs **37** (1) (1991) 21–25
Olariu, S. and **J. Randall,** Welsh–Powell opposition graphs **31** (1) (1989) 43–46
Olariu, S., *see* **Bokka, V.** **56** (5) (1995) 273–280
Olariu, S., *see* **Corneil, D.G.** **54** (5) (1995) 253–257
Olariu, S., *see* **Corneil, D.G.** **55** (2) (1995) 99–104
Olariu, S., *see* **Lin, R.** **36** (3) (1990) 153–157
Olivié, H., On the relationship between son-trees and symmetric binary B-trees **10** (1) (1980) 4–8
Olson, C.F., An approximation algorithm for least median of squares regression **63** (5) (1997) 237–241
Olson, C.L., *see* **Ogilvie, J.C.** **1** (3) (1972) 76–79
Olsson, R.A. and **D.T. Huang,** Axiomatic semantics for "escape" statements **39** (1) (1991) 27–33
Olszewski, J., *see* **Sajeev, A.S.M.** **26** (3) (1987) 135–143
Omiecinski, E. and **E. Tien,** A hash-based join algorithm for a cube-connected parallel computer **30** (5) (1989) 269–275
Omondi, A., Fast one's-complement multiplication **39** (2) (1991) 73–79
Ooi, B.C., *see* **Ch'ng, H.T.** **30** (5) (1989) 237–244
Ookubo, T., *see* **Sassa, M.** **62** (6) (1997) 305–313
Orda, A. and **M. Merritt,** Efficient test&set constructions for faulty shared memory **62** (1) (1997) 41–46
Orenstein, J.A., Multidimensional tries used for associative searching **14** (4) (1982) 150–157
Orlowska, E., Proof system for weakest prespecification **27** (6) (1988) 309–313
O'Rourke, J., *see* **Estivill-Castro, V.** **56** (1) (1995) 9–13
Orozco, J., **R. Cayssials**, **J. Santos** and **E. Ferro,** 802.4 Rate Monotonic scheduling in hard real-time environments: Setting the medium access control parameters **62** (1) (1997) 47–55
Orozco, J., *see* **Santos, J.** **48** (1) (1993) 39–45
Osawa, S., *see* **Igarashi, Y.** **51** (1) (1994) 35–41
Osawa, S., *see* **Shibata, Y.** **49** (3) (1994) 135–138
Osborn, S.L., Testing for existence of a covering Boyce–Codd normal form **8** (1) (1979) 11–14
Ottmann, Th., **A. Salomaa** and **D. Wood,** Sub-regular grammar forms **12** (4) (1981) 184–187
Ottmann, Th., *see* **Maurer, H.A.** **5** (1) (1976) 11–14
Otto, F., Solvability of word equations modulo finite special and confluent string-rewriting systems is undecidable in general **53** (5) (1995) 237–242
Otto, F., *see* **Book, R.V.** **20** (1) (1985) 5–11
Otto, F., *see* **Madlener, K.** **24** (5) (1987) 281–284
Otto, F., *see* **Narendran, P.** **29** (3) (1988) 125–130
Otto, M., A note on the number of monadic quantifiers in monadic Σ_1^1 **53** (6) (1995) 337–339
Otto, M. and **J. Van den Bussche,** First-order queries on databases embedded in an infinite structure **60** (1) (1996) 37–41
Ouksel, M. and **P. Scheuermann,** Implicit data structures for linear hashing schemes **29** (4) (1988) 183–189
Oulsnam, G., Cyclomatic numbers do not measure complexity of unstructured programs **9** (5) (1979) 207–211
Ouyang, W., *see* **Dekel, E.** **44** (5) (1992) 285–289
Overmars, M.H., General methods for 'all elements' and 'all pairs' problems **12** (2) (1981) 99–102
Overmars, M.H., Point location in fat subdivisions **44** (5) (1992) 261–265
Overmars, M.H. and **J. van Leeuwen,** Further comments on Bykat's convex hull algorithm **10** (4–5) (1980) 209–212
Overmars, M.H. and **J. van Leeuwen,** Some principles for dynamizing decomposable searching problems **12** (1) (1981) 49–53
Overmars, M.H. and **J. van Leeuwen,** Worst-case optimal insertion and deletion methods for decomposable searching problems **12** (4) (1981) 168–173
Overmars, M.H., *see* **Edelsbrunner, H.** **14** (3) (1982) 124–127
Overmars, M.H., *see* **Edelsbrunner, H.** **24** (6) (1987) 413–417
Overmars, M.H., *see* **Karlsson, R.G.** **26** (6) (1988) 307–312
Overmars, M.H., *see* **Lentfert, P.** **31** (3) (1989) 151–155
Overmars, M.H., *see* **Mehlhorn, K.** **12** (2) (1981) 93–98
Owolabi, O., Efficient pattern searching over large dictionaries **47** (1) (1993) 17–21

Oyamaguchi, M., Some remarks on subclass containment problems for several classes of dpda's **19** (1) (1984) 9–12
Oyang, Y.-J., A tight upper bound of the lumped disk seek time for the Scan disk scheduling policy **54** (6) (1995) 355–358
Ozawa, K., Considerations on the similarity measures between index terms **16** (5) (1983) 243–246
Özgüner, F. and **C. Aykanat,** A reconfiguration algorithm for fault tolerance in a hypercube multiprocessor **29** (5) (1988) 247–254
Ozgüner, F., *see* **Aykanat, C.** **42** (4) (1992) 187–196
Özgüner, F., *see* **Bataineh, A.** **39** (2) (1991) 99–108
Ozsoyoglu, Z.M., *see* **Zhang, X.** **50** (5) (1994) 259–267

Pachl, J., A simple proof of a completeness result for *leads-to* in the UNITY logic **41** (1) (1992) 35–38
Pachl, J., A simple proof of a completeness result for *leads-to* in the UNITY logic (*Corrigendum*) **44** (3) (1992) 171
Padberg, M. and **A. Sassano,** The complexity of matching with bonds **32** (6) (1989) 297–300
Padró, C., Robust vector space secret sharing schemes **68** (3) (1998) 107–111
Padró, C., *see* **Harbane, R.** **62** (5) (1997) 231–236
Padró, C., *see* **Harbane, R.** **62** (5) (1997) 237–244
Padró, C., *see* **Morillo, P.** **70** (5) (1999) 211–216
Pagan, F.G., On the generation of compilers from language definitions **10** (2) (1980) 104–107
Page Jr., C.D., *see* **Frazier, M.** **51** (2) (1994) 67–71
Pagli, L., Self-adjusting hash tables **21** (1) (1985) 23–25
Pagli, L. and **G. Pucci,** Counting the number of fault patterns in redundant VLSI arrays **50** (6) (1994) 337–342
Pagli, L., *see* **Lodi, E.** **35** (1) (1990) 41–48
Pagli, L., *see* **Luccio, F.** **15** (1) (1982) 1–4
Pagli, L., *see* **Luccio, F.** **31** (2) (1989) 57–60
Pagli, L., *see* **Luccio, F.** **39** (1) (1991) 51–57
Pagli, L., *see* **Luccio, F.** **63** (6) (1997) 331–336
Pai, A.B., *see* **Deo, N.** **6** (1) (1977) 14–17
Pai, C.K., *see* **Hwang, F.K.** **75** (5) (2000) 231–235
Pajunen, S., On two theorems of Lenstra **11** (4–5) (1980) 224–228
Pallo, J., On the rotation distance in the lattice of binary trees **25** (6) (1987) 369–373
Pallo, J., An efficient upper bound of the rotation distance of binary trees **73** (3–4) (2000) 87–92
Pallo, J., *see* **Germain, C.** **60** (6) (1996) 283–287
Pallo, J.M., A distance metric on binary trees using lattice-theoretic measures **34** (3) (1990) 111–112
Palma, A., *see* **Kowaltowski, T.** **19** (3) (1984) 145–146
Palsberg, J., Normal forms have partial types **45** (1) (1993) 1–3
Palsberg, J. and **M.I. Schwartzbach,** Safety analysis versus type inference for partial types **43** (4) (1992) 175–180
Palvia, P. and **S.T. March,** Approximating block accesses in database organizations **19** (2) (1984) 75–79
Pan, V., Computing the determinant and the characteristic polynomial of a matrix via solving linear systems of equations **28** (2) (1988) 71–75
Pan, V. and **J. Reif,** The parallel computation of minimum cost paths in graphs by stream contraction **40** (2) (1991) 79–83
Pan, V., A. Sadikou and **E. Landowne,** Polynomial division with a remainder by means of evaluation and interpolation **44** (3) (1992) 149–153
Pan, V., *see* **Galil, Z.** **30** (1) (1989) 41–45
Pan, V.Ya., The lower bounds on the additive complexity of bilinear problems in terms of some algebraic quantities **13** (2) (1981) 71–72
Pan, V.Ya., The trade-off between the additive complexity and the asynchronicity of linear and bilinear algorithms **22** (1) (1986) 11–14
Pan, V.Ya., *see* **Bini, D.** **21** (2) (1985) 79–81
Pan, V.Ya., *see* **Bini, D.** **24** (4) (1987) 233–237
Panaite, P., Hypercube permutations routable under all dimension orderings **59** (4) (1996) 185–189
Panconesi, A., *see* **Kann, V.** **58** (3) (1996) 105–110
Panconesi, A., *see* **Kann, V.** **65** (3) (1998) 145–150
Panda, B.S., New linear time algorithms for generating perfect elimination orderings of chordal graphs **58** (3) (1996) 111–115
Panda, B.S. and **S.P. Mohanty,** Recognition algorithm for intersection graphs of edge disjoint paths in a tree **49** (3) (1994) 139–143
Pandey, A., *see* **Chakrabarti, P.P.** **30** (1) (1989) 33–36
Pandey, A., *see* **Chakrabarti, P.P.** **32** (5) (1989) 275
Pandu Rangan, C., *see* **Aranha, R.F.M.** **59** (3) (1996) 145–150
Pandu Rangan, C., *see* **Arvind, A.** **69** (4) (1999) 197–199
Pandu Rangan, C., *see* **Arvind, K.** **41** (4) (1992) 215–220
Pandu Rangan, C., *see* **Balachandran, V.** **58** (4) (1996) 181–184
Pandu Rangan, C., *see* **Chang, M.-S.** **66** (2) (1998) 65–70
Pandu Rangan, C., *see* **Easwarakumar, K.S.** **51** (3) (1994) 121–124
Pandu Rangan, C., *see* **Guruswami, V.** **68** (5) (1998) 241–248
Pandu Rangan, C., *see* **Kamakoti, V.** **42** (2) (1992) 113–115
Pandu Rangan, C., *see* **Madanlal, M.S.** **59** (2) (1996) 97–102
Pandu Rangan, C., *see* **Ramalingam, G.** **27** (1) (1988) 17–21
Pandu Rangan, C., *see* **Ramalingam, G.** **27** (5) (1988) 271–274
Pandu Rangan, C., *see* **Ramalingam, G.** **34** (4) (1990) 215–219
Pandu Rangan, C., *see* **Rao Arikati, S.** **35** (3) (1990) 149–153
Pandu Rangan, C., *see* **Srinivasa Rao, A.** **33** (1) (1989) 29–33
Pandu Rangan, C., *see* **Srinivasa Rao, A.** **33** (3) (1989) 147–156
Pandu Rangan, C., *see* **Srinivasan, A.** **56** (3) (1995) 165–171
Pandu Rangan, C., *see* **Venkatesan, G.** **60** (5) (1996) 249–253
Pang, C., *see* **Dong, G.** **62** (4) (1997) 193–199
Panigrahy, R., *see* **Kumar, S.R.** **62** (6) (1997) 295–300
Pankov, P.S. and **S.L. Dolmatov,** Substantiable evaluations by electronic computers and their application to one problem in combinatorial geometry **8** (4) (1979) 202–203
Pankowska, L., *see* **Gawiejnowicz, S.** **54** (3) (1995) 175–178
Panny, W., A note on the higher moments of the expected behavior of straight insertion sort **22** (4) (1986) 175–177
Pansiot, J.J., The Morse sequence and iterated morphisms **12** (2) (1981) 68–70
Pansiot, J.J., A note on Post's Correspondence Problem **12** (5) (1981) 233
Papadimitriou, C., *see* **Koutsoupias, E.** **57** (5) (1996) 249–252
Papadimitriou, C.H., Efficient search for rationals **8** (1) (1979) 1–4
Papadimitriou, C.H., An algorithm for shortest-path motion in three dimensions **20** (5) (1985) 259–263

Papadimitriou, C.H. and **M. Yannakakis,** On minimal Eulerian graphs **12** (4) (1981) 203–205
Papadimitriou, C.H. and **M. Yannakakis,** The clique problem for planar graphs **13** (4–5) (1981) 131–133
Papadimitriou, C.H., *see* **Blum, M.** **13** (4–5) (1981) 164–167
Papadimitriou, C.H., *see* **Johnson, D.S.** **27** (3) (1988) 119–123
Papadimitriou, C.H., *see* **Kollias, J.G.** **36** (3) (1990) 141–145
Papadimitriou, C.H., *see* **Koutsoupias, E.** **43** (1) (1992) 53–55
Papadopoulos, C., *see* **Nikolopoulos, S.D.** **75** (6) (2000) 265–273
Papadopoulou, E., *see* **Lee, D.T.** **45** (5) (1993) 261–267
Papaefthymiou, M.C., *see* **Lalgudi, K.N.** **63** (4) (1997) 177–181
Parberry, I., On recurrent and recursive interconnection patterns **22** (6) (1986) 285–289
Parberry, I., An improved simulation of space and reversal bounded deterministic Turing machines by width and depth bounded uniform circuits **24** (6) (1987) 363–367
Parberry, I., A real-time algorithm for the (n^2-1)-puzzle **56** (1) (1995) 23–28
Parberry, I., *see* **Parker, B.** **33** (3) (1989) 157–162
Parchmann, R., *see* **Duske, J.** **5** (5) (1976) 152–154
Pardo, L.M., *see* **Montaña, J.L.** **67** (2) (1998) 81–86
Paredaens, J., On the expressive power of the relational algebra **7** (2) (1978) 107–111
Paredaens, J. and **F. Ponsaert,** Grant levels in an authorization mechanism **11** (4–5) (1980) 152–155
Paredaens, J., *see* **De Bra, P.** **17** (2) (1983) 91–95
Paredaens, J., *see* **Gyssens, M.** **36** (5) (1990) 259–266
Paredaens, J., *see* **Lambrichts, E.** **35** (3) (1990) 115–120
Pareek, H., *see* **Mahapatra, R.N.** **40** (5) (1991) 257–261
Parekh, A.K., Analysis of a greedy heuristic for finding small dominating sets in graphs **39** (5) (1991) 237–240
Parfenoff, I., *see* **Fouquet, J.L.** **62** (6) (1997) 281–287
Parhami, B., *see* **Hung, C.Y.** **51** (4) (1994) 163–169
Parhami, B., *see* **Kwai, D.-M.** **68** (4) (1998) 179–183
Parhami, B., *see* **Yeh, C.-H.** **68** (1) (1998) 39–45
Park, A., *see* **Lipton, R.J.** **36** (2) (1990) 91–94
Park, C., *see* **Sung, S.H.** **69** (1) (1999) 21–24
Park, C.-I., **K.H. Park** and **M. Kim,** Efficient backward execution in AND/OR process model **29** (4) (1988) 191–198
Park, D., *see* **Song, G.** **30** (5) (1989) 245–252
Park, H., **H.J. Kim** and **V.K. Prasanna,** An O(1) time optimal algorithm for multiplying matrices on reconfigurable mesh **47** (2) (1993) 109–113
Park, J., *see* **Kim, D.** **49** (4) (1994) 203–208
Park, J.C.H., *see* **Oh, S.M.** **21** (1) (1985) 31–34
Park, J.-H., *see* **Kim, S.-H.** **53** (6) (1995) 359–365
Park, J.K., A special case of the n-vertex traveling-salesman problem that can be solved in $O(n)$ time **40** (5) (1991) 247–254
Park, J.S., *see* **Lee, J.M.** **36** (2) (1990) 85–90
Park, K., **S.L. Min** and **Y. Cho,** The working set algorithm has competitive ratio less than two **63** (4) (1997) 183–188
Park, K., *see* **Galil, Z.** **33** (6) (1990) 309–311
Park, K.H., *see* **Kim, J.H.** **30** (2) (1989) 73–77
Park, K.H., *see* **Park, C.-I.** **29** (4) (1988) 191–198
Park, K.H., *see* **Song, G.** **30** (5) (1989) 245–252
Park, M.H. and **M. Kim,** A distributed synchronization scheme for fair multi-process handshakes **34** (3) (1990) 131–138
Park, S.M., **S. Lee**, **S.H. Sung** and **K. Kim,** Improving bounds for the number of correlation immune Boolean functions **61** (4) (1997) 209–212
Park, U.K., **H.K. Choi** and **T.G. Kim,** Uniform partitioning of relations using histogram equalization framework: An efficient parallel hash-based join **55** (5) (1995) 283–289
Park, W.-J., **M.-J. Lee** and **K.-M. Choe,** On the reduction of LR(k) parsers **47** (5) (1993) 245–251
Park, Y. and **B. Goldberg,** Static analysis for optimizing reference counting **55** (4) (1995) 229–234
Park, Y.G. and **B. Goldberg,** Order-of-demand analysis for lazy languages **55** (6) (1995) 343–348
Parker, A. and **J.O. Hamblen,** Optimal value for the Newton–Raphson division algorithm **42** (3) (1992) 141–144
Parker, B. and **I. Parberry,** Constructing sorting networks from k-sorters **33** (3) (1989) 157–162
Parker, J.R., On converting character strings to integers **19** (1) (1984) 17–19
Parlati, G., *see* **De Prisco, R.** **59** (6) (1996) 309–315
Parnas, D.L., *see* **Cooprider, L.W.** **3** (1) (1974) 16–21
Parnas, M., *see* **Mansour, Y.** **68** (4) (1998) 189–196
Parthasarathy, S., *see* **Hunt, G.C.** **60** (3) (1996) 151–157
Partsch, H. and **P. Pepper,** A family of rules for recursion removal **5** (6) (1976) 174–177
Pasanen, T.A., *see* **Katajainen, J.** **70** (1) (1999) 31–37
Paschos, V.Th., A $(\Delta/2)$-approximation algorithm for the maximum independent set problem **44** (1) (1992) 11–13
Paschos, V.Th., *see* **Demange, M.** **50** (1) (1994) 19–23
Pascoletti, A., An optimal algorithm for the period of a strongly connected digraph **44** (6) (1992) 313–316
Pascoletti, A., *see* **Gries, D.** **25** (4) (1987) 237–240
Passy, S., Structured programs for Turing machines **10** (2) (1980) 63–67
Passy, S. and **T. Tinchev,** PDL with data constants **20** (1) (1985) 35–41
Paterson, M.S., **H. Schröder**, **O. Sýkora** and **I. Vrt'o,** A short proof of the dilation of a toroidal mesh in a path **48** (4) (1993) 197–199
Paterson, M.S., *see* **Fischer, M.J.** **17** (5) (1983) 249–250
Paterson, M.S., *see* **Fowler, R.J.** **12** (3) (1981) 133–137
Paterson, M.S., *see* **Greenberg, A.C.** **15** (1) (1982) 31–35
Paterson, M.S., *see* **McColl, W.F.** **24** (3) (1987) 165–170
Patnaik, L.M., *see* **Haldar, C.** **36** (2) (1990) 95–102
Patrou, B., *see* **Julia, S.** **60** (1) (1996) 1–5
Patt-Shamir, B., *see* **Lotker, Z.** **71** (5–6) (1999) 187–191
Patterson, N.J. and **K.J. Supowit,** Finding the vertices nearest to a point in a hypercube **27** (2) (1988) 99–102
Paturi, R., *see* **Geréb-Graus, M.** **30** (1) (1989) 47–49
Paturi, R., *see* **Karloff, H.J.** **28** (5) (1988) 241–243
Paul, M., *see* **Alt, H.** **37** (4) (1991) 237–240
Paul, M., *see* **Güntzer, U.** **26** (4) (1987) 193–204
Paul, N.J., *see* **Marsaglia, G.** **5** (2) (1976) 27–30
Paul, W.J., A note on bitonic sorting **49** (5) (1994) 223–225
Paul, W.J., *see* **Döring, A.** **62** (3) (1997) 161–163
Paulik, A., Worst-case analysis of a generalized heapsort algorithm **36** (3) (1990) 159–165
Păun, G., On the generative capacity of simple matrix grammars of finite index **7** (2) (1978) 100–102

Păun, G., On Szilard's languages associated to a matrix grammar **8** (2) (1979) 104–105
Păun, G., Splicing systems with targets are computationally universal **59** (3) (1996) 129–133
Păun, G., *see* **Bottoni, P.** **67** (1) (1998) 13–19
Păun, G., *see* **Dassow, J.** **47** (2) (1993) 59–63
Păun, G., *see* **Dassow, J.** **71** (5–6) (1999) 175–177
Pavlů, P., On efficient implementation of LR-attributed grammars **41** (2) (1992) 67–75
Pawagi, S. and **I.V. Ramakrishnan,** An O(log *n*) algorithm for parallel update of minimum spanning trees **22** (5) (1986) 223–229
Pawagi, S.R., P.S. Gopalakrishnan and **I.V. Ramakrishnan,** Computing dominators in parallel **24** (4) (1987) 217–221
Pawagi, S.R., I.V. Ramakrishnan and **P.S. Gopalakrishnan,** Computing dominators in parallel (*Corrigendum*) **25** (6) (1987) 417
Payet, É., *see* **Knapik, T.** **65** (2) (1998) 57–62
Payne, T.H., *see* **Chrobak, M.** **54** (4) (1995) 241–246
Pearl, J., On the complexity of inexact computations **4** (3) (1975) 77–81
Pedreschi, D. and **S. Ruggieri,** Weakest preconditions for pure Prolog programs **67** (3) (1998) 145–150
Pedrotti, A., Analysis of a list-update strategy **52** (3) (1994) 115–121
Pedrotti, A., *see* **Luccio, F.** **52** (5) (1994) 277–284
Peelman, P., *see* **Lambrichts, E.** **35** (3) (1990) 115–120
Peinado Domínguez, A., *see* **Montoya Vitini, F.** **72** (1–2) (1999) 3–7
Pelagalli, M., *see* **De Luca, A.** **29** (2) (1988) 91–95
Pelagatti, G., *see* **Ceri, S.** **12** (1) (1981) 46–48
Pelagatti, G., *see* **Ceri, S.** **15** (4) (1982) 174–178
Pelagatti, G., *see* **Negri, M.** **21** (1) (1985) 11–16
Pelc, A., Broadcasting in complete networks with faulty nodes using unreliable calls **40** (3) (1991) 169–174
Pelc, A., *see* **Czyzowicz, J.** **37** (3) (1991) 127–132
Pelc, A., *see* **Diks, K.** **51** (1) (1994) 1–6
Pelc, A., *see* **Diks, K.** **66** (4) (1998) 181–186
Pelc, A., *see* **Fraigniaud, P.** **48** (6) (1993) 297–303
Peled, D. and **T. Wilke,** Stutter-invariant temporal properties are expressible without the next-time operator **63** (5) (1997) 243–246
Peled, D., *see* **Alur, R.** **69** (3) (1999) 137–143
Peleg, D., *see* **Harel, D.** **20** (2) (1985) 87–90
Peltola, E. and **H. Erkiö,** Insertion merge sorting **7** (2) (1978) 92–99
Pemmaraju, S., *see* **Herman, T.** **73** (1–2) (2000) 41–46
Pemmaraju, S.V. and **C.A. Shaffer,** Analysis of the worst case space complexity of a PR quadtree **49** (5) (1994) 263–267
Penczek, W., On undecidability of propositional temporal logics on trace systems **43** (3) (1992) 147–153
Peng, C.H., J.S. Wang and **R.C.T. Lee,** Recognizing shortest-path trees in linear time **52** (2) (1994) 77–85
Peng, S., *see* **Gu, Q.-P.** **56** (1) (1995) 29–35
Peng, S., *see* **Gu, Q.-P.** **62** (4) (1997) 201–207
Peng, S., *see* **Gu, Q.-P.** **67** (6) (1998) 283–287
Peng, S.-L. and **M.-S. Chang,** A simple linear time algorithm for the domatic partition problem on strongly chordal graphs **43** (6) (1992) 297–300
Penn, M. and **M. Tennenholtz,** Constrained multi-object auctions and *b*-matching **75** (1–2) (2000) 29–34
Penttonen, M., ET0L-grammars and N-grammars **4** (1) (1975) 11–13
Peper, F., Determining connected components in linear time by a linear number of processors **25** (6) (1987) 401–406
Pepper, P., *see* **Partsch, H.** **5** (6) (1976) 174–177
Pequeno, T.H. and **C.J. Lucena,** An approach for data type specification and its use in program verification **8** (2) (1979) 98–103
Perko, A., A representation of disjoint sets with fast initialization **16** (1) (1983) 21
Perl, Y. and **E.M. Reingold,** Understanding the complexity of interpolation search **6** (6) (1977) 219–222
Perleberg, C.H., Single character searching methods and the *shift-or* pattern-matching algorithm **50** (5) (1994) 269–275
Perleberg, C.H., *see* **Baeza-Yates, R.A.** **59** (1) (1996) 21–27
Perlis, A.J., *see* **Elgot, C.C.** **14** (3) (1982) 128–131
Perotti, M.C., *see* **Barsi, F.** **55** (1) (1995) 25–26
Perrin, D., *see* **Beauquier, D.** **20** (2) (1985) 95–98
Persiano, G., *see* **De Prisco, R.** **53** (4) (1995) 201–207
Persiano, G., *see* **De Prisco, R.** **59** (6) (1996) 309–315
Persiano, G., *see* **De Santis, A.** **69** (4) (1999) 201–206
Persiano, G., *see* **Di Crescenzo, G.** **50** (2) (1994) 93–99
Pesotchinsky, L., *see* **Lifschitz, V.** **17** (3) (1983) 117–120
Pestov, V., On the geometry of similarity search: Dimensionality curse and concentration of measure **73** (1–2) (2000) 47–51
Petersen, H., Refined simulation of multihead automata **52** (5) (1994) 229–233
Petersen, H., On the determinacy problem for two-way pushdown automata **52** (6) (1994) 323–324
Petersen, H., On space functions fully constructed by two-dimensional Turing machines **54** (1) (1995) 9–10
Petersen, H., *see* **Ladermann, M.** **49** (3) (1994) 123–127
Petersen, H., *see* **Muscholl, A.** **57** (2) (1996) 71–74
Peterson, G.L., Myths about the mutual exclusion problem **12** (3) (1981) 115–116
Peterson, G.L., *see* **Friedberg, S.A.** **25** (5) (1987) 343–347
Peterson, J.L., A note on colored Petri nets **11** (1) (1980) 40–43
Petersson, O., *see* **Levcopoulos, C.** **33** (4) (1989) 187–191
Petersson, O., *see* **Levcopoulos, C.** **39** (4) (1991) 205–211
Petit, A., *see* **Gastin, P.** **44** (2) (1992) 65–71
Petit, A., *see* **Guaiana, G.** **67** (6) (1998) 277–282
Petrank, E., *see* **Goldreich, O.** **36** (1) (1990) 45–49
Petreschi, R. and **B. Simeone,** A switching algorithm for the solution of quadratic boolean equations **11** (4–5) (1980) 193–198
Petreschi, R. and **B. Simeone,** A switching algorithm for the solution of quadratic boolean equations (*Erratum*) **12** (2) (1981) 109
Petreschi, R. and **A. Sterbini,** Recognizing strict 2-threshold graphs in O(*m*) time (*Erratum*) **56** (1) (1995) 65
Petreschi, R., *see* **Bovet, D.P.** **28** (2) (1988) 81–85
Petreschi, R., *see* **Calamoneri, T.** **61** (5) (1997) 247–252
Petreschim, R. and **A. Sterbini,** Recognizing strict 2-threshold graphs in O(*m*) time **54** (4) (1995) 193–198
Pettersson, J.S., Comments on "Always-true is not invariant": Assertional reasoning about invariance (*Letter to the Editor*) **40** (5) (1991) 231–233

Pettorossi, A., Derivation of an $O(k^2 \log n)$ algorithm for computing order-k Fibonacci numbers from the $O(k^2 \log n)$ matrix multiplication method **11** (4–5) (1980) 172–179
Peyrat, C., *see* **Fraigniaud, P.** **39** (3) (1991) 115–119
Pferschy, U., *see* **Caprara, A.** **73** (3–4) (2000) 111–118
Phillips, J.M., A.P. Punnen and **S.N. Kabadi,** A linear time algorithm for the bottleneck traveling salesman problem on a Halin graph **67** (2) (1998) 105–110
Phillips, S., *see* **Broder, A.Z.** **55** (6) (1995) 329–332
Phillips, S., *see* **Håstad, J.** **47** (6) (1993) 301–305
Pietracaprina, A., *see* **Luccio, F.** **28** (3) (1988) 141–147
Pietracaprina, A., *see* **Luccio, F.** **37** (2) (1991) 67–69
Pighizzini, G., *see* **Bertoni, A.** **50** (6) (1994) 289–292
Pighizzini, G., *see* **Bertoni, A.** **52** (6) (1994) 339
Pighizzini, G., *see* **Mereghetti, C.** **56** (4) (1995) 229–232
Pilarski, S. and **T. Kameda,** Simple bounds on the convergence rate of an ergodic Markov chain **45** (2) (1993) 81–87
Pillaipakkamnatt, K. and **V. Raghavan,** A linear time equivalence test for read-twice DNF formulas **48** (6) (1993) 289–295
Pin, J.-E., A negative answer to a question of Wilke on varieties of ω-languages **56** (4) (1995) 197–200
Pinotti, M.C. and **G. Pucci,** Parallel Priority Queues **40** (1) (1991) 33–40
Pinotti, M.C., *see* **Barsi, F.** **50** (1) (1994) 1–8
Pinotti, M.C., *see* **Barsi, F.** **56** (2) (1995) 121
Pinotti, M.C., *see* **Luchetti, C.** **47** (3) (1993) 145–148
Pinter, S.S. and **Y. Wolfstahl,** Embedding ternary trees in VLSI arrays **26** (4) (1987) 187–191
Pinzani, R., *see* **Del Lungo, A.** **65** (6) (1998) 293–299
Piotrowski, J.A., A functional model of a simplified sequential machine **35** (3) (1990) 161–166
Pirillo, G., Infinite words and biprefix codes **50** (6) (1994) 293–295
Pirillo, G., *see* **Justin, J.** **62** (6) (1997) 289–294
Pirlo, G., *see* **Dimauro, G.** **73** (5–6) (2000) 189–198
Pitassi, T., *see* **Cook, S.** **34** (2) (1990) 81–85
Pitassi, T., *see* **Iwama, K.** **54** (5) (1995) 289–294
Pitoura, E., *see* **Fudos, I.** **57** (6) (1996) 307–312
Pitsch, G., LR(k)-coupled-context-free grammars **55** (6) (1995) 349–358
Pitt, L., A note on extending Knuth's tree estimator to directed acyclic graphs **24** (3) (1987) 203–206
Pitt, L., *see* **Gusfield, D.** **22** (6) (1986) 291–294
Plaisted, D.A., The undecidability of self-embedding for term rewriting systems **20** (2) (1985) 61–64
Plaisted, D.A. and **G. Kucherov,** The complexity of some complementation problems **71** (3–4) (1999) 159–165
Plandowski, W., W. Rytter and **T. Szymacha,** Parallel tree-contraction and Fibonacci numbers **59** (5) (1996) 267–271
Plandowski, W., *see* **Crochemore, M.** **71** (3–4) (1999) 107–113
Plass, M.F., *see* **Aspvall, B.** **8** (3) (1979) 121–123
Plass, M.F., *see* **Aspvall, B.** **14** (4) (1982) 195
Plassmann, P., *see* **Bern, M.** **32** (4) (1989) 171–176
Plateau, B. and **D. Trystam,** Optimal total exchange for a 3-D torus of processors **42** (2) (1992) 95–102
Plateau, G., *see* **Bennaceur, H.** **48** (3) (1993) 151–158
Platt, D. and **M.A. Magdy,** Adaptive control using switched capacitor filters **28** (5) (1988) 231–234
Platzman, L.K., *see* **Bartholdi III, J.J.** **17** (4) (1983) 177–180
Plaxton, C.G., *see* **Baruah, S.K.** **64** (1) (1997) 43–51
Plehn, J., Preemptive scheduling of independent jobs with release times and deadlines on a hypercube **34** (3) (1990) 161–166
Plesńik, J., The NP-completeness of the Hamiltonian cycle problem in planar digraphs with degree bound two **8** (4) (1979) 199–201
Pleszczyński, S., On the generation of permutations **3** (6) (1975) 180–183
Pleszkun, A.R., *see* **Thazhuthaveetil, M.J.** **26** (2) (1987) 105–110
Plotkin, S., *see* **Fischer, T.** **46** (3) (1993) 115–118
Plotkin, S., *see* **Ma, Y.** **62** (6) (1997) 301–303
Plotkin, S.A., *see* **Goldberg, A.V.** **25** (4) (1987) 241–245
Plotkin, S.A., *see* **Maggs, B.M.** **26** (6) (1988) 291–293
Poblete, P.V., Approximating functions by their Poisson transform **23** (3) (1986) 127–130
Pollack, P.L., *see* **Caviness, B.F.** **1** (2) (1971) 45–46
Pollack, Ya.A., *see* **Krepyshev, G.B.** **1** (5) (1972) 211–215
Polupanov, A.F., *see* **Galiev, V.I.** **43** (3) (1992) 143–146
Pombortsis, A., Sharing special purpose resources in a multiprocessor environment **34** (5) (1990) 255–260
Pombortsis, A.S., Analysis of hierarchical bus-based multicomputer architectures **43** (5) (1992) 265–270
Ponsaert, F., *see* **Paredaens, J.** **11** (4–5) (1980) 152–155
Ponse, A., *see* **Bergstra, J.A.** **67** (2) (1998) 95–103
Pontelli, E., *see* **Dovier, A.** **74** (3–4) (2000) 147–156
Pontelli, E., *see* **Ranjan, D.** **68** (2) (1998) 71–78
Poole, J., *see* **Hoover, D.** **41** (4) (1992) 209–213
Poon, C.K., B. Zhu and **F. Chin,** A polynomial time solution for labeling a rectilinear map **65** (4) (1998) 201–207
Poon, C.K., *see* **King, V.** **62** (3) (1997) 153–159
Porto, S.C.S., *see* **Barbosa, V.C.** **53** (5) (1995) 261–267
Posenato, R. and **M. Santini,** A new lower bound on approximability of the ground state problem for tridimensional Ising spin glasses **68** (4) (1998) 167–171
Powell, D.R., L. Allison and **T.I. Dix,** A versatile divide and conquer technique for optimal string alignment **70** (3) (1999) 127–139
Pradels, J., *see* **Nievergelt, J.** **1** (6) (1972) 220–225
Pramanik, P., P.K. Das, A.K. Bandyopadhyay and **D.Q.M. Fay,** A deadlock-free communication kernel for loop architecture **38** (3) (1991) 157–161
Pramanik, S. and **M.H. Kim,** HCB_tree: A height compressed B_tree for parallel processing **29** (4) (1988) 213–220
Pramanik, S., *see* **Analyti, A.** **45** (4) (1993) 191–197
Pramanik, S., *see* **Fotouhi, F.** **38** (5) (1991) 271–275
Pramanik, S., *see* **Kim, M.H.** **38** (5) (1991) 243–252
Prasad, B.E., *see* **Reddy, P.G.** **14** (5) (1982) 208–213
Prasad, B.E., *see* **Reddy, P.G.** **15** (3) (1982) 105–110
Prasanna, V.K., *see* **Park, H.** **47** (2) (1993) 109–113
Prather, R.E., The subprogram problem for software metric design **60** (3) (1996) 143–149
Preethy, A.P., *see* **Radhakrishnan, D.** **69** (5) (1999) 249–252
Premkumar, A.B., On the optimal utilization of all available states in the 2^n moduli set **75** (1–2) (2000) 51–56
Preparata, F.P., Inverting a Vandermonde matrix in minimum parallel time **38** (6) (1991) 291–294

Preparata, F.P. and **D.E. Muller,** The time required to evaluate division-free arithmetic expressions **3** (5) (1975) 144–146
Preparata, F.P. and **D.V. Sarwate,** An improved parallel processor bound in fast matrix inversion **7** (3) (1978) 148–150
Preparata, F.P. and **K.J. Supowit,** Testing a simple polygon for monotonicity **12** (4) (1981) 161–164
Preparata, F.P. and **J.E. Vuillemin,** Area-time optimal VLSI networks for multiplying matrices **11** (2) (1980) 77–80
Preparata, F.P., *see* **Bilardi, G.** **20** (2) (1985) 55–59
Preparata, F.P., *see* **Garey, M.R.** **7** (4) (1978) 175–179
Preparata, F.P., *see* **Lee, D.T.** **7** (4) (1978) 189–192
Preparata, F.P., *see* **Lee, D.T.** **33** (4) (1989) 175–179
Preparata, F.P., *see* **Luccio, F.** **5** (3) (1976) 68–71
Pretolani, D., A linear time algorithm for unique Horn satisfiability **48** (2) (1993) 61–66
Prieditis, A., *see* **Davis, R.** **46** (3) (1993) 135–141
Priese, L., *see* **Guessarian, I.** **29** (6) (1988) 297–300
Prini, G., Stack implementation of shallow binding in languages with mixed scoping **9** (3) (1979) 143–154
Pritchard, P., A simple sub-quadratic algorithm for computing the subset partial order **56** (6) (1995) 337–341
Pritchard, P., An old sub-quadratic algorithm for finding extremal sets **62** (6) (1997) 329–334
Pritchard, P.A., A proof rule for multiple coroutine systems **4** (6) (1976) 141–143
Probert, R.L., Commutativity, non-commutativity, and bilinearity **5** (2) (1976) 46–49
Prodinger, H., An asymptotic comment on a paper by Analyti and Pramanik **49** (6) (1994) 327–328
Prodinger, H., Multiple Quickselect—Hoare's Find algorithm for several elements **56** (3) (1995) 123–129
Prodinger, H. and **W. Szpankowski,** A note on binomial recurrences arising in the analysis of algorithms (*Letter to the Editor*) **46** (6) (1993) 309–311
Prodinger, H., *see* **Grabner, P.J.** **65** (2) (1998) 89–93
Proietti, G., *see* **Nardelli, E.** **67** (1) (1998) 51–54
Proskurowski, A., *see* **Cheston, G.A.** **32** (5) (1989) 247–250
Proskurowski, A., *see* **Farley, A.M.** **15** (5) (1982) 238–241
Protasi, M., *see* **Ausiello, G.** **54** (2) (1995) 73–79
Provan, J.S., Shortest enclosing walks and cycles in embedded graphs **30** (3) (1989) 119–125
Provence, J.D., *see* **Sreenivasa Rao, D.** **39** (5) (1991) 257–263
Pruhs, K.R., Average-case scalable on-line algorithms for fault replacement **52** (3) (1994) 131–136
Przytycka, T., *see* **Higham, L.** **58** (6) (1996) 319–324
Przytycka, T.M., *see* **Czumaj, A.** **59** (6) (1996) 289–294
Przytycka, T.M., *see* **Farach, M.** **55** (6) (1995) 297–301
Pucci, G., *see* **Luccio, F.** **28** (3) (1988) 141–147
Pucci, G., *see* **Luccio, F.** **37** (2) (1991) 67–69
Pucci, G., *see* **Pagli, L.** **50** (6) (1994) 337–342
Pucci, G., *see* **Pinotti, M.C.** **40** (1) (1991) 33–40
Pudlák, P., A note on the use of determinant for proving lower bounds on the size of linear circuits **74** (5–6) (2000) 197–201
Puech, C., *see* **Mathieu, C.** **26** (2) (1987) 89–93
Pugh, W., Slow optimally balanced search strategies vs. cached fast uniformly balanced search strategies **34** (5) (1990) 251–254
Pujari, A.K. and **S. Gupta,** Comment on "Worst-case choice for the stable marriage problem" (*Letter to the Editor*) **24** (2) (1987) 139
Pulleyblank, W.R., *see* **Fekete, S.P.** **66** (4) (1998) 171–174
Pulver, M., *see* **Boykin, P.O.** **75** (3) (2000) 101–107
Punnen, A.P., *see* **Phillips, J.M.** **67** (2) (1998) 105–110
Punnen, A.P. and **K.P.K. Nair,** A fast and simple algorithm for the bottleneck biconnected spanning subgraph problem **50** (5) (1994) 283–286
Purdom, P., *see* **Goldberg, A.** **15** (2) (1982) 72–75
Purdom, P., *see* **Goldberg, A.** **16** (1983) 213
Purdom, P.W., *see* **Bugrara, K.M.** **27** (4) (1988) 215–219
Purdy, G.B., *see* **Neaderhouser Purdy, C.** **34** (1) (1990) 43–46

Qian, X., An axiom system for database transactions **36** (4) (1990) 183–189
Qiao, L., *see* **Leland, W.** **12** (3) (1981) 117–120
Qiu, K. and **H. Meijer,** A note on diameter of acyclic directed hypercubes **36** (1) (1990) 51–52
Qiu, K., H. Meijer and **S.G. Akl,** Decomposing a star graph into disjoint cycles **39** (3) (1991) 125–129
Quaglia, F. and **R. Baldoni,** Exploiting intra-object dependencies in parallel simulation **70** (3) (1999) 119–125
Queinnec, C., Fast and compact dispatching for dynamic object-oriented languages **64** (6) (1997) 315–321
Quéré, A., *see* **Broy, M.** **8** (5) (1979) 224–229
Quisquater, J.-J., *see* **Bermond, J.-C.** **15** (1) (1982) 10–13
Quisquater, J.-J., *see* **Gilbert, H.** **68** (4) (1998) 197–199

Ra, D.-Y. and **J.-H. Kim,** A parallel parsing algorithm for arbitrary context-free grammars **58** (2) (1996) 87–96
Ra, D.-Y. and **G.C. Stockman,** A new one pass algorithm for estimating stochastic context-free grammars **72** (1–2) (1999) 37–45
Rabani, Y., *see* **Bartal, Y.** **50** (3) (1994) 113–116
Rabi, M. and **A.T. Sherman,** An observation on associative one-way functions in complexity theory **64** (5) (1997) 239–244
Rabinovich, A., Non-elementary lower bound for Propositional Duration Calculus **66** (1) (1998) 7–11
Raczunas, M., Remarks on the equivalence of c–e structures and Petri nets **45** (4) (1993) 165–169
Radhakrishnan, D. and **A.P. Preethy,** A parallel approach to direct analog-to-residue conversion **69** (5) (1999) 249–252
Radhakrishnan, J., Improved bounds for covering complete uniform hypergraphs **41** (4) (1992) 203–207
Radhakrishnan, J. and **K.V. Subrahmanyam,** Directed monotone contact networks for threshold functions **50** (4) (1994) 199–203
Radhakrishnan, T., *see* **Venkatesh, K.** **25** (5) (1987) 295–303
Ragde, P., Analysis of an asynchronous PRAM algorithm **39** (5) (1991) 253–256
Ragde, P. and **A. Wigderson,** Linear-size constant-depth polylog-threshold circuits **39** (3) (1991) 143–146
Raghavachari, B., *see* **Khuller, S.** **50** (1) (1994) 49–55
Raghavan, P., *see* **Aggarwal, A.** **40** (3) (1991) 119–122
Raghavan, P., *see* **Aggarwal, A.** **42** (1) (1992) 55–60
Raghavan, P., *see* **Broder, A.Z.** **56** (2) (1995) 79–81
Raghavan, V. and **S.M. Venkatesan,** On bounds for a board covering problem **25** (5) (1987) 281–284

Raghavan, V., *see* **Guijarro, D.** **70** (5) (1999) 233–239
Raghavan, V., *see* **Pillaipakkamnatt, K.** **48** (6) (1993) 289–295
Raghavan, V.V. and **C.T. Yu,** A note on a multidimensional searching problem **6** (4) (1977) 133–135
Rahman, Md.S., *see* **Nakano, S.-I.** **62** (6) (1997) 315–322
Räihä, K.-J. and **M. Saarinen,** An optimization of the alternating semantic evaluator **6** (3) (1977) 97–100
Rajan, V., R.K. Ghosh and **P. Gupta,** An efficient parallel algorithm for random sampling **30** (5) (1989) 265–268
Rajanarayanan, S. and **S.S. Iyengar,** A new optimal distributed algorithm for the set intersection problem **38** (3) (1991) 143–148
Rajaraman, V. and **O. Vikas,** A first-in-first-out buffered cyclic memory **6** (2) (1977) 63–68
Rajaraman, V., *see* **Banerjee, J.** **4** (3) (1975) 64–69
Rajaraman, V., *see* **Gairola, B.K.** **5** (1) (1976) 1–5
Rajaraman, V., *see* **Sethi, A.S.** **7** (2) (1978) 72–77
Rajaraman, V., *see* **Srinivasan, B.** **9** (2) (1979) 89–92
Rajasekaran, S., An optimal parallel algorithm for sorting multisets **67** (3) (1998) 141–143
Rajčáni, P., Optimal parallel 3-coloring algorithm for rooted trees and its applications **41** (3) (1992) 153–156
Rajsbaum, S., Upper and lower bounds for stochastic marked graphs **49** (6) (1994) 291–295
Ram, S., *see* **Konana, P.** **63** (4) (1997) 189–193
Ramachandran, J., Modulo classes and logarithmic advice **55** (5) (1995) 241–245
Ramachandran, V., *see* **King, V.** **62** (3) (1997) 153–159
Ramachandran, V., *see* **Shankar, N.** **29** (6) (1988) 307–313
Ramakrishna, M.V., Analysis of random probing hashing **31** (2) (1989) 83–90
Ramakrishnan, I.V., *see* **Pawagi, S.** **22** (5) (1986) 223–229
Ramakrishnan, I.V., *see* **Pawagi, S.R.** **24** (4) (1987) 217–221
Ramakrishnan, I.V., *see* **Pawagi, S.R.** **25** (6) (1987) 417
Ramalingam, G. and **C. Pandu Rangan,** Total domination in interval graphs revisited **27** (1) (1988) 17–21
Ramalingam, G. and **C. Pandu Rangan,** A unified approach to domination problems on interval graphs **27** (5) (1988) 271–274
Ramalingam, G. and **C. Pandu Rangan,** New sequential and parallel algorithms for interval graph recognition **34** (4) (1990) 215–219
Ramalingam, G. and **T. Reps,** On competitive on-line algorithms for the dynamic priority-ordering problem **51** (3) (1994) 155–161
Ramamohanarao, K. and **R. Sacks-Davis,** Harware address translation for machines with a large virtual memory **13** (1) (1981) 23–29
Ramamurthy, B., *see* **Chalamaiah, N.** **67** (3) (1998) 157–161
Raman, R., *see* **Dietz, P.F.** **52** (3) (1994) 147–154
Raman, T.V., *see* **Erlingsson, Ú.** **60** (3) (1996) 115–120
Raman, V., B. Ravikumar and **S. Srinivasa Rao,** A simplified NP-complete MAXSAT problem **65** (1) (1998) 1–6
Raman, V., *see* **Balasubramanian, R.** **65** (3) (1998) 163–168
Raman, V., *see* **Ramnath, S.** **71** (5–6) (1999) 183–186
Ramanan, P., Obtaining lower bounds using artificial components **24** (4) (1987) 243–246
Ramanan, P., Average-case analysis of the Smart Next Fit algorithm **31** (5) (1989) 221–225
Ramarao, K.V.S., R. Daley and **R. Melhem,** Message complexity of the set intersection problem **27** (4) (1988) 169–174
Ramarao, K.V.S. and **S. Venkatesan,** The lower bounds on distributed shortest paths **48** (3) (1993) 145–149
Ramarao, K.V.S., *see* **Kothari, S.C.** **21** (3) (1985) 113–116
Ramesh, H., *see* **Arya, S.** **65** (3) (1998) 117–118
Ramesh, S., On the completeness of modular proof systems **36** (4) (1990) 195–201
Ramesh, S. and **S.L. Mehndiratta,** The liveness property of on-the-fly garbage collector—A proof **17** (4) (1983) 189–195
Ramesha Chandra, H.R., *see* **Krishnamurthy, M.S.** **4** (4) (1976) 99–100
Ramírez Alfonsín, J.L., A special arrangement with minimal number of triangles **67** (6) (1998) 273–276
Ramírez Alfonsín, J.L., Cyclic arrangements and Roudneff's conjecture in the space **71** (5–6) (1999) 179–182
Ramnath, S. and **V. Raman,** Selecting small ranks in EREW PRAM **71** (5–6) (1999) 183–186
Ramnath, S. and **S. Sunder,** On two-processor scheduling and maximum matching in permutation graphs **57** (6) (1996) 321–327
Ramnath, S. and **P. Zhao,** On the isomorphism of expressions **74** (3–4) (2000) 97–102
Ramnath, S., *see* **Shen, H.** **59** (3) (1996) 117–122
Ramos, P.A., *see* **Abellanas, M.** **71** (5–6) (1999) 221–227
Ramshaw, L., Binomial coefficients with non-integral lower index **6** (6) (1977) 223–226
Rana, S.P., A distributed solution of the distributed termination problem **17** (1) (1983) 43–46
Rana, S.P., *see* **Arora, R.K.** **9** (3) (1979) 113–117
Rana, S.P., *see* **Arora, R.K.** **10** (3) (1980) 111–115
Rana, S.P., *see* **Arora, R.K.** **11** (4–5) (1980) 199–203
Rana, S.P., *see* **Arora, R.K.** **22** (6) (1986) 311–314
Randall, J., *see* **Olariu, S.** **31** (1) (1989) 43–46
Rangarajan, K. and **S. Arun-Kumar,** Fair derivations in E0L systems **20** (4) (1985) 183–188
Rangarajan, K., *see* **Thirusangu, K.** **55** (4) (1995) 211–215
Ranjan, D., E. Pontelli and **G. Gupta,** Efficient algorithms for the temporal precedence problem **68** (2) (1998) 71–78
Ranjan, D. and **D. Rus,** A tool for the analysis of manipulation **45** (3) (1993) 117–121
Ranjan, D., *see* **Harary, F.** **67** (5) (1998) 227–230
Ranjan, D., *see* **Leung, H.** **55** (5) (1995) 279–282
Rao, N.M., *see* **Saxena, S.** **56** (1) (1995) 37–44
Rao, N.S.V. and **C. Luo,** On similarity of polynomial configurations **47** (5) (1993) 231–236
Rao, N.S.V. and **W. Zhang,** Building heaps in parallel **37** (6) (1991) 355–358
Rao, R.P.N., A note on P-selective sets and closeness **54** (3) (1995) 179–185
Rao, R.P.N., J. Rothe and **O. Watanabe,** Upward separation for FewP and related classes **52** (4) (1994) 175–180
Rao, R.P.N., J. Rothe and **O. Watanabe,** Corrigendum to "Upward separation for FewP and related classes" **74** (1–2) (2000) 89
Rao Arikati, S. and **C. Pandu Rangan,** Linear algorithm for optimal path cover problem on interval graphs **35** (3) (1990) 149–153
Raoult, J.-C., Proving open properties by induction **29** (1) (1988) 19–23

Rappaport, D., *see* **Meijer, H.** **42** (1) (1992) 35–38
Raschle, T., *see* **Sterbini, A.** **67** (5) (1998) 255–259
Raskin, J.-F., *see* **Schobbens, P.-Y.** **69** (5) (1999) 221–225
Raspaud, A. and **E. Sopena,** Good and semi-strong colorings of oriented planar graphs **51** (4) (1994) 171–174
Raspaud, A., *see* **Barth, D.** **51** (4) (1994) 175–179
Ratliff, H.D., *see* **Iyer, A.V.** **28** (5) (1988) 225–229
Räuchle, T. and **S. Toueg,** Exposure to deadlock for communicating processes is hard to detect **21** (2) (1985) 63–68
Rauzy, A., *see* **Williams, P.F.** **75** (1–2) (2000) 85–89
Ravara, A., *see* **Vasconcelos, V.T.** **71** (5–6) (1999) 229–233
Ravelo, J.N., *see* **Bird, R.S.** **63** (1) (1997) 1–7
Ravelomanana, V. and **L. Thimonier,** Patchworks and metablocks enumeration **73** (3–4) (2000) 77–86
Ravi, R., A primal-dual approximation algorithm for the Steiner forest problem **50** (4) (1994) 185–190
Ravi, R., *see* **Chaudhuri, S.** **65** (3) (1998) 131–134
Ravi, S.S. and **H.B. Hunt III,** An application of the Planar Separator Theorem to counting problems **25** (5) (1987) 317–321
Ravi, S.S., *see* **Bloniarz, P.A.** **31** (6) (1989) 319–322
Ravi, S.S., *see* **Marathe, M.V.** **58** (1) (1996) 23–29
Ravi Kanth, K.V. and **A. Singh,** Efficient dynamic range searching using data replication **68** (2) (1998) 97–105
Ravikumar, B., *see* **Chang, J.H.** **25** (1) (1987) 1–9
Ravikumar, B., *see* **Chang, J.H.** **27** (1) (1988) 53
Ravikumar, B., *see* **Ibarra, O.H.** **29** (3) (1988) 111–117
Ravikumar, B., *see* **Jiang, T.** **40** (1) (1991) 25–31
Ravikumar, B., *see* **Raman, V.** **65** (1) (1998) 1–6
Ravindran, S. and **A. Gibbons,** Dense edge-disjoint embedding of complete binary trees in the hypercube **45** (6) (1993) 321–325
Ravn, A.P., *see* **Zhou, C.** **40** (5) (1991) 269–276
Raychaudhuri, A., The total interval number of a tree and the Hamiltonian completion number of its line graph **56** (6) (1995) 299–306
Raymond, K., A distributed algorithm for multiple entries to a critical section **30** (4) (1989) 189–193
Raynal, M., A distributed algorithm to prevent mutual drift between n logical clocks **24** (3) (1987) 199–202
Raynal, M., Prime numbers as a tool to design distributed algorithms **33** (1) (1989) 53–58
Raynal, M., A. Schiper and **S. Toueg,** The causal ordering abstraction and a simple way to implement it **39** (6) (1991) 343–350
Raynal, M. and **F. Tronel,** Restricted failure detectors: Definition and reduction protocols **72** (3–4) (1999) 91–97
Raynal, M., *see* **Fromentin, E.** **54** (5) (1995) 267–274
Raynal, M., *see* **Mostefaoui, A.** **73** (5–6) (2000) 207–212
Raynaud, O., *see* **Nourine, L.** **71** (5–6) (1999) 199–204
Rayward-Smith, V.J., The complexity of preemptive scheduling given interprocessor communication delays **25** (2) (1987) 123–125
Rayward-Smith, V.J. and **R.N. Rolph,** Finding linear and circular sequences of minimal and maximal total adjacency **10** (1) (1980) 9–13
Rayward-Smith, V.J., *see* **Burton, F.W.** **29** (1) (1988) 31–34
Rayward-Smith, V.J., *see* **McKeown, G.P.** **19** (2) (1984) 69–73
Raz, Y., Serializability by commitment ordering **51** (5) (1994) 257–264
Razborov, A. and **A. Wigderson,** $n^{\Omega(\log n)}$ Lower bounds on the size of depth-3 threshold circuits with AND gates at the bottom **45** (6) (1993) 303–307
Reddi, S.S., Alternate solutions to the Cigarette Smokers' Problem without conditionals **6** (1) (1977) 22–24
Reddy, H.N. and **E.L. Leiss,** An O(log N) algorithm to solve linear recurrences on hypercubes **49** (6) (1994) 319–325
Reddy, H.N., *see* **Leiss, E.L.** **38** (4) (1991) 197–199
Reddy, P.G., S. Bhalla and **B.E. Prasad,** A model of concurrency control in distributed database systems **14** (5) (1982) 208–213
Reddy, P.G., S. Bhalla and **B.E. Prasad,** Robust, centralized certifier based concurrency control for distributed databases **15** (3) (1982) 105–110
Reddy, R., W. Broadley, L. Erman, R. Johnsson, J. Newcomer, G. Robertson and **J. Wright,** XCRIBL – A hardcopy scan line graphics system for document generation **1** (6) (1972) 246–251
Reddy, R.L.N., *see* **Srimani, P.K.** **41** (1) (1992) 51–57
Regnier, M., On the average height of trees in digital search and dynamic hashing **13** (2) (1981) 64–66
Régnier, M., *see* **Baeza-Yates, R.** **45** (1) (1993) 51–57
Rehof, J., Strong normalization for non-structural subtyping via saturated sets **58** (4) (1996) 157–162
Reichling, M., A simplified solution of the n queens' problem **25** (4) (1987) 253–255
Reichling, M., On the detection of a common intersection of k convex objects in the plane **29** (1) (1988) 25–29
Reichwein, G. and **J.L. Fiadeiro,** Models for the substitution axiom of UNITY logic **48** (4) (1993) 171–176
Reif, J., *see* **Pan, V.** **40** (2) (1991) 79–83
Reif, J.H., Depth-first search is inherently sequential **20** (5) (1985) 229–234
Reif, J.H., A topological approach to dynamic graph connectivity **25** (1) (1987) 65–70
Reingold, E.M., K.J. Urban and **D. Gries,** K-M-P string matching revisited **64** (5) (1997) 217–223
Reingold, E.M., *see* **Alonso, L.** **47** (5) (1993) 253–255
Reingold, E.M., *see* **Fraenkel, A.S.** **50** (1) (1994) 25–30
Reingold, E.M., *see* **Perl, Y.** **6** (6) (1977) 219–222
Reingold, E.M., *see* **Shen, X.** **40** (6) (1991) 323–328
Reingold, N. and **J. Westbrook,** Off-line algorithms for the list update problem **60** (2) (1996) 75–80
Reingold, N., *see* **Broder, A.Z.** **55** (6) (1995) 329–332
Reingold, N., *see* **Chrobak, M.** **63** (2) (1997) 79–83
Reingold, O., *see* **Biham, E.** **70** (2) (1999) 83–87
Reiser, A., A linear selection algorithm for sets of elements with weights **7** (3) (1978) 159–162
Reiser, J., *see* **Knuth, D.E.** **3** (5) (1975) 164
Reiser, J.F. and **D.E. Knuth,** Evading the drift in floating-point addition **3** (3) (1975) 84–87
Reisig, W., A note on the representation of finite tree automata **8** (5) (1979) 239–240
Reiss, S., *see* **Dobkin, D.** **8** (2) (1979) 96–97
Reiss, S.P., Rational search **8** (2) (1979) 89–90
Reith, S., *see* **Hertrampf, U.** **75** (3) (2000) 91–93
Rem, M., On the programming of elastic stores **3** (6) (1975) 184–187
Rem, M., *see* **Martin, A.J.** **19** (2) (1984) 67–68
Remmers, J.H., A technique for developing loop invariants **18** (3) (1984) 137–139

Rémy, J.L., *see* **Alonso, L.** **64** (6) (1997) 305–308
Remy, J.L., *see* **Broy, M.** **8** (5) (1979) 224–229
Ren, J., *see* **Nayak, A.** **73** (5–6) (2000) 199–206
Reps, T., *see* **Ramalingam, G.** **51** (3) (1994) 155–161
Rescigno, A.A., On the communication complexity of polling **59** (6) (1996) 317–323
Resende, R.F. and **A. El Abbadi,** On the serializability theorem for nested transactions **50** (4) (1994) 177–183
Ressler, E.K., Random list permutations in place **43** (5) (1992) 271–275
Restivo, A., *see* **Crochemore, M.** **67** (3) (1998) 111–117
Restivo, A., *see* **Mauceri, S.** **12** (1) (1981) 1–4
Reusch, P.J.A., Generalized lattices applicable in retrieval models **4** (6) (1976) 144–148
Rey, C. and **R. Ward,** On determining the on-line minimax linear fit to a discrete point set in the plane **24** (2) (1987) 97–101
Reynolds Jr., P.F., *see* **O'Hallaron, D.R.** **23** (4) (1986) 181–188
Rhee, C., On the chromatic index of graphs with $2n + 1$ vertices and $2m^2$ edges **66** (3) (1998) 115–118
Rhee, C. and **Y.D. Liang,** An NC algorithm for the clique cover problem in cocomparability graphs and its application **57** (5) (1996) 287–290
Rhee, C., Y.D. Liang, S.K. Dhall and **S. Lakshmivarahan,** Efficient algorithms for finding depth-first and breadth-first search trees in permutation graphs **49** (1) (1994) 45–50
Rhee, C., *see* **Liang, Y.** **37** (4) (1991) 219–224
Rhee, C., *see* **Liang, Y.D.** **45** (4) (1993) 185–190
Rhee, C., *see* **Liang, Y.D.** **60** (3) (1996) 159–163
Rhee, I. and **J.L. Welch,** Time bounds on synchronization in a periodic distributed system **64** (2) (1997) 87–93
Ricci, A., *see* **Dal Bono, I.** **3** (3) (1975) 88–90
Richards, D., Data compression and Gray-code sorting **22** (4) (1986) 201–205
Richards, R.C., Shape distribution of height-balanced trees **17** (1) (1983) 17–20
Richardson, S. and **M. Ganapathi,** Interprocedural analysis vs. procedure integration **32** (3) (1989) 137–142
Rick, C., Simple and fast linear space computation of longest common subsequences **75** (6) (2000) 275–281
Rick, C.C. and **D.J. Evans,** An improved bisection algorithm **8** (2) (1979) 112–113
Ridjanovic, D. and **M.L. Brodie,** Defining database dynamics with attribute grammars **14** (3) (1982) 132–138
Riera, A., J. Rifà and **J. Borrell,** Efficient construction of vote-tags to allow open objection to the tally in electronic elections **75** (5) (2000) 211–215
Rifà, J., A new algebraic algorithm to decode the ternary Golay code **68** (6) (1998) 271–274
Rifà, J., *see* **Riera, A.** **75** (5) (2000) 211–215
Rinaldi, C., *see* **Davis, R.H.** **13** (4–5) (1981) 138–141
Ripoll, A., *see* **Luque, E.** **11** (2) (1980) 102–109
Ripoll, A., *see* **Luque, E.** **19** (2) (1984) 81–85
Ristori, G., *see* **Fantechi, A.** **39** (2) (1991) 109–114
Ritter, G.X., *see* **Shi, H.** **55** (3) (1995) 137–142
Rittri, M., Semi-unification of two terms in Abelian groups **52** (2) (1994) 61–68
Rittri, M., Semi-unification of two terms in Abelian groups (*Corrigendum*) **53** (4) (1995) 235
Rival, I., *see* **Di Battista, G.** **36** (6) (1990) 317–322
Rivest, R.L. and **J.-P. van de Wiele,** An $\Omega((n/\lg n)^{1/2})$ lower bound on the number of additions necessary to compute 0-1 polynomials over the ring of integer polynomials **8** (4) (1979) 178–180
Rivest, R.L., *see* **Doyle, J.** **5** (5) (1976) 146–148
Rivest, R.L., *see* **Hyafil, L.** **5** (1) (1976) 15–17
Rivin, I. and **R. Zabih,** A dynamic programming solution to the n-queens problem **41** (5) (1992) 253–256
Rizzi, R., *see* **Caprara, A.** **68** (1) (1998) 11–15
Robert, J.M., *see* **Avis, D.** **33** (2) (1989) 59–62
Robert, Y. and **M. Tchuente,** A systolic array for the longest common subsequence problem **21** (4) (1985) 191–198
Robert, Y., B. Tourancheau and **G. Villard,** Data allocation strategies for the Gauss and Jordan algorithms on a ring of processors **31** (1) (1989) 21–29
Robert, Y., *see* **Grigg, K.** **35** (5) (1990) 239–248
Roberts, G.H., Another note on recursive ascent **32** (5) (1989) 263–266
Robertson, G., *see* **Reddy, R.** **1** (6) (1972) 246–251
Robins, G., B.L. Robinson and **B.S. Sethi,** On detecting spatial regularity in noisy images **69** (4) (1999) 189–195
Robinson, B.L., *see* **Robins, G.** **69** (4) (1999) 189–195
Robson, J.M., An improved algorithm for traversing binary trees without auxiliary stack **2** (1) (1973) 12–14
Robson, J.M., A simple solution to the interleaved memory bandwidth problem **3** (4) (1975) 125–126
Robson, J.M., The emptiness of complement problem for semi extended regular expressions requires c^n space **9** (5) (1979) 220–222
Robson, J.M., Storage allocation is NP-hard **11** (3) (1980) 119–125
Robson, J.M., Separating strings with small automata **30** (4) (1989) 209–214
Robson, J.M., Random access machines with multi-dimensional memories **34** (5) (1990) 265–266
Rochow, H., *see* **Blum, N.** **51** (2) (1994) 57–60
Rodeh, M., *see* **Dinitz, Y.** **70** (3) (1999) 141–146
Rodeh, M., *see* **Steinberg, D.** **12** (2) (1981) 83–88
Rodrigue. G.H., *see* **Madsen, N.K.** **5** (2) (1976) 41–45
Rodrigues, M. and **H. Ural,** Exact solutions for the construction of optimal length test sequences **48** (6) (1993) 275–280
Roelants van Baronaigien, D., A loopless algorithm for generating binary tree sequences **39** (4) (1991) 189–194
Roelants van Baronaigien, D., A multi-stack method for the fast generation of permutations with minimal length increasing subsequences **69** (3) (1999) 123–126
Roelants van Baronaigien, D. and **F. Ruskey,** Generating t-ary trees in A-order **27** (4) (1988) 205–213
Rogers, L.D., *see* **Gonnet, G.H.** **6** (4) (1977) 136–139
Roggenbach, M., *see* **Majster-Cederbaum, M.** **67** (3) (1998) 119–124
Rohl, J.S., A faster lexicographical N queens algorithm **17** (5) (1983) 231–233
Rohlf, F.J., A probabilistic minimum spanning tree algorithm **7** (1) (1978) 44–48
Rohnert, H., Shortest paths in the plane with convex polygonal obstacles **23** (2) (1986) 71–76

Rohnert, H., Time and space efficient algorithms for shortest paths between convex polygons **27** (4) (1988) 175–179
Rohnert, H., *see* **Becker, M.** **15** (3) (1982) 135–136
Rohnert, H., *see* **Marchetti-Spaccamela, A.** **59** (1) (1996) 53–58
Röhrich, J., A hybrid of Quicksort with $O(n \log n)$ worst case complexity **14** (3) (1982) 119–123
Rolim, J.D.P., On the polynomial IO-complexity **33** (4) (1989) 199–204
Rolim, J.D.P. and **S.A. Greibach,** On the IO-complexity and approximation languages **28** (1) (1988) 27–31
Rolim, J.D.P. and **S.A. Greibach,** A note on the best-case complexity **30** (3) (1989) 133–138
Rolph, R.N., *see* **Rayward-Smith, V.J.** **10** (1) (1980) 9–13
Romani, F., Shortest-path problem is not harder than matrix multiplication **11** (3) (1980) 134–136
Romani, F., Author's reply to S. Moran's note on the shortest path problem **13** (2) (1981) 87
Romani, F., *see* **Bini, D.** **8** (5) (1979) 234–235
Romani, F., *see* **Codenotti, B.** **21** (3) (1985) 159–163
Romano, G., *see* **Marchetti-Spaccamela, A.** **21** (4) (1985) 213–218
Romeuf, J.-F., Shortest path under rational constraint **28** (5) (1988) 245–248
Romijn, J. and **F. Vaandrager,** A note on fairness in I/O automata **59** (5) (1996) 245–250
Ron, D., *see* **Ben-Or, M.** **57** (6) (1996) 329–334
Ron, D., *see* **Goldreich, O.** **63** (3) (1997) 131–136
Roncato, A., *see* **Monti, A.** **53** (1) (1995) 11–16
Roncato, A., *see* **Monti, A.** **57** (5) (1996) 279–285
Rondogiannis, P., *see* **Nikolopoulos, S.D.** **65** (4) (1998) 183–188
Rönn, S., On the logarithmic evaluation of recurrence relations **40** (4) (1991) 197–199
Rönn, S. and **H. Saikkonen,** Distributed termination detection with counters **34** (5) (1990) 223–227
Roos, T. and **P. Widmayer,** k-violation linear programming **52** (2) (1994) 109–114
Roschke, S.I. and **A.L. Furtado,** An algorithm for obtaining the chromatic number and an optimal coloring of a graph **2** (2) (1973) 34–38
Rosen, J.B., *see* **Xue, G.** **66** (3) (1998) 127–132
Rosenberg, A.L., A note on paths embedded in trees **8** (5) (1979) 272–273
Rosenberg, B., Fast nondeterministic recognition of context-free languages using two queues **67** (2) (1998) 91–93
Rosenbloom, A., Monotone real circuits are more powerful than monotone boolean circuits **61** (3) (1997) 161–164
Rosenbloom, A., On the sets of perfect matchings for two bipartite graphs **70** (2) (1999) 95–97
Rosenblueth, D.A., An execution mechanism for nondeterministic, state-oriented programs based on a chart parser **45** (4) (1993) 211–217
Rosenfeld, A. and **D.L. Milgram,** Parallel/sequential array automata **2** (2) (1973) 43–46
Rosenfeld, A., *see* **Chandran, S.** **27** (3) (1988) 129–132
Rosenfeld, A., *see* **Milgram, D.L.** **1** (2) (1971) 47–50
Rosenkrantz, D.J. and **H.B. Hunt III,** Matrix multiplication for finite algebraic systems **28** (4) (1988) 189–192
Rosier, L.E., A note on Presburger arithmetic with array segments, permutation and equality **22** (1) (1986) 33–35
Rosier, L.E., *see* **Howell, R.R.** **25** (1) (1987) 27–33
Rosier, L.E., *see* **Ibarra, O.H.** **11** (4–5) (1980) 162
Rosier, L.E., *see* **Ibarra, O.H.** **12** (5) (1981) 227–232
Rosier, L.E., *see* **Ibarra, O.H.** **13** (3) (1981) 89–93
Rosolini, G., *see* **Schreiber, F.A.** **29** (4) (1988) 207–211
Rossi, G., *see* **Dovier, A.** **74** (3–4) (2000) 147–156
Rossmanith, P. and **W. Rytter,** Observations on $\log(n)$ time parallel recognition of unambiguous cfl's **44** (5) (1992) 267–272
Rossmanith, P., *see* **Bouajjani, A.** **74** (5–6) (2000) 221–227
Rossmanith, P., *see* **Niedermeier, R.** **73** (3–4) (2000) 125–129
Rote, G., Computing the minimum Hausdorff distance between two point sets on a line under translation **38** (3) (1991) 123–127
Rote, G. and **G. Woeginger,** Counting convex k-gons in planar point sets **41** (4) (1992) 191–194
Rote, G., G. Woeginger, B. Zhu and **Z. Wang,** Counting k-subsets and convex k-gons in the plane **38** (3) (1991) 149–151
Rote, G., *see* **Deineko, V.G.** **51** (3) (1994) 141–148
Rote, G., *see* **Mitchell, J.S.B.** **56** (1) (1995) 45–49
Rotem, D., On a correspondence between binary trees and a certain type of permutation **4** (3) (1975) 58–61
Rotem, D., *see* **Chang, E.J.H.** **24** (5) (1987) 311–316
Rotem, D., *see* **Goh, L.** **15** (4) (1982) 179–182
Rotem, D., *see* **Seshadri, S.** **57** (5) (1996) 273–277
Roth, P., A note on word chains and regular languages **30** (1) (1989) 15–18
Rothe, J., *see* **Hemaspaandra, E.** **65** (3) (1998) 151–156
Rothe, J., *see* **Rao, R.P.N.** **52** (4) (1994) 175–180
Rothe, J., *see* **Rao, R.P.N.** **74** (1–2) (2000) 89
Roucairol, G., *see* **Fle, M.P.** **18** (5) (1984) 243–247
Roucairol, G., *see* **Lavallee, I.** **23** (2) (1986) 55–62
Roupin, F., On approximating the memory-Constrained Module Allocation Problem **61** (4) (1997) 205–208
Rouskov, Y. and **P.K. Srimani,** Fault diameter of star graphs **48** (5) (1993) 243–251
Roussel, F. and **I. Rusu,** A linear algorithm to color i-triangulated graphs **70** (2) (1999) 57–62
Roussille, M. and **P. Dufour,** Generation of convex polygons with individual angular constraints **24** (3) (1987) 159–164
Roussopoulos, N.D., A $\max\{m, n\}$ algorithm for determining the graph H from its line graph G **2** (4) (1973) 108–112
Rowe, N.C., Diophantine inference on a statistical database **18** (1) (1984) 25–31
Rowicki, A., A note on optimal scheduling for two-processor systems **4** (2) (1975) 27–30
Rowicki, A., A note on optimal preemptive scheduling for two-processor systems **6** (1) (1977) 25–28
Roy, T.S., *see* **Athithan, G.** **59** (4) (1996) 223–228
Roychowdhury, V., *see* **Boykin, P.O.** **75** (3) (2000) 101–107
Royer, J.S., *see* **Kurtz, S.A.** **24** (1) (1987) 5–10
Rozenberg, G., The equivalence problem for deterministic T0L-systems is undecidable **1** (5) (1972) 201–204
Rozenberg, G., Direct proofs of the undecidability of the equivalence problem for sentential forms of linear context-free grammars and the equivalence problem for 0L systems **1** (6) (1972) 233–235
Rozenberg, G., The equivalence problem for deterministic T0L-systems is undecidable (*Erratum*) **1** (6) (1972) 252

Rozenberg, G., On slicing of K-iteration grammars **4** (5) (1976) 127–131
Rozenberg, G., More on ET0L systems versus random context grammars **5** (4) (1976) 102–106
Rozenberg, G. and **D. Wood,** A note on K-iteration grammars **4** (6) (1976) 162–164
Rozenberg, G., *see* **Ehrenfeucht, A.** **2** (3) (1973) 70–73
Rozenberg, G., *see* **Ehrenfeucht, A.** **9** (2) (1979) 84–85
Rozenberg, G., *see* **Ehrenfeucht, A.** **10** (4–5) (1980) 223–225
Rozenberg, G., *see* **Ehrenfeucht, A.** **13** (3) (1981) 108–113
Rozenberg, G., *see* **Ehrenfeucht, A.** **16** (1) (1983) 7–9
Rozenberg, G., *see* **Ehrenfeucht, A.** **17** (3) (1983) 121–124
Rozenberg, G., *see* **Ehrenfeucht, A.** **73** (5–6) (2000) 153–156
Rozenberg, G., *see* **Ehrenfreucht, A.** **9** (2) (1979) 86–88
Rozenberg, G., *see* **Kreowski, H.-J.** **18** (1) (1984) 21–24
Rozenberg, G., *see* **Lee, K.P.** **2** (6) (1974) 185–188
Rozoy, B., *see* **Gastin, P.** **44** (2) (1992) 65–71
Rüb, C., *see* **Hagerup, T.** **33** (4) (1989) 181–185
Rüb, C., *see* **Hagerup, T.** **33** (6) (1990) 305–308
Rüb, C., *see* **Müller, M.** **57** (3) (1996) 159–163
Rubald, C.M., *see* **Caviness, B.F.** **1** (2) (1971) 45–46
Rubinfeld, R., The cover time of a regular expander is $O(n \log n)$ **35** (1) (1990) 49–51
Rubinfeld, R., Batch checking with applications to linear functions **42** (2) (1992) 77–80
Rubinfeld, R., *see* **Irani, S.** **39** (2) (1991) 85–91
Rubinstein, R.S. and **J.N. Shutt,** Self-modifying finite automata: An introduction **56** (4) (1995) 185–190
Rubinstein, S., *see* **Hassin, R.** **51** (3) (1994) 133–140
Rubinstein, S., *see* **Hassin, R.** **63** (2) (1997) 63–67
Rubinstein, S., *see* **Hassin, R.** **67** (3) (1998) 125–130
Rubinstein, S., *see* **Hassin, R.** **75** (4) (2000) 181–186
Ruby, J., A liveness property of a parallel algorithm **24** (4) (1987) 275–277
Rudnicki, P., *see* **Culberson, J.C.** **30** (4) (1989) 215–220
Rudolph, L., *see* **Feitelson, D.G.** **32** (2) (1989) 81–83
Ruggieri, S., *see* **Pedreschi, D.** **67** (3) (1998) 145–150
Rülling, W., *see* **Müller, M.** **57** (3) (1996) 159–163
Ruohonen, K., Three results of comparison between L languages with and without interaction **4** (1) (1975) 7–10
Ruohonen, K., A note on language equations involving morphisms **7** (5) (1978) 209–212
Ruohonen, K., The decidability of the F0L-D0L equivalence problem **8** (5) (1979) 257–260
Rus, D., *see* **Ranjan, D.** **45** (3) (1993) 117–121
Rusinowitch, M., On termination of the direct sum of term-rewriting systems **26** (2) (1987) 65–70
Rusinowitch, M., *see* **Kucherov, G.** **53** (4) (1995) 209–215
Ruskey, F., *see* **Bultena, B.** **68** (5) (1998) 255–259
Ruskey, F., *see* **Cockayne, E.J.** **9** (4) (1979) 171–175
Ruskey, F., *see* **Ko, C.W.** **41** (5) (1992) 263–269
Ruskey, F., *see* **Roelants van Baronaigien, D.** **27** (4) (1988) 205–213
Russell, A. and **R. Sundaram,** The relativized relationship between probabilistically checkable debate systems, IP and PSPACE **53** (2) (1995) 61–68
Russell, A., *see* **Goldmann, M.** **73** (1–2) (2000) 23–28
Russell, A., *see* **Kumar, S.R.** **62** (6) (1997) 295–300
Rusu, I., Quasi-parity and perfect graphs **54** (1) (1995) 35–39
Rusu, I., *see* **Roussel, F.** **70** (2) (1999) 57–62
Ružička, P., *see* **Diks, K.** **66** (4) (1998) 181–186
Ryan, P.Y.A. and **S.A. Schneider,** An attack on a recursive authentication protocol A cautionary tale **65** (1) (1998) 7–10
Rystsov, I.K., Polynomial complete problems in automata theory **16** (3) (1983) 147–151
Rytter, W., An effective simulation of deterministic pushdown automata with many two-way and one-way heads **12** (5) (1981) 234–236
Rytter, W., The dynamic simulation of recursive and stack manipulating programs **13** (2) (1981) 58–63
Rytter, W., Time complexity of languages recognized by one-way multihead pushdown automata **13** (4–5) (1981) 142–144
Rytter, W., A hardest language recognized by two-way nondeterministic pushdown automata **13** (4–5) (1981) 145–146
Rytter, W., A note on two-way nondeterministic pushdown automata **15** (1) (1982) 5–9
Rytter, W., Time complexity of unambiguous path systems **15** (3) (1982) 102–104
Rytter, W., Time complexity of loop-free two-way pushdown automata **16** (3) (1983) 127–129
Rytter, W., A simulation result for two-way pushdown automata **16** (4) (1983) 199–202
Rytter, W., On linear context-free languages and one-way multihead automata **19** (4) (1984) 163–166
Rytter, W., The space complexity of the unique decipherability problem **23** (1) (1986) 1–3
Rytter, W., An application of Mehlhorn's algorithm for bracket languages to $\log(n)$ space recognition of input-driven languages **23** (2) (1986) 81–84
Rytter, W., On efficient parallel computations of costs of paths on a grid graph **29** (2) (1988) 71–74
Rytter, W., A note on optimal parallel transformations of regular expressions to nondeterministic finite automata **31** (2) (1989) 103–109
Rytter, W. and **A. Saoudi,** On the complexity of the recognition of parallel 2D-image languages **38** (5) (1991) 225–229
Rytter, W. and **T. Szymacha,** Parallel algorithms for a class of graphs generated recursively **30** (5) (1989) 225–231
Rytter, W., *see* **Chrobak, M.** **24** (5) (1987) 325–329
Rytter, W., *see* **Crochemore, M.** **35** (3) (1990) 121–128
Rytter, W., *see* **Crochemore, M.** **38** (2) (1991) 57–60
Rytter, W., *see* **Crochemore, M.** **46** (4) (1993) 159–162
Rytter, W., *see* **Crochemore, M.** **71** (3–4) (1999) 107–113
Rytter, W., *see* **Garrido, O.** **57** (2) (1996) 83–87
Rytter, W., *see* **Gibbons, A.M.** **27** (1) (1988) 43–51
Rytter, W., *see* **Larmore, L.L.** **52** (1) (1994) 31–34
Rytter, W., *see* **Plandowski, W.** **59** (5) (1996) 267–271
Rytter, W., *see* **Rossmanith, P.** **44** (5) (1992) 267–272

Saab, Y., Iterative improvement of vertex covers **55** (2) (1995) 95–98
Saab, Y.G., An improved algorithm for intersecting convex polygons **61** (2) (1997) 89–90
Saarinen, M., *see* **Räihä, K.-J.** **6** (3) (1977) 97–100

Sabelfeld, V.K., The logic-termal equivalence is polynomial-time decidable **10** (2) (1980) 57–62
Sabelfeld, V.K., Tree equivalence of linear recursive schemata is polynomial-time decidable **13** (4–5) (1981) 147–153
Saccà, D., Multiple total stable models are definitely needed to solve unique solution problems **58** (5) (1996) 249–254
Sack, J.-R., *see* **Atkinson, M.D.** **41** (1) (1992) 21–23
Sack, J.-R., *see* **Atkinson, M.D.** **50** (6) (1994) 323–327
Sack, J.-R., *see* **Atkinson, M.D.** **70** (2) (1999) 63–67
Sacks-Davis, R., *see* **Ramamohanarao, K.** **13** (1) (1981) 23–29
Sadikou, A., *see* **Pan, V.** **44** (3) (1992) 149–153
Saeednia, S., On the security of a convertible group signature scheme **73** (3–4) (2000) 93–96
Sáez, G., *see* **Morillo, P.** **70** (5) (1999) 211–216
Safra, S., *see* **Goldreich, O.** **71** (2) (1999) 55–61
Safra, S., *see* **Håstad, J.** **47** (6) (1993) 301–305
Sagar, G., A.K. Sarje and **K.U. Ahmed,** On module assignment in two-processor distributed systems: A modified algorithm **32** (3) (1989) 151–153
Saheb, N., *see* **Métivier, Y.** **57** (4) (1996) 175–181
Saikkonen, H., *see* **Rönn, S.** **34** (5) (1990) 223–227
Sajeev, A.S.M. and **J. Olszewski,** Manipulation of data structures without pointers **26** (3) (1987) 135–143
Sajith, G. and **S. Saxena,** Optimal parallel algorithms for coloring bounded degree graphs and finding maximal independent sets in rooted trees **49** (6) (1994) 303–308
Sajith, G. and **S. Saxena,** Optimal parallel algorithms for coloring bounded degree graphs and finding maximal independent sets in rooted trees (*Corrigendum*) **54** (5) (1995) 305
Sakakibara, Y., On learning from queries and counterexamples in the presence of noise **37** (5) (1991) 279–284
Sakano, K., *see* **Ogata, W.** **58** (6) (1996) 285–292
Sakarovitch, J., *see* **Benois, M.** **23** (6) (1986) 281–287
Sakkinen, M., Comments on "Manipulation of data structures without pointers" (*Letter to the Editor*) **27** (6) (1988) 327–328
Sakkinen, M., Selftype is a special case (*Comment*) **38** (4) (1991) 221–224
Saks, M., A. Srinivasan, S. Zhou and **D. Zuckerman,** Low discrepancy sets yield approximate min-wise independent permutation families **73** (1–2) (2000) 29–32
Sakurai, K., *see* **Dannoura, E.** **66** (1) (1998) 27–33
Sakurai, K., *see* **Yanbe, A.** **57** (1) (1996) 17–24
Salhi, A., H. Glaser and **D. De Roure,** Parallel implementation of a genetic-programming based tool for symbolic regression **66** (6) (1998) 299–307
Salinier, B., *see* **Durand, I.** **47** (3) (1993) 131–137
Salinier, B., *see* **Durand, I.** **52** (3) (1994) 137–145
Salmasizadeh, M., *see* **Golić, J.Dj.** **64** (1) (1997) 37–42
Salmasizadeh, M., *see* **Simpson, L.** **70** (2) (1999) 89–93
Salomaa, A., *see* **Dassow, J.** **47** (2) (1993) 59–63
Salomaa, A., *see* **Ottmann, Th.** **12** (4) (1981) 184–187
Salomaa, K., Yield-languages of two-way pushdown tree automata **58** (4) (1996) 195–199
Salomaa, K. and **S. Yu,** The immortality problem for Lag systems **36** (6) (1990) 311–315
Salowe, J.S., *L*-infinity interdistance selection by parametric search **30** (1) (1989) 9–14
Salowe, J.S., A note on lower bounds for rectilinear Steiner trees **42** (3) (1992) 151–152
Salowe, J.S. and **W.L. Steiger,** Stable unmerging in linear time and constant space **25** (5) (1987) 285–294
Salton, G., The performance of interactive information retrieval **1** (2) (1971) 35–41
Salton, G., Experiments in multi-lingual information retrieval **2** (1) (1973) 6–11
Saluja, S., A note on the permanent value problem **43** (1) (1992) 1–5
Saluja, S. and **K.V. Subrahmanyam,** On the power of enumerative counting **43** (3) (1992) 119–125
Salveter, S.C., *see* **Maier, D.** **12** (4) (1981) 199–202
Salzo, A., *see* **Dimauro, G.** **73** (5–6) (2000) 189–198
Samadi, B., B-trees in a system with multiple users **5** (4) (1976) 107–112
Samet, H., A canonical form algorithm for proving equivalence of conditional forms **7** (2) (1978) 103–106
Samet, H., Bidirectional coroutines **21** (1) (1985) 1–6
Samet, H. and **L. Marcus,** Purging in an equality data base **10** (2) (1980) 89–95
Samet, H., C.A. Shaffer and **R.E. Webber,** Digitizing the plane with cells of nonuniform size **24** (6) (1987) 369–375
Sanchez, P.P. and **R. Soyer,** Information concepts and pairwise comparison matrices **68** (4) (1998) 185–188
Sanchis, L.A., On the complexity of test case generation for NP-hard problems **36** (3) (1990) 135–140
Sanders, J.W., *see* **Hoare, C.A.R.** **25** (2) (1987) 71–76
Sanders, P., Random permutations on distributed, external and hierarchical memory **67** (6) (1998) 305–309
Sandhu, R.S., Cryptographic implementation of a tree hierarchy for access control **27** (2) (1988) 95–98
Sandhu, R.S., The reflected tree hierarchy for protection and sharing **30** (1) (1989) 21–26
Sandhu, R.S., The demand operation in the schematic protection model **32** (4) (1989) 213–219
Sang Ajang, G.J.M. and **F. Teer,** An efficient algorithm for detection of combined occurrences **8** (3) (1979) 137–140
Santini, M., *see* **Goldwurm, M.** **75** (3) (2000) 127–132
Santini, M., *see* **Posenato, R.** **68** (4) (1998) 167–171
Santomo, A., *see* **Nardelli, E.** **63** (1) (1997) 9–12
Santomo, A., *see* **Nardelli, E.** **64** (3) (1997) 149–154
Santone, A., *see* **Barbuti, R.** **70** (2) (1999) 69–78
Santoro, N., Full table search by polynomial functions **5** (3) (1976) 72–74
Santoro, N., Extending the four Russians' bound to general matrix multiplication **10** (2) (1980) 87–88
Santoro, N. and **J.B. Sidney,** Interpolation-binary search **20** (4) (1985) 179–181
Santoro, N., *see* **Atkinson, M.D.** **29** (1) (1988) 37–38
Santoro, N., *see* **Feuerstein, E.** **66** (4) (1998) 175–180
Santoro, N., *see* **Flocchini, P.** **63** (1) (1997) 23–31
Santoro, N., *see* **Nayak, A.** **73** (5–6) (2000) 199–206
Santos, F., Inscribing a symmetric body in an ellipse **59** (4) (1996) 175–178
Santos, J. and **J. Orozco,** Rate monotonic scheduling in hard real-time systems **48** (1) (1993) 39–45
Santos, J., *see* **Orozco, J.** **62** (1) (1997) 47–55

Saoudi, A., Infinitary tree languages recognized by ω-automata **18** (1) (1984) 15–19
Saoudi, A., *see* **Rytter, W.** **38** (5) (1991) 225–229
Saouter, Y. and **H. Le Verge,** Computability of affine non-conditional recurrent systems **69** (6) (1999) 291–295
Sarje, A.K., *see* **Sagar, G.** **32** (3) (1989) 151–153
Sarkar, D. and **I. Stojmenović,** An optimal parallel circle-cover algorithm **32** (1) (1989) 3–6
Sarkar, P., A note on the spectral characterization of correlation immune Boolean functions **74** (5–6) (2000) 191–195
Sarkar, P., *see* **Maitra, S.** **71** (3–4) (1999) 149–153
Sarkar, U.K., P.P. Chakrabarti, S. Ghose and **S.C. De Sarkar,** Multiple stack branch and bound **37** (1) (1991) 43–48
Sarkar, U.K., P.P. Chakrabarti, S. Ghose and **S.C. De Sarkar,** Effective use of memory in iterative deepening search **42** (1) (1992) 47–52
Sarkar, U.K., P.P. Chakrabarti, S. Ghose and **S.C. De Sarkar,** A simple 0.5-bounded greedy algorithm for the 0/1 knapsack problem **42** (3) (1992) 173–177
Sarkissian, S., *see* **Lawler, E.L.** **56** (2) (1995) 89–93
Sarwal, A., *see* **Bataineh, A.** **39** (2) (1991) 99–108
Sarwate, D.V., A note on universal classes of hash functions **10** (1) (1980) 41–45
Sarwate, D.V., *see* **Preparata, F.P.** **7** (3) (1978) 148–150
Sasaki, G., The effect of the density of states on the Metropolis algorithm **37** (3) (1991) 159–163
Sassa, M. and **E. Goto,** A hashing method for fast set operations **5** (2) (1976) 31–34
Sassa, M. and **E. Goto,** "V-tape", a virtual memory oriented data type, and its resource requirements **6** (2) (1977) 50–55
Sassa, M., H. Ishizuka and **I. Nakata,** ECLR-attributed grammars: A practical class of LR-attributed grammars **24** (1) (1987) 31–41
Sassa, M. and **I. Nakata,** A simple realization of LR-parsers for regular right part grammars **24** (2) (1987) 113–120
Sassa, M. and **I. Nakata,** Time-optimal short-circuit evaluation of Boolean expressions **29** (1) (1988) 43–51
Sassa, M. and **T. Ookubo,** Systematic debugging method for attribute grammar description **62** (6) (1997) 305–313
Sassa, M., *see* **Nakata, I.** **23** (6) (1986) 325–328
Sassano, A., *see* **Bertolazzi, P.** **31** (6) (1989) 299–304
Sassano, A., *see* **Padberg, M.** **32** (6) (1989) 297–300
Sato, T., Decidability for some problems of linear cellular automata over finite commutative rings **46** (3) (1993) 151–155
Sato, T., Ergodicity of linear cellular automata over $\mathbb{Z}_m$ **61** (3) (1997) 169–172
Sato, T., Surjective linear cellular automata over $\mathbb{Z}_m$ **66** (2) (1998) 101–104
Sato, T., *see* **Tsuda, T.** **16** (4) (1983) 183–188
Sato, Y., *see* **Itano, K.** **27** (5) (1988) 253–258
Sattolo, S., An algorithm to generate a random cyclic permutation **22** (6) (1986) 315–317
Satyanarayanan, R. and **D.R. Muthukrishnan,** A note on Raymond's tree based algorithm for distributed mutual exclusion **43** (5) (1992) 249–255
Savage, C., Maximum matchings and trees **10** (4–5) (1980) 202–205
Savage, C., Depth-first search and the vertex cover problem **14** (5) (1982) 233–235
Savage, C., Recognizing majority on a one-way mesh **27** (5) (1988) 221–225
Savage, J.E., *see* **Carlson, D.A.** **14** (5) (1982) 223–227
Savitch, W.J. and **P.M.B. Vitányi,** On the power of real-time two-way multihead finite automata with jumps **19** (1) (1984) 31–35
Saxena, P., *see* **Fraenkel, A.S.** **50** (1) (1994) 25–30
Saxena, S., Two-coloring linked lists is NC^1-complete for logarithmic space **49** (2) (1994) 73–76
Saxena, S. and **N.M. Rao,** Parallel algorithms for connectivity problems on interval graphs **56** (1) (1995) 37–44
Saxena, S., *see* **Kishore, K.V.R.C.N.** **75** (4) (2000) 145–151
Saxena, S., *see* **Sajith, G.** **49** (6) (1994) 303–308
Saxena, S., *see* **Sajith, G.** **54** (5) (1995) 305
Saxton, L.V., *see* **Dowdy, L.W.** **19** (4) (1984) 209–212
Sbriz, L., *see* **Gries, D.** **25** (4) (1987) 237–240
Scalas, M.R., *see* **Maio, D.** **19** (3) (1984) 157–161
Scarioni, F. and **H.G. Speranza,** A probabilistic analysis of an error-correcting algorithm for the Towers of Hanoi puzzle **18** (2) (1984) 99–103
Schach, S.R., *see* **Binkley, A.B.** **58** (6) (1996) 271–275
Schachtel, G., A noncommutative algorithm for multiplying 5×5 matrices using 103 multiplications **7** (4) (1978) 180–182
Schäffer, A.A., Optimal node ranking of trees in linear time **33** (2) (1989) 91–96
Scheidig, H., Representation and equality of modes **1** (2) (1971) 61–65
Scherson, I.D., *see* **Corbett, P.F.** **37** (4) (1991) 225–231
Scheuermann, P., *see* **Gursel, G.** **19** (5) (1984) 255–260
Scheuermann, P., *see* **Ouksel, M.** **29** (4) (1988) 183–189
Schevon, C.A. and **J.S. Vitter,** A parallel algorithm for recognizing unordered depth-first search **28** (2) (1988) 105–110
Schieber, B., *see* **Bshouty, N.H.** **63** (4) (1997) 211–213
Schieber, B., *see* **Gusfield, D.** **41** (4) (1992) 181–185
Schieber, B., *see* **Khuller, S.** **42** (6) (1992) 321–323
Schiper, A., *see* **Raynal, M.** **39** (6) (1991) 343–350
Schirra, S., Approximate decision algorithms for approximate congruence **43** (1) (1992) 29–34
Schittenkopf, C., G. Deco and **W. Brauer,** Finite automata-models for the investigation of dynamical systems **63** (3) (1997) 137–141
Schlipf, J.S., F.S. Annexstein, J.V. Franco and **R.P. Swaminathan,** On finding solutions for extended Horn formulas **54** (3) (1995) 133–137
Schlörer, J., Insecurity of set controls for statistical databases **18** (2) (1984) 67–71
Schmeck, H., On the maximum edge length in VLSI layouts of complete binary trees **23** (1) (1986) 19–23
Schmeck, H., On the maximum edge length in VLSI layouts of complete binary trees (*Corrigendum*) **23** (3) (1986) 165
Schmeichel, E., *see* **Bagchi, A.** **34** (4) (1990) 197–202
Schmeichel, E.F., *see* **Hakimi, S.L.** **63** (5) (1997) 229–235
Schmeiser, J.P. and **D.T. Barnard,** Producing a top-down parse order with bottom-up parsing **54** (6) (1995) 323–326
Schmidt, E.M., *see* **Larsen, K.S.** **41** (3) (1992) 163–168
Schmidt, G., *see* **Berghammer, R.** **33** (3) (1989) 163–168
Schmidt, J.P., *see* **Fischetti, V.A.** **45** (1) (1993) 11–18
Schmidt, J.P., *see* **Fischetti, V.A.** **46** (3) (1993) 157

Schmitt, A., On the computational power of the floor function **14** (1) (1982) 1–3
Schmitt, M., *see* **Natschläger, T.** **59** (1) (1996) 19–20
Schmitt, M., *see* **Natschläger, T.** **60** (2) (1996) 107
Schmitz, L., *see* **Falkowski, B.-J.** **23** (1) (1986) 39–46
Schneider, F.B., *see* **Abadi, M.** **40** (3) (1991) 141–142
Schneider, F.B., *see* **Alpern, B.** **16** (2) (1983) 79–81
Schneider, F.B., *see* **Alpern, B.** **21** (4) (1985) 181–185
Schneider, F.B., *see* **Alpern, B.** **23** (4) (1986) 177–180
Schneider, F.B., *see* **Denning, D.E.** **12** (1) (1981) 23–25
Schneider, F.B., *see* **Denning, D.E.** **13** (3) (1981) 125–126
Schneider, F.B., *see* **Gries, D.** **53** (3) (1995) 145–152
Schneider, M., On distribution properties of sequences with perfect linear complexity profile **74** (3–4) (2000) 175–182
Schneider, S.A., *see* **Ryan, P.Y.A.** **65** (1) (1998) 7–10
Schnoebelen, Ph., *see* **Cherief, F.** **40** (4) (1991) 219–222
Schnorr, C.P., How many polynomials can be approximated faster than they can be evaluated? **12** (2) (1981) 76–78
Schnorr, C.P. and **H. Klupp,** A universally hard set of formulae with respect to non-deterministic Turing acceptors **6** (2) (1977) 35–37
Schnorr, C.P., *see* **Shamir, A.** **19** (3) (1984) 113–115
Schobbens, P.-Y. and **J.-F. Raskin,** The logic of "initially" and "next": Complete axiomatization and complexity **69** (5) (1999) 221–225
Schoenmakers, B., A systematic analysis of splaying **45** (1) (1993) 41–50
Schoenmakers, B., A tight lower bound for top-down skew heaps **61** (5) (1997) 279–284
Schoenmakers, B., *see* **Kaldewaij, A.** **37** (5) (1991) 265–271
Scholefield, D. and **H.S.M. Zedan,** Weakest precondition semantics for time and concurrency **43** (6) (1992) 301–308
Scholefield, D., *see* **Atkinson, S.** **55** (4) (1995) 201–210
Scholten, C.S., *see* **Dijkstra, E.W.** **11** (1) (1980) 1–4
Schönhage, A., Variations on computing reciprocals of power series **74** (1–2) (2000) 41–46
Schönherr, S., *see* **Gärtner, B.** **68** (1) (1998) 33–38
Schöning, U., On the structure of Δ_2^P **16** (4) (1983) 209–211
Schöning, U., On random reductions from sparse sets to tally sets **46** (5) (1993) 239–241
Schoor, A., Fast algorithm for sparse matrix multiplication **15** (2) (1982) 87–89
Schorn, P., A canonical simplifier for trigonometric expressions in the kinematic equation **29** (5) (1988) 241–246
Schorn, P., *see* **Hinrichs, K.** **26** (5) (1988) 255–261
Schorr, A., Physical parallel devices are not much faster than sequential ones **17** (2) (1983) 103–106
Schott, R., *see* **Alonso, L.** **47** (5) (1993) 253–255
Schott, R., *see* **Alonso, L.** **64** (6) (1997) 305–308
Schrader, R., *see* **Faigle, U.** **19** (1) (1984) 27–29
Schrader, R., *see* **Faigle, U.** **27** (4) (1988) 189–194
Schreck, H., *see* **Tinhofer, G.** **23** (1) (1986) 11–17
Schreiber, F.A. and **G. Rosolini,** An algebraic description of some state-dependent failure mechanisms **29** (4) (1988) 207–211
Schröder, H., *see* **Paterson, M.S.** **48** (4) (1993) 197–199
Schuler, R., Some properties of sets tractable under every polynomial-time computable distribution **55** (4) (1995) 179–184
Schumacher, H., *see* **Duske, J.** **5** (5) (1976) 152–154
Schwabe, E.J., Embedding meshes of trees into deBruijn graphs **43** (5) (1992) 237–240
Schwabe, E.J., Constant-slowdown simulations of normal hypercube algorithms on the butterfly network **45** (6) (1993) 295–301
Schwabe, E.J., *see* **Maggs, B.M.** **66** (5) (1998) 269–276
Schwartz, J.T., Finding the minimum distance between two convex polygons **13** (4–5) (1981) 168–170
Schwartz, R.L., Aliasing among pointers in EUCLID **9** (2) (1979) 76–79
Schwartz, R.L., *see* **Berry, D.M.** **9** (1) (1979) 13–18
Schwartzbach, M.I., *see* **Larsen, K.S.** **41** (3) (1992) 163–168
Schwartzbach, M.I., *see* **Palsberg, J.** **43** (4) (1992) 175–180
Schwarz, S. and **S.O. Krumke,** On budget-constrained flow improvement **66** (6) (1998) 291–297
Schwarzkopf, O. and **J. Vleugels,** Range searching in low-density environments **60** (3) (1996) 121–127
Schwarzkopf, O., *see* **de Berg, M.** **63** (4) (1997) 215–219
Schwarzkopf, O., *see* **Efrat, A.** **64** (6) (1997) 309–314
Schweikard, A., Trigonometric polynomials with simple roots **39** (5) (1991) 231–236
Schwer, S.R., On the rationality of Petri net languages **22** (3) (1986) 145–146
Schwing, J.L., *see* **Bokka, V.** **56** (5) (1995) 273–280
Scott, E.A., *see* **Cohen, D.A.** **44** (6) (1992) 307–311
Scott, M.L., *see* **Hunt, G.C.** **60** (3) (1996) 151–157
Scutellà, M.G., *see* **Gallo, G.** **29** (5) (1988) 221–227
Seberry, J., X.-M. Zhang and **Y. Zheng,** Improving the strict avalanche characteristics of cryptographic functions **50** (1) (1994) 37–41
Secher, J.P., *see* **Alstrup, S.** **64** (4) (1997) 161–164
Sedgewick, R., *see* **Golin, M.J.** **48** (5) (1993) 253–259
Sedgewick, R., *see* **Incerpi, J.** **26** (1) (1987) 37–43
Sedgewick, R., *see* **Weiss, M.A.** **28** (3) (1988) 133–136
Sedgewick, R., *see* **Weiss, M.A.** **34** (5) (1990) 267–270
Sedjelmaci, M.S. and **C. Lavault,** Improvements on the accelerated integer GCD algorithm **61** (1) (1997) 31–36
Sedjelmaci, S.M., *see* **Lavault, C.** **72** (3–4) (1999) 125–130
Segal, M. and **K. Kedem,** Enclosing k points in the smallest axis parallel rectangle **65** (2) (1998) 95–99
Segal, M., *see* **Bespamyatnikh, S.** **75** (3) (2000) 95–100
Seibert, S., *see* **Böckenhauer, H.-J.** **75** (3) (2000) 133–138
Seiden, S.S. and **D.S. Hirschberg,** Finding succinct ordered minimal perfect hash functions **51** (6) (1994) 283–288
Seiden, S.S., *see* **Hirschberg, D.S.** **47** (4) (1993) 215–219
Seidl, H., Haskell overloading is DEXPTIME-complete **52** (2) (1994) 57–60
Seidl, H., Fast and simple nested fixpoints **59** (6) (1996) 303–308
Seiferas, J., A variant of Ben-Or's lower bound for algebraic decision trees (*Note*) **26** (5) (1988) 273–276
Seiferas, J.I., *see* **Dietz, P.F.** **50** (3) (1994) 123–127
Seiferas, J.I., *see* **Macarie, I.I.** **72** (3–4) (1999) 113–118
Seifert, J.-P., *see* **Goldreich, O.** **71** (2) (1999) 55–61
Sekey, A.A., A generating function for entropy **4** (2) (1975) 51
Selkow, S., *see* **Taylor, S.** **61** (1) (1997) 55–61
Selkow, S.M., The tree-to-tree editing problem **6** (6) (1977) 184–186

Selkow, S.M., Hew bounds for the clique number of a graph **7** (4) (1978) 173–174
Selkow, S.M., *see* **Murphy, O.J.** **23** (4) (1986) 215–218
Selkow, S.M., *see* **Murphy, O.J.** **34** (1) (1990) 37–41
Sellers, P.H., *see* **Fischetti, V.A.** **45** (1) (1993) 11–18
Sellers, P.H., *see* **Fischetti, V.A.** **46** (3) (1993) 157
Semba, I., Generation of all the balanced parenthesis strings in lexicographical order **12** (4) (1981) 188–192
Sempere, J.M. and **D. López,** A McCulloch–Pitts neural net to characterize even linear languages **56** (4) (1995) 201–208
Sen, A., H. Deng and **S. Guha,** On a graph partition problem with application to VLSI layout **43** (2) (1992) 87–94
Sen, A., A. Sengupta and **S. Bandyopadhyay,** On the routing problem in faulty supercubes **42** (1) (1992) 39–46
Sen, A., *see* **Guha, S.** **40** (5) (1991) 277–281
Sen, R.K., *see* **Datta, A.K.** **55** (1) (1995) 41–44
Sen, R.K., *see* **Datta, A.K.** **71** (1) (1999) 9–15
Sen, S., Finding an approximate median with high probability in constant parallel time **34** (2) (1990) 77–80
Sen, S., Some observations on skip-lists **39** (4) (1991) 173–176
Sengupta, A., On ring embedding in hypercubes with faulty nodes and links **68** (4) (1998) 207–214
Sengupta, A. and **S. Bandyopadhyay,** Deadlock-free routing in k-ary hypercube network in presence of processor failures **34** (6) (1990) 323–328
Sengupta, A., S. Bandyopadhyay and **P.K. Srimani,** On identification of CR property in file organisation **9** (2) (1979) 93–96
Sengupta, A. and **S. Viswanathan,** On fault-tolerant fixed routing in hypercubes **51** (2) (1994) 93–99
Sengupta, A., *see* **Abbasi, S.** **62** (3) (1997) 135–139
Sengupta, A., *see* **Sen, A.** **42** (1) (1992) 39–46
Sengupta, A., *see* **Viswanathan, S.** **57** (5) (1996) 265–271
Sengupta, R., Cancellation is exponentially powerful for computing the determinant **62** (4) (1997) 177–181
Senizergues, G., A new class of C.F.L. for which the equivalence is decidable **13** (1) (1981) 30–34
Seo, S.K. and **Y.J. Lee,** Applicability of genetic algorithms to optimal evaluation of path predicates in object-oriented queries **58** (3) (1996) 123–128
Sere, K., Procedures and atomicity refinement **60** (2) (1996) 67–74
Sereno, M., Binary search with errors and variable cost queries **68** (5) (1998) 261–270
Serna, M., Approximating linear programming is log-space complete for P **37** (4) (1991) 233–236
Seroussi, G. and **F. Ma,** On the arithmetic complexity of matrix Kronecker powers **17** (3) (1983) 145–148
Serra, O., *see* **Abellanas, M.** **57** (3) (1996) 165–173
Seshadri, S. and **D. Rotem,** The two headed disk: Stochastic dominance of the greedy policy **57** (5) (1996) 273–277
Seth, S.C., *see* **Steckelberg, J.M.** **6** (6) (1977) 180–183
Sethi, A.S., V. Rajaraman and **P.S. Kenjale,** An error-correcting coding scheme for alphanumeric data **7** (2) (1978) 72–77
Sethi, B.S., *see* **Robins, G.** **69** (4) (1999) 189–195
Sethi, R., A note on implementing parallel assignment instructions **2** (4) (1973) 91–95
Sevcik, K.C., *see* **Zahorjan, J.** **16** (5) (1983) 249–252
Sgall, J., A lower bound for randomized on-line multiprocessor scheduling **63** (1) (1997) 51–55
Sgall, J., *see* **Chrobak, M.** **75** (1–2) (2000) 75–77
Shachnai, H. and **J.J. Turek,** Multiresource malleable task scheduling to minimize response time **70** (1) (1999) 47
Shachnai, H., *see* **Hofri, M.** **37** (3) (1991) 175–179
Shaffer, C.A., *see* **Pemmaraju, S.V.** **49** (5) (1994) 263–267
Shaffer, C.A., *see* **Samet, H.** **24** (6) (1987) 369–375
Shafransky, Y.M., *see* **Kovalyov, M.Y.** **64** (2) (1997) 69–74
Shah, N.R., A parallel algorithm for constructing projection polyhedra **48** (3) (1993) 113–119
Shah, N.R., *see* **Dey, T.K.** **51** (5) (1994) 227–231
Shahrokhi, F., *see* **Clark, L.H.** **42** (1) (1992) 19–24
Shahrokhi, F., *see* **Lindhorst, G.** **30** (6) (1989) 289–293
Shallit, J. and **A. Shamir,** Number-theoretic functions which are equivalent to number of divisors **20** (3) (1985) 151–153
Shallit, J., *see* **Glaister, I.** **59** (2) (1996) 75–77
Shallit, J., *see* **Tromp, J.** **54** (6) (1995) 313–316
Shamir, A., Factoring numbers in O($\log n$) arithmetic steps **8** (1) (1979) 28–31
Shamir, A., Embedding cryptographic trapdoors in arbitrary knapsack systems **17** (2) (1983) 77–79
Shamir, A. and **C.P. Schnorr,** Cryptanalysis of certain variants of Rabin's signature scheme **19** (3) (1984) 113–115
Shamir, A., *see* **Shallit, J.** **20** (3) (1985) 151–153
Shamir, E., *see* **Dolev, D.** **7** (1) (1978) 7–9
Shamir, R., *see* **Hochbaum, D.S.** **31** (4) (1989) 215–219
Shamir, R., *see* **Kaplan, H.** **49** (1) (1994) 51–56
Shamos, M.I., *see* **Bentley, J.L.** **7** (2) (1978) 87–91
Shanehchi, J., *see* **Barlow, R.H.** **13** (3) (1981) 103–106
Shanehchi, J., *see* **Barlow, R.H.** **14** (3) (1982) 117–118
Shankar, N. and **V. Ramachandran,** Efficient parallel circuits and algorithms for division **29** (6) (1988) 307–313
Shankar, P., *see* **Gabrani, N.** **42** (2) (1992) 117–119
Shannon, G.E., A linear-processor algorithm for depth-first search in planar graphs **29** (3) (1988) 119–123
Shanthikumar, J.G., A recursive algorithm to generate joint probability distribution of arrivals from exponential sources during a random time interval **14** (5) (1982) 214–217
Sharary, A. and **N. Zaguia,** On a setup optimization problem for interval orders **44** (1) (1992) 51–55
Sharir, M., Fast composition of sparse maps **15** (4) (1982) 183–185
Sharir, M., The shortest watchtower and related problems for polyhedral terrains **29** (5) (1988) 265–270
Sharir, M., A note on the Papadimitriou–Silverberg algorithm for planning optimal piecewise-linear motion of a ladder **32** (4) (1989) 187–190
Sharir, M., Excess in arrangements of segments **58** (5) (1996) 245–247
Sharir, M., *see* **Halperin, D.** **40** (4) (1991) 189–192
Sharir, M., *see* **Halperin, D.** **51** (1) (1994) 53–56
Sharir, M., *see* **Katz, M.J.** **47** (3) (1993) 115–122
Sharma, A., *see* **Jain, S.** **47** (2) (1993) 81–88
Sharma, M.B., S.S. Iyengar and **N.K. Mandyam,** An efficient distributed depth-first-search algorithm **32** (4) (1989) 183–186
Sharma, M.B., *see* **Kumar, D.** **35** (1) (1990) 55–56
Sharma, N.K., *see* **Arora, R.K.** **13** (4–5) (1981) 199–203
Sharp, D., *see* **Edalat, A.** **64** (4) (1997) 197–202

Shasha, D., *see* **Zhang, K.** **42** (3) (1992) 133–139
Shavitt, Y., *see* **Cidon, I.** **54** (2) (1995) 111–119
Shaw, J.G., *see* **Gunther, N.J.** **33** (6) (1990) 289–295
Shaw, M. and **J.F. Traub,** Selection of good algorithms from a family of algorithms for polynomial derivative evaluations **6** (5) (1977) 141–145
Sheinwald, D., *see* **Makedon, F.** **46** (2) (1993) 103–107
Shen, H. and **S. Ramnath,** Optimal parallel selection in sorted matrices **59** (3) (1996) 117–122
Shen, H., *see* **Chen, S.D.** **52** (1) (1994) 35–38
Shen, H., *see* **Hagerup, T.** **36** (2) (1990) 57–63
Shen, H., *see* **Liang, W.** **58** (3) (1996) 149–155
Shen, H., *see* **Venema, S.** **60** (5) (1996) 243–248
Shen, N.-T., *see* **Hsiao, C.C.** **21** (4) (1985) 207–212
Shen, X. and **H. Edelsbrunner,** A tight lower bound on the size of visibility graphs **26** (2) (1987) 61–64
Shen, X. and **Q. Hu,** A note on minimal visibility graphs **46** (2) (1993) 101
Shen, X., Q. Hu, B. Cong, H. Sudborough, M. Girou and **S. Bettayeb,** The 4-star graph is not a subgraph of any hypercube **45** (4) (1993) 199–203
Shen, X., Q. Hu and **W. Liang,** Realization of an arbitrary permutation on a hypercube **51** (5) (1994) 237–243
Shen, X. and **E.M. Reingold,** Scheduling on a hypercube **40** (6) (1991) 323–328
Shen, X., *see* **Hu, Q.** **71** (1) (1999) 23–27
Shen, Z., Static behavior analysis of a mesh system **47** (6) (1993) 295–299
Shende, S.M., *see* **Feder, T.** **67** (6) (1998) 295–302
Sherman, A.T., *see* **Rabi, M.** **64** (5) (1997) 239–244
Shermer, T., A counterexample to the algorithms for determining opaque minimal forests **40** (1) (1991) 41–42
Shermer, T.C., A linear algorithm for bisecting a polygon **41** (3) (1992) 135–140
Sherwani, N.A., *see* **Grinstead, D.L.** **48** (5) (1993) 221–228
Sheu, J.-P., Fault-tolerant parallel k selection algorithm in n-cube networks **39** (2) (1991) 93–97
Sheu, J.-P. and **Z.-F. Chiang,** Efficient allocation of chain-like task on chain-like network computers **36** (5) (1990) 241–245
Sheu, J.-P., W.-H. Liaw and **T.-S. Chen,** A broadcasting algorithm in star graph interconnection networks **48** (5) (1993) 237–241
Sheu, J.-P. and **J.-S. Tang,** Efficient parallel k selection algorithm **35** (6) (1990) 313–316
Shi, H., G.X. Ritter and **J.N. Wilson,** Simulations between two reconfigurable mesh models **55** (3) (1995) 137–142
Shi, Y., Lower bounds of quantum black-box complexity and degree of approximating polynomials by influence of Boolean variables **75** (1–2) (2000) 79–83
Shiau, S.-H. and **C.-B. Yang,** A fast maximum finding algorithm on broadcast communication **60** (2) (1996) 81–89
Shibata, Y., M. Shirahata and **S. Osawa,** Counting closed walks in generalized de Bruijn graphs **49** (3) (1994) 135–138
Shibata, Y., *see* **Hasunuma, T.** **61** (1) (1997) 25–30
Shidlovsky, B. and **E. Bertino,** On the number of descendants in an object DAG **58** (5) (1996) 211–216
Shidlovsky, B., *see* **Bertino, E.** **64** (1) (1997) 1–8
Shieh, S.-P., *see* **Sun, H.-M.** **52** (4) (1994) 201–206
Shigeno, M., *see* **Iwata, S.** **74** (3–4) (2000) 123–128
Shih, W.-K. and **W.-L. Hsu,** An $O(n \log n + m \log\log n)$ maximum weight clique algorithm for circular-arc graphs **31** (3) (1989) 129–134
Shih, W.-K., *see* **Lin, F.-C.** **23** (1) (1986) 5–9
Shikishima-Tsuji, K., M. Katsura and **Y. Kobayashi,** On termination of confluent one-rule string-rewriting systems **61** (2) (1997) 91–96
Shiloach, Y., Edge-disjoint branching in directed multigraphs **8** (1) (1978) 24–27
Shiloach, Y., Strong linear orderings of a directed network **8** (3) (1979) 146–148
Shiloach, Y., A fast equivalence-checking algorithm for circular lists **8** (5) (1979) 236–238
Shiloach, Y., Another look at the degree constrained subgraph problem **12** (2) (1981) 89–92
Shiloach, Y., *see* **Israeli, A.** **22** (2) (1986) 57–60
Shimada, T., *see* **Yuba, T.** **16** (3) (1983) 139–143
Shimony, S.E., *see* **Melkman, A.A.** **59** (6) (1996) 335–339
Shimozono, S., K. Hirata and **A. Shinohara,** On the hardness of approximating the minimum consistent acyclic DFA and decision diagram **66** (4) (1998) 165–170
Shin, C.-S., S.K. Kim, S.-H. Kim and **K.-Y. Chwa,** Algorithms for drawing binary trees in the plane **66** (3) (1998) 133–139
Shin, C.-S., S.Y. Shin and **K.-Y. Chwa,** The widest k-dense corridor problems **68** (1) (1998) 25–31
Shin, C.-S., *see* **Kim, S.K.** **73** (1–2) (2000) 33–39
Shin, H.-C. and **K.-M. Choe,** An improved LALR(k) parser generation for regular right part grammars **47** (3) (1993) 123–129
Shin, S.-Y., *see* **Baek, N.** **66** (3) (1998) 119–123
Shin, S.Y., *see* **Kim, S.-H.** **53** (6) (1995) 359–365
Shin, S.Y., *see* **Shin, C.-S.** **68** (1) (1998) 25–31
Shing, M.-T., Optimum ordered bi-weighted binary trees **17** (2) (1983) 67–70
Shinohara, A., *see* **Shimozono, S.** **66** (4) (1998) 165–170
Shirahata, M., *see* **Shibata, Y.** **49** (3) (1994) 135–138
Shiraishi, S., A parallel algorithm for the maximum 2-chain edge packing problem **32** (6) (1989) 277–279
Shiratori, N., *see* **Kimura, S.** **58** (2) (1996) 97–104
Shirazi, A., *see* **Israeli, A.** **65** (1) (1998) 33–40
Shmoys, D.B. and **D.P. Williamson,** Analyzing the Held–Karp TSP bound: A monotonicity property with application **35** (6) (1990) 281–285
Shmoys, D.B., *see* **Aardal, K.** **72** (5–6) (1999) 161–167
Shmueli, O., Dynamic cycle detection **17** (4) (1983) 185–188
Shmueli, O. and **K. Shoens,** Data sufficiency for queries on cache **65** (4) (1998) 209–216
Shmueli, O., *see* **Gavril, F.** **66** (1) (1998) 1–6
Shmueli, O., *see* **Goodman, N.** **13** (4–5) (1981) 154–156
Shmueli, O., *see* **Matsliach, G.** **34** (6) (1990) 313–321
Shock, R.C., Computing the minimum cover of functional dependencies **22** (3) (1986) 157–159
Shoens, K., *see* **Shmueli, O.** **65** (4) (1998) 209–216
Shokrollahi, M.A., D.A. Spielman and **V. Stemann,** A remark on matrix rigidity **64** (6) (1997) 283–285
Shonkwiler, R., An image algorithm for computing the Hausdorff distance efficiently in linear time **30** (2) (1989) 87–89
Shonkwiler, R., Computing the Hausdorff set distance in linear time for any L_p point distance **38** (4) (1991) 201–207

Shonkwiler, R., *see* **Belogay, E.** **64** (1) (1997) 17–22
Shortt, J., An interative program to calculate Fibonacci numbers in O(log *n*) arithmetic operations **7** (6) (1978) 299–303
Shortt, J., *see* **Wilson, T.C.** **10** (2) (1980) 68–75
Shoudai, T., The lexicographically first topological order problem is NLOG-complete **33** (3) (1989) 121–124
Shoudai, T., A P-complete language describable with iterated shuffle **41** (5) (1992) 233–238
Shoup, V., On the deterministic complexity of factoring polynomials over finite fields **33** (5) (1990) 261–267
Shoup, V., Smoothness and factoring polynomials over finite fields **38** (1) (1991) 39–42
Shparlinski, I.E., *see* **Galiev, V.I.** **43** (3) (1992) 143–146
Shugart, J., *see* **Dickerson, M.T.** **45** (5) (1993) 269–274
Shuo-Yen, R.L., Reconstruction of polygons from projections **28** (5) (1988) 235–240
Shutt, J.N., *see* **Rubinstein, R.S.** **56** (4) (1995) 185–190
Shvartsman, A.A., Achieving optimal CRCW PRAM fault-tolerance **39** (2) (1991) 59–66
Shvartsman, A.A., An efficient Write-All algorithm for fail-stop PRAM without initialized memory **44** (4) (1992) 223–231
Shyamasundar, R.K., A note on linear precedence functions **5** (3) (1976) 81
Shyamasundar, R.K., *see* **Hehner, E.C.R.** **12** (4) (1981) 196–198
Siddall, W.E., *see* **MacDavid Tolle, D.** **13** (3) (1981) 120–124
Sideri, M., *see* **Kavvadias, D.J.** **74** (3–4) (2000) 157–162
Sideris, M., On attribute grammars without attribute synthesis **35** (2) (1990) 103–109
Sidney, J.B., *see* **Santoro, N.** **20** (4) (1985) 179–181
Sieling, D. and **I. Wegener**, Reduction of OBDDs in linear time **48** (3) (1993) 139–144
Sieling, D., *see* **Löbbing, M.** **67** (4) (1998) 163–168
Siemiński, A., Fast decoding of the Huffman codes **26** (5) (1988) 237–241
Siklóssy, L., Fast and read-only algorithms for traversing trees without an auxiliary stack **1** (4) (1972) 149–152
Siklóssy, L., Efficient query evaluation in relational data bases with missing values **13** (4–5) (1981) 160–163
Siklóssy, L. and **E. Tulp**, The Space Reduction Method: A method to reduce the size of search spaces **38** (4) (1991) 187–192
Silberschatz, A., *see* **Kumar, D.** **61** (6) (1997) 287
Silva-Filho, Y.V., Average case analysis of region search in balanced *k-d* trees **8** (5) (1979) 219–223
Silva Filho, Y.V., Optimal choice of discriminators in a balanced *k-d* binary search tree **13** (2) (1981) 67–70
Silverman, B.W., *see* **Wallis, P.J.L.** **10** (3) (1980) 120–123
Silvestri, R., *see* **Borchert, B.** **63** (3) (1997) 153–158
Silvestri, R., *see* **Cintioli, P.** **61** (4) (1997) 189–194
Silvestri, R., *see* **Crescenzi, P.** **33** (5) (1990) 221–226
Silvestri, R., *see* **Crescenzi, P.** **40** (1) (1991) 1–5
Silvestri, R., *see* **Crescenzi, P.** **47** (1) (1993) 11–15
Simeone, B., *see* **Jaumard, B.** **26** (1) (1987) 1–4
Simeone, B., *see* **Petreschi, R.** **11** (4–5) (1980) 193–198
Simeone, B., *see* **Petreschi, R.** **12** (2) (1981) 109
Simha, R. and **A. Majumdar**, On lookahead in the list update problem **50** (2) (1994) 105–110
Simon, H.U., The Vapnik–Chervonenkis dimension of decision trees with bounded rank **39** (3) (1991) 137–141
Simon, J. and **J.-M. Wierum**, The Latency-of-Data-Access model for analyzing parallel computation **66** (5) (1998) 255–261
Simon, J., *see* **Karloff, H.J.** **28** (5) (1988) 241–243
Simon, K., A note on lexicographic breadth first search for chordal graphs **54** (5) (1995) 249–251
Simonson, S., Routing with critical paths **34** (1) (1990) 13–19
Simonson, S. and **I.H. Sudborough**, On the complexity of tree embedding problems **44** (6) (1992) 323–328
Simovici, D.A. and **Gh. Grigoras**, Even initial feedback vertex set problems is NP-complete **8** (2) (1979) 64–66
Simovici, D.A., *see* **Baclawski, K.** **57** (4) (1996) 211–214
Simpson, L., **J. Golić**, **M. Salmasizadeh** and **E. Dawson**, A fast correlation attack on multiplexer generators **70** (2) (1999) 89–93
Simpson, L., *see* **Golić, J.Dj.** **64** (1) (1997) 37–42
Sims, D.L., *see* **Hensgen, D.A.** **48** (3) (1993) 131–137
Sinachopoulos, A., Logics and decidability for labelled pre- and partially ordered Kripke structures **51** (1) (1994) 43–52
Sinclair, A., *see* **Luby, M.** **47** (4) (1993) 173–180
Singh, A., *see* **Ravi Kanth, K.V.** **68** (2) (1998) 97–105
Singh, A.K., Towards an understanding of unbounded variables in asynchronous systems **42** (1) (1992) 7–17
Singh, G., Real-time leader election **49** (2) (1994) 57–61
Singh, S., Expected connectivity and leader election in unreliable networks **42** (5) (1992) 283–285
Singhal, M. and **A. Kshemkalyani**, An efficient implementation of vector clocks **43** (1) (1992) 47–52
Singhal, M. and **F. Mattern**, An optimality proof for asynchronous recovery algorithms in distributed systems **55** (3) (1995) 117–121
Singhal, M. and **Y. Yesha**, A polynomial algorithm for computation of the probability of conflicts in a database under arbitrary data access distribution **27** (2) (1988) 69–74
Sinha, B.P., *see* **Mukhopadhyaya, K.** **44** (2) (1992) 95–99
Sinha, R.K., Simulation of PRAMs with scan primitives by unbounded fan-in circuits **68** (6) (1998) 275–282
Sinha, R.K., *see* **Chinn, D.D.** **48** (2) (1993) 87–91
Sinha, R.K., *see* **Kimbrel, T.** **45** (2) (1993) 107–110
Sinha, S., *see* **King, V.** **62** (3) (1997) 153–159
Sinharoy, B., *see* **Szymanski, B.K.** **42** (3) (1992) 121–126
Sinharoy, B., *see* **Szymanski, B.K.** **43** (3) (1992) 167
Sipser, M., *see* **Fortnow, L.** **28** (5) (1988) 249–251
Siromoney, R. and **L. Mathew**, A public key cryptosystem based on Lyndon words **35** (1) (1990) 33–36
Siromoney, R., **L. Mathew**, **V.R. Dare** and **K.G. Subramanian**, Infinite Lyndon words **50** (2) (1994) 101–104
Siromoney, R., *see* **Subramanian, K.G.** **26** (2) (1987) 95–97
Sistla, A.P., On verifying that a concurrent program satisfies a nondeterministic specification **32** (1) (1989) 17–23
Sistla, A.P., Proving correctness with respect to nondeterministic safety specifications **39** (1) (1991) 45–49
Sivagurunathan, Y., *see* **Danicic, S.** **56** (6) (1995) 307–313
Sivasankara Reddy, A., *see* **Sony Roy, T.** **50** (2) (1994) 75–79
Six, H.-W., *see* **Maurer, H.A.** **5** (1) (1976) 11–14
Siy, P., *see* **Zhu, M.** **26** (3) (1987) 121–126
Skiena, S.S., Reconstructing graphs from cut-set sizes **32** (3) (1989) 123–127

Skillicorn, D.B., A parallel tree difference algorithm **60** (5) (1996) 231–235
Skillicorn, D.B. and **D.T. Barnard,** Parallel parsing on the Connection Machine **31** (3) (1989) 111–117
Skillicorn, D.B., *see* **Bajantri, M.** **24** (6) (1987) 381–389
Skillicorn, D.B., *see* **Barnard, D.T.** **35** (2) (1990) 79–84
Skyum, S., A measure in which Boolean negation is exponentially powerful **17** (3) (1983) 125–128
Skyum, S., A simple algorithm for computing the smallest enclosing circle **37** (3) (1991) 121–125
Skyum, S., *see* **Engelfriet, J.** **4** (6) (1976) 157–161
Skyum, S., *see* **Frandsen, G.S.** **63** (2) (1997) 75–78
Slater, P.J., A linear algorithm for the number of degree constrained subforests of a tree **15** (4) (1982) 186–189
Slater, P.J., *see* **Grinstead, D.L.** **48** (5) (1993) 221–228
Slater, P.J., *see* **Harary, F.** **23** (6) (1986) 317–319
Slavík, P., Improved performance of the greedy algorithm for partial cover **64** (5) (1997) 251–254
Sleator, D.D., *see* **Ginat, D.** **31** (1) (1989) 3–5
Sleator, D.D.K.D.B., A 2.5 times optimal algorithm for packing in two dimensions **10** (1) (1980) 37–40
Sleep, M.R., *see* **Kennaway, J.R.** **24** (5) (1987) 343–349
Slisenko, A.O., Context-free grammars as a tool for describing polynomial-time subclasses of hard problems **14** (2) (1982) 52–56
Sloan, R.H., Four types of noise in data for PAC learning **54** (3) (1995) 157–162
Slobodová, A., One-way globally deterministic synchronized alternating finite automata recognize exactly deterministic context-sensitive languages **36** (2) (1990) 69–72
Słowiński, R., Cost-minimal preemptive scheduling of independent jobs with release and due dates on open shop under resource constraints **9** (5) (1979) 233–237
Ślusarek, M., A note on the dynamic storage allocation problem **20** (5) (1985) 223–227
Ślusarek, M., An off-line storage allocation algorithm **24** (2) (1987) 71–75
Slutzki, G., *see* **Jha, P.K.** **55** (3) (1995) 123–127
Slutzki, G., *see* **Leuchner, J.H.** **49** (4) (1994) 185–188
Slutzky, G., *see* **Francez, N.** **2** (5) (1973) 141–142
Smelianski, R.L., *see* **Alanko, T.O.** **22** (5) (1986) 273–276
Smelyakov, S.V., *see* **Stoyan, Yu.G.** **13** (1) (1981) 39–43
Smid, M., *see* **Das, G.** **74** (5–6) (2000) 253–255
Smid, M., *see* **Gupta, P.** **64** (5) (1997) 263–269
Smid, M., *see* **Gupta, P.** **69** (1) (1999) 7–13
Smid, M.H.M., *see* **Ching, Y.-T.** **35** (1) (1990) 37–40
Smith, A.J., *see* **Floyd, R.W.** **2** (5) (1973) 123–125
Smith, C.H., *see* **Tu, H.-C.** **53** (4) (1995) 185–192
Smith, C.H., *see* **van Leeuwen, J.** **3** (1) (1974) 22–24
Smith, C.H., *see* **Woo, N.S.** **19** (1) (1984) 13–16
Smith, C.J., *see* **Manacher, G.K.** **35** (4) (1990) 205–211
Smith, G., *see* **Volpano, D.** **56** (3) (1995) 141–146
Smith-Thomas, B., *see* **King, K.N.** **14** (3) (1982) 109–111
Smyth, W.F., *see* **Eades, P.** **47** (6) (1993) 319–323
Smyth, W.F., *see* **Moore, D.** **50** (5) (1994) 239–246
Smyth, W.F., *see* **Moore, D.** **54** (2) (1995) 101–103
Snelick, R., J. JáJá, R. Kacker and **G. Lyon,** Using synthetic perturbations and statistical screening to assay shared-memory programs **54** (3) (1995) 147–153
Snir, M., On the complexity of simplifying quadratic forms **12** (5) (1981) 217–220
Snir, M., Exact balancing is not always good **22** (2) (1986) 97–102
Snodgrass, R., *see* **Hsu, S.H.** **45** (3) (1993) 153–158
Snyder, L., *see* **Elgot, C.C.** **14** (3) (1982) 128–131
Snyder, T.L., Lower bounds for rectilinear Steiner trees in bounded space **37** (2) (1991) 71–74
Snyder, T.L., Lower bounds for rectilinear Steiner trees (*Corrigendum*) **38** (5) (1991) 279
Snyder, W., On the complexity of recursive path orderings **46** (5) (1993) 257–262
Socolovsky, V.Z., *see* **Stoyan, Yu.G.** **8** (2) (1979) 110–111
Soda, G., *see* **Cesarini, F.** **17** (1) (1983) 13–16
Sohoni, M.A., *see* **Loui, M.C.** **35** (5) (1990) 223–228
Soisalon-Soininen, E., On computing approximate convex hulls **16** (3) (1983) 121–126
Soisalon-Soininen, E. and **J. Tarhio,** Looping LR parsers **26** (5) (1988) 251–253
Soisalon-Soininen, E., *see* **Nuutila, E.** **49** (1) (1994) 9–14
Soisalon-Soininen, E., *see* **Stojmenović, I.** **22** (2) (1986) 55–56
Sokolowski, S., A method for proving programming languages non context-free **7** (3) (1978) 151–153
Sokolowski, S., *see* **Jackowski, B.L.** **9** (2) (1979) 100
Solntseff, N., A classification of extensible programming languages **1** (3) (1972) 91–96
Solntseff, N., On a notational device for the description of pointer-free operations on structured data **2** (6) (1974) 158–159
Solntseff, N. and **A. Yezerski,** ECT – An extensible-contractable translator system **1** (3) (1972) 97–99
Solomon, M., *see* **Leland, W.** **12** (3) (1981) 117–120
Somalvico, M., *see* **Guida, G.** **5** (5) (1976) 141–145
Somalvico, M., *see* **Guida, G.** **13** (4–5) (1981) 204–214
Sommerhalder, R. and **S.C. van Westrhenen,** A parallel $O(\log n)$ algorithm for the drawing of algebraic curves in an $n \times n$ square **23** (5) (1986) 221–226
Son, J.J., J.I. Lim, S. Chee and **S.H. Sung,** Global avalanche characteristics and nonlinearity of balanced Boolean functions **65** (3) (1998) 139–144
Sonenberg, E.A., *see* **Lassez, J.-L.** **14** (3) (1982) 112–116
Song, G., D. Park, D. Lee, K.H. Park and **M. Kim,** A distributed deadlock detection algorithm: Distributed graph reconstruction algorithm **30** (5) (1989) 245–252
Song, S., *see* **Ng, J.K.-Y.** **74** (3–4) (2000) 163–173
Song, X., *see* **Tan, X.** **55** (4) (1995) 223–228
Sontacchi, G., *see* **Böhm, C.** **10** (4–5) (1980) 231–233
Sontag, E.D., Real addition and the polynomial hierarchy **20** (3) (1985) 115–120
Sony Roy, T., G. Athithan, M.S. Ganagi and **A. Sivasankara Reddy,** A new method to solve non-linear equations **50** (2) (1994) 75–79
Sopena, E., *see* **Raspaud, A.** **51** (4) (1994) 171–174
Sorenson, J., *see* **Dunten, B.** **59** (2) (1996) 79–84
Sorri, L., *see* **Del Lungo, A.** **65** (6) (1998) 293–299
Sotteau, D., *see* **Heydemann, M.C.** **53** (5) (1995) 255–259
Soundararajan, N., Axiomatic proofs of total correctness of programs **8** (5) (1979) 274–277

Souza de Oliveira, R., *see* **Bourret, P.** **22** (5) (1986) 247–253
Soyer, R., *see* **Sanchez, P.P.** **68** (4) (1998) 185–188
Speranza, H.G., *see* **Scarioni, F.** **18** (2) (1984) 99–103
Speranza, M.G., *see* **Błażewicz, J.** **41** (5) (1992) 275–280
Speranza, M.G., *see* **Błażewicz, J.** **49** (5) (1994) 269–270
Speranza, M.G., *see* **Dell'Olmo, P.** **61** (4) (1997) 195–200
Speranza, M.G., *see* **Dell'Olmo, P.** **65** (5) (1998) 229–233
Spielman, D.A., *see* **Shokrollahi, M.A.** **64** (6) (1997) 283–285
Spiliopoulou, M., Y. Cotronis and **M. Hatzopoulos,** Query processing for multimedia applications on optical media **53** (6) (1995) 301–306
Spilker, H., *see* **Wätjen, D.** **59** (1) (1996) 13–17
Spinrad, J.P., Finding large holes **39** (4) (1991) 227–229
Spinrad, J.P., Doubly lexical ordering of dense 0–1 matrices **45** (5) (1993) 229–235
Spinrad, J.P., *see* **Oellermann, O.** **55** (3) (1995) 149–154
Spirakis, P. and **C.K. Yap,** Strong NP-hardness of moving many discs **19** (1) (1984) 55–59
Spirakis, P., *see* **Kavadias, D.** **39** (5) (1991) 245–252
Spirakis, P., *see* **Kirousis, L.M.** **58** (1) (1996) 47–53
Spork, M., *see* **Alstrup, S.** **64** (4) (1997) 161–164
Sprague, A., *see* **Lai, T.-H.** **23** (3) (1986) 119–122
Sprague, A.P. and **K.H. Kulkarni,** Optimal parallel algorithms for finding cut vertices and bridges of interval graphs **42** (4) (1992) 229–234
Sprague, A.P., *see* **Corneil, D.G.** **55** (2) (1995) 99–104
Sprugnoli, R., *see* **Merlini, D.** **57** (1) (1996) 53–58
Spyratos, M., A homomorphism theorem for data base mappings **15** (3) (1982) 91–96
Sreenivasa Kumar, P., *see* **Veeraraghavulu, N.Ch.** **44** (1) (1992) 45–49
Sreenivasa Rao, D. and **J.D. Provence,** An integrated approach to routing and via minimization **39** (5) (1991) 257–263
Sridhar, M.A., On the connectivity of the De Bruijn graph **27** (6) (1988) 315–318
Sridhar, M.K., A new algorithm for parallel solution of linear equations **24** (6) (1987) 407–412
Sridharan, K., Computing two penetration measures for curved 2D objects **72** (3–4) (1999) 143–148
Sridharan, K., H.E. Stephanou, K.C. Craig and **S.S. Keerthi,** Distance measures on intersecting objects and their applications **51** (4) (1994) 181–188
Sridharan, N.S., Computer generation of vertex graphs **3** (2) (1974) 57–63
Sridharan, N.S., Computer generation of vertex graphs (*Erratum*) **3** (5) (1975) 164
Srikant, R. and **K. Krithivasan,** Fastest path across constrained moving rectilinear obstacles **37** (6) (1991) 349–353
Srikant, Y.N., *see* **Gibbons, A.M.** **32** (6) (1989) 305–311
Srimani, P.K., Comments on "Another solution of the mutual exclusion problem" (*Letter to the Editor*) **20** (3) (1985) 165
Srimani, P.K. and **R.L.N. Reddy,** Another distributed algorithm for multiple entries to a critical section **41** (1) (1992) 51–57
Srimani, P.K., *see* **Rouskov, Y.** **48** (5) (1993) 243–251
Srimani, P.K., *see* **Sengupta, A.** **9** (2) (1979) 93–96
Srimani, P.K., *see* **Vadapalli, P.** **54** (6) (1995) 329–335
Srimani, P.K., *see* **Vadapalli, P.** **57** (4) (1996) 183–188
Srinivasan, A., K. Madhukar, P. Nagavamsi, C. Pandu Rangan and **M.-S. Chang,** Edge domination on bipartite permutation graphs and cotriangulated graphs **56** (3) (1995) 165–171
Srinivasan, A., *see* **Baveja, A.** **74** (1–2) (2000) 19–25
Srinivasan, A., *see* **Saks, M.** **73** (1–2) (2000) 29–32
Srinivasan, B. and **V. Rajaraman,** On the normalization of relational databases **9** (2) (1979) 89–92
Srinivasan, B., *see* **Ch'ng, H.T.** **30** (5) (1989) 237–244
Srinivasan, B., *see* **Gupta, G.K.** **22** (5) (1986) 243–246
Srinivasan, B., *see* **Malhotra, V.M.** **58** (4) (1996) 201–206
Srinivasan, B., *see* **Vincent, M.W.** **48** (6) (1993) 281–283
Srinivasa Rao, A. and **C. Pandu Rangan,** Linear algorithm for domatic number problem in interval graphs **33** (1) (1989) 29–33
Srinivasa Rao, A. and **C. Pandu Rangan,** Optimal parallel algorithms on circular-arc graphs **33** (3) (1989) 147–156
Srinivasa Rao, S., *see* **Raman, V.** **65** (1) (1998) 1–6
Srinivas Kumar, P. and **M. Manohar,** On probability of forest of quadtrees reducing to quadtrees **22** (3) (1986) 109–111
Srivas, M.K., *see* **Gopalakrishnan, G.C.** **26** (6) (1988) 277–286
Srivastava, V.S.P., *see* **Gupta, R.G.** **19** (3) (1984) 147–150
Stacey, G.M., The role of virtual memory in the handling of application files **1** (1) (1971) 1–3
Stafylopatis, A., *see* **Likas, A.** **53** (4) (1995) 229–234
Staiger, L., Codes, simplifying words, and open set condition **58** (6) (1996) 297–301
Stålmarck, G., A note on the computational complexity of the pure classical implication calculus **31** (6) (1989) 277–278
Stamoulis, G.D. and **J.N. Tsitsiklis,** An efficient algorithm for multiple simultaneous broadcasts in the hypercube **46** (5) (1993) 219–224
Stanat, D.F., *see* **Bentley, J.L.** **6** (6) (1977) 209–212
Stanat, D.F., *see* **Bently, J.L.** **3** (6) (1975) 170–173
Stănică, P., *see* **Cusick, T.W.** **60** (4) (1996) 215–219
Stata, R., *see* **Leino, K.R.M.** **70** (2) (1999) 99–105
Statman, R., *see* **Lewis, H.R.** **15** (5) (1982) 220–222
Statman, R., *see* **Zhang, K.** **42** (3) (1992) 133–139
Staunstrup, J. and **J. Nievergelt,** The behavior of shared objects: Concepts, pitfalls, and a new model **30** (3) (1989) 145–151
Staunstrup, J., *see* **Møller-Nielsen, P.** **18** (3) (1984) 129–135
Stavropoulos, E.C., *see* **Kavvadias, D.J.** **74** (3–4) (2000) 157–162
Steckelberg, J.M. and **S.C. Seth,** On a relation between algebraic programs and Turing machines **6** (6) (1977) 180–183
Steel, M. and **T. Warnow,** Kaikoura tree theorems: Computing the maximum agreement subtree **48** (2) (1993) 77–82
Ştefănescu, Gh., *see* **Bergstra, J.A.** **52** (6) (1994) 285–287
Štefankovič, D., Acyclic orientations do not lead to optimal deadlock-free packet routing algorithms **73** (5–6) (2000) 221–225
Steiger, W. and **I. Streinu,** A pseudo-algorithmic separation of lines from pseudo-lines **53** (5) (1995) 295–299
Steiger, W.L., *see* **Salowe, J.S.** **25** (5) (1987) 285–294
Steiglitz, K., *see* **Chin, F.** **6** (1) (1977) 18–21
Stein, C. and **J. Wein,** Approximating the minimum-cost maximum flow is P-complete **42** (6) (1992) 315–319
Stein, C., *see* **Klein, P.** **34** (6) (1990) 307–312
Stein, J., *see* **Fridman, F.J.** **8** (4) (1979) 204–206
Steinbach, J., Generating polynomial orderings **49** (2) (1994) 85–93

Steinberg, D. and **M. Rodeh,** A layout for the shuffle-exchange network with $\Theta(N^2/\log N)$ area **12** (2) (1981) 83–88
Steiner, G. and **S. Yeomans,** A note on "Scheduling unit-time tasks with integer release times and deadlines" **47** (3) (1993) 165–166
Steiner, G., *see* **Deogun, J.S.** **61** (3) (1997) 121–127
Stemann, V., *see* **Shokrollahi, M.A.** **64** (6) (1997) 283–285
Stepanets, N.I., *see* **Molchanov, I.N.** **1** (5) (1972) 205–210
Stephanou, H.E., *see* **Sridharan, K.** **51** (4) (1994) 181–188
Steppat, H., *see* **Kunde, M.** **25** (6) (1987) 389–396
Sterbini, A. and **T. Raschle,** An $O(n^3)$ time algorithm for recognizing threshold dimension 2 graphs **67** (5) (1998) 255–259
Sterbini, A., *see* **Calamoneri, T.** **63** (2) (1997) 97–102
Sterbini, A., *see* **Petreschi, R.** **56** (1) (1995) 65
Sterbini, A., *see* **Petreschim, R.** **54** (4) (1995) 193–198
Stevens, A., An elementary computer algorithm for the calculation of the coefficient of inbreeding **3** (5) (1975) 153–163
Stewart, I.A., An algorithm for colouring perfect planar graphs **31** (2) (1989) 97–101
Stewart, I.A., Complete problems for symmetric logspace involving free groups **40** (5) (1991) 263–267
Stewart, I.A., *see* **Arratia-Quesada, A.A.** **63** (3) (1997) 147–152
Stewart, I.A., *see* **Ashir, Y.** **61** (1) (1997) 43–48
Stewart, I.A., *see* **Chauhan, S.R.** **69** (2) (1999) 77–82
Stewart, L., *see* **Corneil, D.G.** **54** (5) (1995) 253–257
Stewart, L., *see* **Kratsch, D.** **63** (3) (1997) 167–170
Steyaert, J.M., *see* **Casas, R.** **31** (5) (1989) 227–232
Stiegler, H.G., *see* **Jammel, A.J.** **11** (4–5) (1980) 229–231
Stinson, D.R. and **R. Wei,** An application of ramp schemes to broadcast encryption **69** (3) (1999) 131–135
Stinson, D.R., *see* **Colbourn, C.J.** **42** (4) (1992) 223–228
Stinson, D.R., *see* **Gopalakrishnan, K.** **47** (3) (1993) 139–143
Stinson, D.R., *see* **Gopalakrishnan, K.** **60** (2) (1996) 91–96
Stirk, C., *see* **Eades, P.** **60** (2) (1996) 97–103
Stöckl, G., *see* **Aurenhammer, F.** **41** (2) (1992) 103–108
Stockman, G.C., *see* **Ra, D.-Y.** **72** (1–2) (1999) 37–45
Stockmeyer, L.J. and **V.V. Vazirani,** NP-completeness of some generalizations of the maximum matching problem **15** (1) (1982) 14–19
Stöhr, E., Broadcasting in the Butterfly network **39** (1) (1991) 41–43
Stoica, I., *see* **Baruah, S.K.** **64** (1) (1997) 43–51
Stojanovski, J., A note on implementing Prolog in Lisp **23** (5) (1986) 261–264
Stojmenović, I., Bisections and ham-sandwich cuts of convex polygons and polyhedra **38** (1) (1991) 15–21
Stojmenović, I. and **E. Soisalon-Soininen,** A note on approximate convex hulls **22** (2) (1986) 55–56
Stojmenović, I., *see* **Akl, S.G.** **33** (3) (1989) 135–139
Stojmenović, I., *see* **Belbaraka, M.** **49** (1) (1994) 27–32
Stojmenovic, I., *see* **Dehne, F.** **28** (2) (1988) 67–70
Stojmenović, I., *see* **Gries, D.** **25** (5) (1987) 323–327
Stojmenović, I., *see* **Sarkar, D.** **32** (1) (1989) 3–6
Stolfi, J., *see* **Guibas, L.J.** **17** (4) (1983) 219–223
Storer, J.A., Constructing full spanning trees for cubic graphs **13** (1) (1981) 8–11
Storer, J.A., *see* **De Agostino, S.** **59** (3) (1996) 169–174
Stork, H.-G., *see* **Endres, A.** **6** (2) (1977) 46–49
Storlind, R., *see* **Aspvall, B.** **57** (2) (1996) 89–93
Stotts, P.D. and **P. Godfrey,** Place/transition nets with debit arcs **41** (1) (1992) 25–33
Stout, Q.F., Drawing straight lines with a pyramid cellular automaton **15** (5) (1982) 233–237
Stoyan, Yu.G. and **S.V. Smelyakov,** An approach to the problems of routing optimization in the regions of intricate shape **13** (1) (1981) 39–43
Stoyan, Yu.G. and **V.Z. Socolovsky,** The minimization method for some permutation functionals **8** (2) (1979) 110–111
Streinu, I., *see* **Steiger, W.** **53** (5) (1995) 295–299
Strijk, T. and **M. van Kreveld,** Labeling a rectilinear map more efficiently **69** (1) (1999) 25–30
Strothotte, T., *see* **Carlsson, S.** **31** (6) (1989) 315–317
Struckmann, W., *see* **Wätjen, D.** **14** (3) (1982) 104–108
Su, J., *see* **Dong, G.** **57** (2) (1996) 95–102
Subrahmanian, V.S., *see* **Chomicki, J.** **34** (6) (1990) 289–291
Subrahmanian, V.S., *see* **Lobo, J.** **44** (3) (1992) 129–133
Subrahmanyam, K.V., *see* **Radhakrishnan, J.** **50** (4) (1994) 199–203
Subrahmanyam, K.V., *see* **Saluja, S.** **43** (3) (1992) 119–125
Subrahmanyam, P.A. and **J.-H. You,** On embedding functions in logic **19** (1) (1984) 41–46
Subramanian, A., A polynomial bound on the number of light cycles in an undirected graph **53** (4) (1995) 173–176
Subramanian, A., A polynomial bound on the number of light cycles in an undirected graph (*Erratum*) **54** (4) (1995) 247
Subramanian, D.K., *see* **Haldar, S.** **29** (3) (1988) 149–153
Subramanian, K.G., R. Siromoney and **P.J. Abisha,** A DOL–TOL public key cryptosystem **26** (2) (1987) 95–97
Subramanian, K.G., *see* **Emerald, J.D.** **70** (5) (1999) 217–222
Subramanian, K.G., *see* **Siromoney, R.** **50** (2) (1994) 101–104
Subramanian, R.K., *see* **Arora, R.K.** **7** (3) (1978) 132–136
Subramanian, R.K., *see* **Arora, R.K.** **7** (5) (1978) 233–236
Subramaniyam, R.V. and **A.A. Diwan,** A counterexample for the sufficiency of edge guards in star polygons **40** (2) (1991) 97–99
Sudakov, B., *see* **Krivelevich, M.** **67** (2) (1998) 71–74
Sudan, M., *see* **Gemmell, P.** **43** (4) (1992) 169–174
Sudborough, H., *see* **Shen, X.** **45** (4) (1993) 199–203
Sudborough, I.H., A note on weak operator precedence grammars **6** (6) (1977) 213–218
Sudborough, I.H., A note on weak operator precedence grammars **7** (5) (1978) 213–218
Sudborough, I.H., *see* **Simonson, S.** **44** (6) (1992) 323–328
Suditu, E., *see* **Croitoru, C.** **17** (1) (1983) 53–56
Sugata, K., *see* **Umeo, H.** **14** (4) (1982) 158–161
Sugihara, K., Simpler proof of a realizability theorem on Delaunay triangulations **50** (4) (1994) 173–176
Sugihara, K. and **H. Inagaki,** Why is the 3D Delaunay triangulation difficult to construct? **54** (5) (1995) 275–280
Sugimoto, N. and **H. Ishizaka,** Generating languages by a derivation procedure for elementary formal systems **69** (4) (1999) 161–166
Sun, H.-M. and **S.-P. Shieh,** On dynamic threshold schemes **52** (4) (1994) 201–206
Sun, S., *see* **Xue, G.** **66** (3) (1998) 127–132
Sun, Y., Term rewriting and Hoare logic—Coded rewriting **60** (5) (1996) 237–242

Sundar, R., Worst-case data structures for the priority queue with attrition **31** (2) (1989) 69–75
Sundaram, G., *see* **Mitchell, J.S.B.** **56** (1) (1995) 45–49
Sundaram, R., *see* **Kumar, S.R.** **62** (6) (1997) 295–300
Sundaram, R., *see* **Russell, A.** **53** (2) (1995) 61–68
Sunder, S., *see* **Ramnath, S.** **57** (6) (1996) 321–327
Sung, S.H., S. Chee and **C. Park,** Global avalanche characteristics and propagation criterion of balanced Boolean functions **69** (1) (1999) 21–24
Sung, S.H., *see* **Park, S.M.** **61** (4) (1997) 209–212
Sung, S.H., *see* **Son, J.J.** **65** (3) (1998) 139–144
Sung, T.-Y., C.-Y. Lin, Y.-C. Chuang and **L.-H. Hsu,** Fault tolerant token ring embedding in double loop networks **66** (4) (1998) 201–207
Sung, T.-Y., *see* **Hung, C.-N.** **72** (1–2) (1999) 55–63
Sung, T.-Y., *see* **Wang, S.-Y.** **61** (4) (1997) 173–181
Supowit, K.J., Decomposing a set of points into chains, with applications to permutation and circle graphs **21** (5) (1985) 249–252
Supowit, K.J., *see* **Patterson, N.J.** **27** (2) (1988) 99–102
Supowit, K.J., *see* **Preparata, F.P.** **12** (4) (1981) 161–164
Suraweera, F. and **P. Bhattacharya,** An $O(\log m)$ parallel algorithm for the minimum spanning tree problem **45** (3) (1993) 159–163
Suraweera, F., *see* **Venema, S.** **60** (5) (1996) 243–248
Suri, S., *see* **Aggarwal, A.** **35** (1) (1990) 13–18
Surós, R. and **E. Montagne,** Fitted diagonals for reducing I/O bandwidth in systolic systems **25** (5) (1987) 335–341
Sutarwala, S., *see* **Balakrishnan, M.** **27** (1) (1988) 1–7
Suzuki, H., N. Takahashi and **T. Nishizeki,** A linear algorithm for bipartition of biconnected graphs **33** (5) (1990) 227–231
Suzuki, H., *see* **Lan, Y.-F.** **71** (5–6) (1999) 205–212
Suzuki, I., Proving properties of a ring of finite-state machines **28** (4) (1988) 213–214
Suzuki, I., M. Yamashita, H. Umemoto and **T. Kameda,** Bushiness and a tight worst-case upper bound on the search number of a simple polygon **66** (1) (1998) 49–52
Swaminathan, R.P., D. Giriraj and **D.K. Bhatia,** The pagenumber of the class of bandwidth-k graphs is $k-1$ **55** (2) (1995) 71–74
Swaminathan, R.P., *see* **Schlipf, J.S.** **54** (3) (1995) 133–137
Swartwout, D.E., *see* **Lagarias, J.C.** **14** (2) (1982) 63–66
Swayze, L.C., *see* **Weems, B.P.** **50** (3) (1994) 137–142
Swierstra, S.D., *see* **Bron, C.** **15** (1) (1982) 20–22
Sýkora, O. and **I. Vrťo,** Tight chip area lower bounds for string matching **26** (3) (1987) 117–119
Sýkora, O., *see* **Ďuriš, P.** **21** (5) (1985) 245–247
Sýkora, O., *see* **Paterson, M.S.** **48** (4) (1993) 197–199
Symvonis, A., Routing on trees **57** (4) (1996) 215–223
Symvonis, A., A note on deflection worm routing on meshes **71** (5–6) (1999) 235–239
Syslo, M.M., A labeling algorithm to recognize a line digraph and output its root graph **15** (1) (1982) 28–30
Szalas, A., Arithmetical axiomatization of first-order temporal logic **26** (3) (1987) 111–116
Szalas, A., An incompleteness result in Process Algebra **29** (2) (1988) 67–70
Szalas, A., Axiomatizing fixpoint logics **41** (4) (1992) 175–180
Szalas, A., *see* **Holenderski, L.** **27** (3) (1988) 111–117
Szegedy, M., *see* **Fortnow, L.** **44** (6) (1992) 303–306
Székely, L.A., *see* **Clark, L.H.** **42** (1) (1992) 19–24
Szemerédi, E., *see* **Ajtai, M.** **7** (6) (1978) 270–273
Szemerédi, E., *see* **Geréb-Graus, M.** **30** (1) (1989) 47–49
Szendrényi, T., *see* **Dévai, F.** **9** (3) (1979) 141–142
Szepietowski, A., A finite 5-pebble-automaton can search every maze **15** (5) (1982) 199–204
Szepietowski, A., There are no fully space constructible functions between $\log\log n$ and $\log n$ **24** (6) (1987) 361–362
Szepietowski, A., Remarks on languages acceptable in $\log\log n$ space **27** (4) (1988) 201–203
Szepietowski, A., Some remarks on the alternating hierarchy and closure under complement for sublogarithmic space **33** (2) (1989) 73–78
Szepietowski, A., Some notes on strong and weak $\log\log n$ space complexity **33** (2) (1989) 109–112
Szepietowski, A., The element distinctness problem on one-tape Turing machines **59** (4) (1996) 203–206
Szepietowski, A., Weak and strong one-way space complexity classes **68** (6) (1998) 299–302
Szöts, M., *see* **Holnapy, D.** **2** (2) (1973) 55–59
Szpankowski, W., On an asymptotic analysis of a tree-type algorithm for broadcast communications **23** (3) (1986) 135–142
Szpankowski, W., The evaluation of an alternative sum with applications to the analysis of some data structures **28** (1) (1988) 13–19
Szpankowski, W., *see* **Fudos, I.** **57** (6) (1996) 307–312
Szpankowski, W., *see* **Prodinger, H.** **46** (6) (1993) 309–311
Szwarcfiter, J.L., Systems of distinct representatives for k families of sets **9** (5) (1979) 195–196
Szwarcfiter, J.L., A note on the computation of the k-closure of a graph **24** (4) (1987) 279–280
Szwarcfiter, J.L. and **G. Chaty,** Enumerating the kernels of a directed graph with no odd circuits **51** (3) (1994) 149–153
Szwarcfiter, J.L., *see* **Barbosa, V.C.** **72** (1–2) (1999) 71–74
Szwarcfiter, J.L., *see* **Knuth, D.E.** **2** (6) (1974) 153–157
Szwarcfiter, J.L., *see* **Knuth, D.E.** **3** (2) (1974) 64
Szymacha, T., *see* **Plandowski, W.** **59** (5) (1996) 267–271
Szymacha, T., *see* **Rytter, W.** **30** (5) (1989) 225–231
Szymanski, B.K. and **B. Sinharoy,** Complexity of the closest vector problem in a lattice generated by (0, 1)-matrix **42** (3) (1992) 121–126
Szymanski, B.K. and **B. Sinharoy,** Complexity of the closest vector problem in a lattice generated by (0, 1)-matrix (*Corrigendum*) **43** (3) (1992) 167

Taghva, K., Some characterizations of finitely specifiable implicational dependency families **23** (3) (1986) 153–158
Tai, H.-M., *see* **Wu, C.-H.** **35** (6) (1990) 305–311
Tai, K.C., *see* **Fischer, C.N.** **8** (5) (1979) 261–266
Tai, W.-C., *see* **Laih, C.-S.** **53** (5) (1995) 243–247
Takada, Y., Grammatical inference for even linear languages based on control sets **28** (4) (1988) 193–199
Takagi, N., *see* **Ito, M.** **60** (5) (1996) 267–269
Takahashi, D., A fast algorithm for computing large Fibonacci numbers **75** (6) (2000) 243–246
Takahashi, N., *see* **Suzuki, H.** **33** (5) (1990) 227–231
Takanami, I., *see* **Inoue, K.** **7** (1) (1978) 49–52

Takanami, I., *see* **Inoue, K.** **8** (1) (1979) 15–16
Takanami, I., *see* **Inoue, K.** **8** (1) (1979) 34–37
Takanami, I., *see* **Inoue, K.** **10** (4–5) (1980) 245–248
Takanami, I., *see* **Inoue, K.** **15** (4) (1982) 164–168
Takanami, I., *see* **Inoue, K.** **28** (4) (1988) 215–219
Takanami, I., *see* **Inoue, K.** **43** (4) (1992) 225–227
Takanami, I., *see* **Inoue, K.** **48** (6) (1993) 285–288
Takaoka, T., A note on the ambiguity of context-free grammars **3** (2) (1974) 35–36
Takaoka, T., An on-line pattern matching algorithm **22** (6) (1986) 329–330
Takaoka, T., A decomposition rule for the Hoare logic **26** (4) (1987) 205–208
Takaoka, T., A new upper bound on the complexity of the all pairs shortest path problem **43** (4) (1992) 195–199
Takaoka, T., *see* **Dey, P.** **34** (2) (1990) 65–69
Takaoka, T., *see* **Moffat, A.** **18** (4) (1984) 189–193
Takche, J., *see* **Ja'Ja', J.** **21** (3) (1985) 123–127
Talbert, S.H., On the formal specification of the semantics of processed information **6** (4) (1977) 116–119
Talbot, J.-M., The $\exists\forall^2$ fragment of the first-order theory of atomic set constraints is Π_1^0-hard **74** (1–2) (2000) 27–33
Tamassia, R., An incremental reconstruction method for dynamic planar point location **37** (2) (1991) 79–83
Tamassia, R., **I.G. Tollis** and **J.S. Vitter**, Lower bounds for planar orthogonal drawings of graphs **39** (1) (1991) 35–40
Tamassia, R., *see* **Di Battista, G.** **41** (1) (1992) 1–7
Tamassia, R., *see* **Kant, G.** **62** (2) (1997) 81–88
Tambouratzis, T., Solving the Hamiltonian cycle problem via an artificial neural network **75** (6) (2000) 237–242
Tamir, A., *see* **Hassin, R.** **53** (2) (1995) 109–111
Tamminen, M., Extendible hashing with overflow **15** (5) (1982) 227–232
Tamminen, M., Analysis of N-trees **16** (3) (1983) 131–137
Tamon, C., *see* **Bshouty, N.H.** **65** (4) (1998) 217–222
Tamura, A. and **Y. Tamura**, Degree constrained tree embedding into points in the plane **44** (4) (1992) 211–214
Tamura, Y., *see* **Tamura, A.** **44** (4) (1992) 211–214
Tan, K.-L. and **H. Lu**, On resource scheduling of multi-join queries in parallel database systems **48** (4) (1993) 189–195
Tan, K.-L. and **H. Lu**, Workload scheduling for multiple query processing **55** (5) (1995) 251–257
Tan, K.-P., *see* **Ang, C.-H.** **53** (2) (1995) 85–89
Tan, R.B., **G. Tel** and **J. van Leeuwen**, Comments on "Distributed termination detection algorithm for distributed computations" (*Letter to the Editor*) **23** (3) (1986) 163
Tan, X. and **X. Song**, Hexagonal three-layer channel routing **55** (4) (1995) 223–228
Tan, X.-H., **T. Hirata** and **Y. Inagaki**, The intersection searching problem for c-oriented polygons **37** (4) (1991) 201–204
Tanaka, K., **T. Nishino** and **R. Beals**, Negation-limited circuit complexity of symmetric functions **59** (5) (1996) 273–279
Tanaka, K., *see* **Mizumoto, M.** **2** (3) (1973) 74–78
Tanaka, Y., A dual algorithm for the satisfiability problem **37** (2) (1991) 85–89
Tanaka, Y., *see* **Kambayashi, Y.** **7** (2) (1978) 66–71
Tanca, L., *see* **Ceri, S.** **33** (2) (1989) 97–107
Tanca, L., *see* **Lambrichts, E.** **35** (3) (1990) 115–120
Tang, C.-Y., *see* **Chang, M.S.** **35** (5) (1990) 255–260
Tang, C.Y., *see* **Chen, W.-H.** **40** (3) (1991) 145–148
Tang, C.Y., *see* **Chen, W.-H.** **47** (1) (1993) 43–49
Tang, C.Y., *see* **Hsiao, J.Y.** **40** (5) (1991) 283–287
Tang, C.Y., *see* **Hsiao, J.Y.** **43** (5) (1992) 229–235
Tang, C.Y., *see* **Leu, F.-C.** **75** (4) (2000) 159–163
Tang, C.Y., *see* **Lu, B.-K.** **75** (4) (2000) 153–158
Tang, C.Y., *see* **Lu, C.L.** **61** (2) (1997) 107–111
Tang, C.Y., *see* **Tsai, Y.T.** **48** (4) (1993) 177–182
Tang, C.Y., *see* **Tsai, Y.T.** **51** (6) (1994) 275–282
Tang, C.Y., *see* **Wu, B.Y.** **63** (5) (1997) 263–269
Tang, C.Y., *see* **Wu, B.Y.** **69** (2) (1999) 63–67
Tang, C.Y., *see* **Wu, L.C.** **41** (4) (1992) 187–190
Tang, D., *see* **Leung, H.** **55** (5) (1995) 279–282
Tang, D.T. and **C.K. Wong**, A modified branch-and-bound strategy **2** (3) (1973) 65–69
Tang, J.-S., *see* **Sheu, J.-P.** **35** (6) (1990) 313–316
Tang, S., *see* **Book, R.V.** **33** (3) (1989) 141–143
Taniguchi, H., *see* **Inoue, K.** **15** (4) (1982) 164–168
Tanik, M.M., *see* **Erbas, C.** **41** (6) (1992) 301–306
Tanimoto, S.L., *see* **Fowler, R.J.** **12** (3) (1981) 133–137
Tanimoto, S.L., *see* **Gangolli, A.R.** **17** (4) (1983) 197–202
Tao, L., *see* **Ma, E.** **41** (4) (1992) 227–231
Tardos, É. and **V.V. Vazirani**, Improved bounds for the max-flow min-multicut ratio for planar and $K_{r,r}$-free graphs **47** (2) (1993) 77–80
Tarhio, J., LR parsing of some ambiguous grammars **14** (3) (1982) 101–103
Tarhio, J., *see* **Soisalon-Soininen, E.** **26** (5) (1988) 251–253
Tarjan, R., *see* **Hopcroft, J.** **1** (1) (1971) 32–34
Tarjan, R.E., Determining whether a groupoid is a group **1** (3) (1972) 120–124
Tarjan, R.E., A note on finding the bridges of a graph **2** (6) (1974) 160–161
Tarjan, R.E., A new algorithm for finding weak components **3** (1) (1974) 13–15
Tarjan, R.E., A good algorithm for edge-disjoint branching **3** (2) (1974) 51–53
Tarjan, R.E., A hierarchical clustering algorithm using strong components **14** (1) (1982) 26–29
Tarjan, R.E., Sensitivity analysis of minimum spanning trees and shortest path trees **14** (1) (1982) 30–33
Tarjan, R.E., Updating a balanced search tree in O(1) rotations **16** (5) (1983) 253–257
Tarjan, R.E., An improved algorithm for hierarchical clustering using strong components **17** (1) (1983) 37–41
Tarjan, R.E., Sensitivity analysis of minimum spanning trees and shortest path trees (*Corrigendum*) **23** (4) (1986) 219
Tarjan, R.E., *see* **Aspvall, B.** **8** (3) (1979) 121–123
Tarjan, R.E., *see* **Aspvall, B.** **14** (4) (1982) 195
Tarjan, R.E., *see* **Fung, K.Y.** **35** (2) (1990) 85–92
Tarjan, R.E., *see* **Gabow, H.N.** **27** (5) (1988) 259–263
Tarjan, R.E., *see* **Gajewska, H.** **22** (4) (1986) 197–200
Tarjan, R.E., *see* **Garey, M.R.** **7** (4) (1978) 175–179
Tarjan, R.E., *see* **Garey, M.R.** **7** (6) (1978) 274–276
Tarjan, R.E., *see* **Ginat, D.** **31** (1) (1989) 3–5
Tarjan, R.E., *see* **Goldberg, A.V.** **31** (5) (1989) 265–271
Tarjan, R.E., *see* **Lengauer, T.** **10** (4–5) (1980) 184–188

Tarjan, R.E., *see* **Misra, J.** **4** (1) (1975) 24–26
Tartar, J., *see* **Dasgupta, S.** **3** (3) (1975) 71–74
Ta-Shma, A., A note on *PCP* vs. *MIP* **58** (3) (1996) 135–140
Tate, S.R., *see* **Kao, M.-Y.** **38** (3) (1991) 113–116
Tatsumi, T., *see* **Tsuda, T.** **16** (4) (1983) 183–188
Taubenfeld, G., Leader election in the presence of $n-1$ initial failures **33** (1) (1989) 25–28
Taubenfeld, G., On the nonexistence of resilient consensus protocols **37** (5) (1991) 285–289
Taubenfeld, G., *see* **Fischer, M.J.** **45** (2) (1993) 101–105
Taubenfeld, G., *see* **Merritt, M.** **45** (3) (1993) 137–142
Taubner, D., A note on the notation of recursion in process algebras **37** (6) (1991) 299–303
Tavares, S.E., *see* **Youssef, A.M.** **56** (5) (1995) 249–252
Tavares, S.E., *see* **Youssef, A.M.** **60** (5) (1996) 271–275
Tay, Y.C., *see* **Goodman, N.** **18** (5) (1984) 261–266
Taylor, S., N. Hachem and **S. Selkow**, The average height of a node in the BANG abstract directory tree **61** (1) (1997) 55–61
Tazawa, S., On the consecutive retrieval property for generalized binary queries **18** (5) (1984) 291–293
Tchuente, M., *see* **Louka, B.** **29** (2) (1988) 97–104
Tchuente, M., *see* **Robert, Y.** **21** (4) (1985) 191–198
Teer, F., *see* **Sang Ajang, G.J.M.** **8** (3) (1979) 137–140
Teia, B., A lower bound for randomized list update algorithms **47** (1) (1993) 5–9
Teirlinck, L., *see* **Colbourn, C.J.** **42** (4) (1992) 223–228
Tejel, J., *see* **García, A.** **60** (1) (1996) 13–17
Tejel, J., *see* **García, A.** **68** (1) (1998) 3–9
Tel, G., Maximal matching stabilizes in quadratic time **49** (6) (1994) 271–272
Tel, G. and **F. Mattern**, Comments on "Ring based termination detection algorithm for distributed computations" **31** (3) (1989) 127–128
Tel, G. and **J. van Leeuwen**, Comments on "A distributed algorithm for distributed termination" (*Letter to the Editor*) **25** (5) (1987) 349
Tel, G., *see* **Bodlaender, H.L.** **36** (1) (1990) 53–56
Tel, G., *see* **Tan, R.B.** **23** (3) (1986) 163
Tel, G., *see* **van Gasteren, A.J.M.** **35** (6) (1990) 277–279
Tel, G., *see* **van Wezel, M.C.** **49** (5) (1994) 227–233
Teng, S.-H., Space efficient processor identity protocol **34** (3) (1990) 147–154
ten Hoopen, J., Consecutive retrieval with redundancy: An optimal linear and an optimal cyclic arrangement and their storage space requirements **11** (4–5) (1980) 211–217
Tennenholtz, M., *see* **Penn, M.** **75** (1–2) (2000) 29–34
Tennent, R.D., A note on undefined expression values in programming logics **24** (5) (1987) 331–333
Tennent, R.D., Quantification in Algol-like languages **25** (2) (1987) 133–137
Teo, K.-H. and **T.-C. Tuan**, Performance analysis of greedy heuristic to find a minimum total-jogs layout for river routing **36** (3) (1990) 167–170
Teo, K.-H. and **T.-C. Tuan**, An improved upper bound on the number of intersections between two rectangular paths **37** (6) (1991) 305–309
Teo, K.-H. and **T.-C. Tuan**, An efficient one-side height minimization algorithm for routing around a rectangle **44** (2) (1992) 101–105
Terashima, M. and **E. Goto**, Genetic order and compactifying garbage collectors **7** (1) (1978) 27–32
ter Bekke, J.H., Convertibility in databases **11** (4–5) (1980) 168–171
Terekhov, I. and **T. Camp**, Time efficient deadlock resolution algorithms **69** (3) (1999) 149–154
Teskey, F.N., Document retrieval using associative processors **9** (2) (1979) 64–67
Teuhola, J., A compression method for clustered bit-vectors **7** (6) (1978) 308–311
Teuhola, J., *see* **Katajainen, J.** **25** (2) (1987) 77–86
Thangavel, P. and **V.P. Muthuswamy**, Parallel algorithms for addition and multiplication on processor arrays with reconfigurable bus systems **46** (2) (1993) 89–94
Thatte, S.R., On the correspondence between two classes of reduction systems **20** (2) (1985) 83–85
Thazhuthaveetil, M.J. and **A.R. Pleszkun**, On the structural locality of reference in LISP list access streams **26** (2) (1987) 105–110
Thérien, D., *see* **Goldmann, M.** **73** (1–2) (2000) 23–28
Thi, V.D., *see* **Demetrovics, J.** **46** (4) (1993) 179–184
Thierauf, T., *see* **Mahajan, M.** **51** (1) (1994) 7–10
Thilikos, D.M. and **H.L. Bodlaender**, Fast partitioning l-apex graphs with applications to approximating maximum induced-subgraph problems **61** (5) (1997) 227–232
Thilikos, D.M., *see* **Bodlaender, H.L.** **61** (2) (1997) 101–106
Thimonier, L., *see* **Ravelomanana, V.** **73** (3–4) (2000) 77–86
Thirusangu, K. and **K. Rangarajan**, A note on the construction of marked graphs **55** (4) (1995) 211–215
Thomas, D.G., *see* **Emerald, J.D.** **70** (5) (1999) 217–222
Thomas, L.K., *see* **Doran, R.W.** **10** (4–5) (1980) 206–208
Thomas, S., Garbage collection in shared-environment closure reducers: Space-efficient depth first copying using a tailored approach **56** (1) (1995) 1–7
Thomason, A.G., *see* **Cockayne, E.J.** **9** (4) (1979) 171–175
Thomborson, C.D., The economics of large-memory computations **66** (5) (1998) 263–268
Thome, W. and **R. Wilhelm**, Simulating circular attribute grammars through attribute reevaluation **33** (2) (1989) 79–81
Thompson, C.D., VLSI design with multiple active layers **21** (3) (1985) 109–111
Thompson, C.D., *see* **Ďuriš, P.** **21** (5) (1985) 245–247
Thorup, M., *see* **Farach, M.** **55** (6) (1995) 297–301
Thuillier, H., *see* **Fouquet, J.L.** **62** (6) (1997) 281–287
Thulasiraman, K., *see* **Lakshmanan, K.B.** **25** (2) (1987) 103–109
Tiberio, P., *see* **Ciaccia, P.** **28** (5) (1988) 253–257
Tiberio, P., *see* **Maio, D.** **19** (3) (1984) 157–161
Tiekenheinrich, J., A $4n$-lower bound on the monotone network complexity of a one-output Boolean function **18** (4) (1984) 201–202
Tien, E., *see* **Omiecinski, E.** **30** (5) (1989) 269–275
Timmerman, E., *see* **Latteux, M.** **23** (4) (1986) 171–175
Timmerman, E., *see* **Latteux, M.** **28** (1) (1988) 1–4
Tinchev, T., *see* **Passy, S.** **20** (1) (1985) 35–41
Ting, H.F. and **A.C. Yao**, A randomized algorithm for finding maximum with $O((\log n)^2)$ polynomial tests **49** (1) (1994) 39–43

Tinhofer, G. and **H. Schreck,** The bounded subset sum problem is almost everywhere randomly decidable in O(n) **23** (1) (1986) 11–17
Tipper, J.C., A straightforward iterative algorithm for the planar Voronoi diagram **34** (3) (1990) 155–160
Tirri, H.R., Simulation, reduction and preservation of correctness properties of parallel systems **17** (1) (1983) 21–27
Tison, S., *see* **Niehren, J.** **74** (1–2) (2000) 35–40
Tiwari, P. and **M. Tompa,** A direct version of Shamir and Snir's lower bounds on monotone circuit depth **49** (5) (1994) 243–248
Tiwari, P., *see* **Aggarwal, A.** **42** (1) (1992) 55–60
Tiwari, P., *see* **Bshouty, N.H.** **63** (4) (1997) 211–213
To, T.V., *see* **Malhotra, V.M.** **31** (4) (1989) 185–189
Toda, S., On the complexity of topological sorting **35** (5) (1990) 229–233
Togashi, A., *see* **Kimura, S.** **58** (2) (1996) 97–104
Tokuda, N., *see* **Chen, L.** **73** (5–6) (2000) 167–168
Tokuda, T. and **Y. Watanabe,** An attribute evaluation of context-free languages **52** (2) (1994) 91–98
Tokuda, T. and **Y. Watanabe,** An efficient semantic evaluator for warped LC(1) attributed grammars **53** (5) (1995) 269–276
Tokunaga, S.-I., Intersection number of two connected geometric graphs **59** (6) (1996) 331–333
Toledo, S., Approximate parametric searching **47** (1) (1993) 1–4
Tollis, I.G., *see* **Di Battista, G.** **41** (1) (1992) 1–7
Tollis, I.G., *see* **Kant, G.** **62** (2) (1997) 81–88
Tollis, I.G., *see* **Tamassia, R.** **39** (1) (1991) 35–40
Tomescu, D., *see* **Băleanu, C.** **26** (4) (1987) 217–222
Tomkins, A., Lower bounds for two call control problems **56** (3) (1995) 173–178
Tompa, F.Wm., *see* **van Dam, A.** **1** (3) (1972) 80–86
Tompa, M., An extension of Savitch's theorem to small space bounds **12** (2) (1981) 106–108
Tompa, M., *see* **Tiwari, P.** **49** (5) (1994) 243–248
Tong, P. and **E.L. Lawler,** A faster algorithm for finding edge-disjoint branchings **17** (2) (1983) 73–76
Toniolo, L., *see* **Breslauer, D.** **47** (1) (1993) 51–57
Topor, R., *see* **Chen, S.D.** **52** (1) (1994) 35–38
Topor, R.W., Termination detection for distributed computations **18** (1) (1984) 33–36
Torán, J., *see* **Arvind, V.** **69** (4) (1999) 181–188
Torelli, M., *see* **Bertoni, A.** **8** (1) (1979) 50–53
Torenvliet, L., *see* **Buhrman, H.** **48** (4) (1993) 201–204
Torng, E. and **P. Uthaisombut,** A tight lower bound for the best-α algorithm **71** (1) (1999) 17–22
Torres, M.A., S. Kuroyanagi and **A. Iwata,** The Self-Indexed Search Algorithm: A bit-level approach to minimal perfect hashing **69** (5) (1999) 253–258
Toth, P., *see* **Martello, S.** **44** (4) (1992) 221–222
Toueg, S., *see* **Aguilera, M.K.** **71** (3–4) (1999) 155–158
Toueg, S., *see* **Jayanti, P.** **71** (3–4) (1999) 167–172
Toueg, S., *see* **Koo, R.** **27** (4) (1988) 181–188
Toueg, S., *see* **Räuchle, T.** **21** (2) (1985) 63–68
Toueg, S., *see* **Raynal, M.** **39** (6) (1991) 343–350
Tourancheau, B., *see* **Robert, Y.** **31** (1) (1989) 21–29
Tourlakis, G., An inductive number-theoretic characterization of NP **19** (5) (1984) 245–247
Toussaint, G.T., Feature evaluation with quadratic mutual information **1** (4) (1972) 153–156
Toussaint, G.T., *see* **Akl, S.G.** **7** (3) (1978) 127–128
Toussaint, G.T., *see* **Akl, S.G.** **7** (5) (1978) 219–222
Toussaint, G.T., *see* **Akl, S.G.** **8** (3) (1979) 157–158
Toussaint, G.T., *see* **Iwamoto, C.** **52** (4) (1994) 183–189
Toyama, Y., Counterexamples to termination for the direct sum of term rewriting systems **25** (3) (1987) 141–143
Toyama, Y., Fast Knuth–Bendix completion with a term rewriting system compiler **32** (6) (1989) 325–328
Toyama, Y., *see* **Klop, J.W.** **49** (2) (1994) 101–109
Toyoda, J., *see* **Mizumoto, M.** **2** (3) (1973) 74–78
Trahan, J.L., *see* **Vaidyanathan, R.** **47** (5) (1993) 267–273
Trakhtenbrot, M.B., Some equivalent transformations of recursive programs based on their schematic properties **18** (5) (1984) 275–283
Traub, J.F., *see* **Shaw, M.** **6** (5) (1977) 141–145
Treat, J.M. and **T.A. Budd,** Extensions to grid selector composition and compilation in APL **19** (3) (1984) 117–123
Trebilcock, C.J., *see* **Davis, R.H.** **13** (4–5) (1981) 138–141
Treinen, R., *see* **Niehren, J.** **74** (1–2) (2000) 35–40
Trevisan, L., A note on minimum-area upward drawing of complete and Fibonacci trees **57** (5) (1996) 231–236
Trevisan, L., *see* **Cesati, M.** **64** (4) (1997) 165–171
Tricomi, C., *see* **Martelli, M.** **43** (2) (1992) 57–62
Trier, U., Additive weights of a special class of nonuniformly distributed backtrack trees **42** (2) (1992) 67–76
Tripathi, A., *see* **Day, K.** **42** (5) (1992) 235–241
Tripathi, A., *see* **Day, K.** **45** (3) (1993) 123–129
Tripathi, S.K., *see* **Agrawala, A.K.** **13** (1) (1981) 20–22
Trivedi, K.S., On a semaphore anomaly **5** (3) (1976) 88–89
Trivedi, K.S., *see* **Marie, R.** **24** (6) (1987) 397–401
Trobec, R., *see* **Jerebic, I.** **43** (6) (1992) 285–291
Tromp, J. and **J. Shallit,** Subword complexity of a generalized Thue–Morse word **54** (6) (1995) 313–316
Tronel, F., *see* **Mostefaoui, A.** **73** (5–6) (2000) 207–212
Tronel, F., *see* **Raynal, M.** **72** (3–4) (1999) 91–97
Troya, J.M. and **A. Vaquero,** An approximation algorithm for reducing expected head movement in linear storage devices **13** (4–5) (1981) 218–220
Truszczyński, M., Once more on storage for consecutive retrieval **10** (1) (1980) 21–24
Trystam, D., *see* **Plateau, B.** **42** (2) (1992) 95–102
Trystram, D., *see* **Błażewicz, J.** **58** (5) (1996) 255–263
Tsai, C.-H., C.-N. Hung, L.-H. Hsu and **C.-H. Chang,** The correct diameter of trivalent Cayley graphs **72** (3–4) (1999) 109–111
Tsai, J., Y.-M. Wang and **S.-Y. Kuo,** Evaluations of domino-free communication-induced checkpointing protocols **69** (1) (1999) 31–37
Tsai, J.-H., *see* **Huang, K.-C.** **70** (4) (1999) 197–204
Tsai, K.-H., *see* **Hsu, W.-L.** **40** (3) (1991) 123–129
Tsai, L.-H., An algorithm for flow time minimization and its asymptotic makespan properties **43** (1) (1992) 41–46
Tsai, S.-C., *see* **Chang, K.-N.** **75** (1–2) (2000) 61–64
Tsai, Y.-T., *see* **Leu, F.-C.** **75** (4) (2000) 159–163
Tsai, Y.T. and **C.Y. Tang,** The competitiveness of randomized algorithms for on-line Steiner tree and on-line spanning tree problems **48** (4) (1993) 177–182

Tsai, Y.T., C.Y. Tang and **Y.Y. Chen,** Average performance of a greedy algorithm for the on-line minimum matching problem on Euclidean space **51** (6) (1994) 275–282
Tsakalidis, A., *see* **Bozanis, P.** **61** (1) (1997) 37–41
Tsakalidis, A., *see* **Fries, O.** **25** (4) (1987) 269–273
Tsakalidis, A., *see* **Kitsios, N.** **60** (4) (1996) 195–200
Tsakalidis, A., *see* **Lagogiannis, G.** **72** (5–6) (1999) 177–182
Tsakalidis, A., *see* **Makris, C.** **66** (6) (1998) 277–283
Tsalgatidou, A., Modelling and animating information systems dynamics **36** (3) (1990) 123–127
Tsanakas, P.D., *see* **Alexandridis, N.A.** **25** (3) (1987) 199–206
Tsang, W.W., *see* **Li, Z.** **75** (5) (2000) 187–189
Tsao, N.-K., The numerical instability of Bini's algorithm **12** (1) (1981) 17–19
Tsay, J.-J., An efficient implementation of priority queues using fixed-sized systolic coprocessors **46** (4) (1993) 193–198
Tscha, Y., Y. Choi and **K.H. Lee,** Rearrangeable nonblocking condition for multi-$\log_2 N$ multiconnection networks **48** (3) (1993) 107–112
Tse, T.H., On the detection of unstructuredness in flowgraphs **25** (3) (1987) 189–193
Tseng, L.Y., *see* **Yu, M.-S.** **46** (1) (1993) 7–11
Tseng, S.S., *see* **Kuo, R.T.** **34** (5) (1990) 261–263
Tseng, Y.-C., Embedding a ring in a hypercube with both faulty links and faulty nodes **59** (4) (1996) 217–222
Tseng, Y.-M. and **J.-K. Jan,** Attacks on threshold signature schemes with traceable signers **71** (1) (1999) 1–4
Tseng, Y.-M., *see* **Jan, J.-K.** **60** (5) (1996) 261–265
Tseytlin, G.E., *see* **Glushkov, V.M.** **7** (6) (1978) 256–260
Tsichritzis, D., A note on comparison of subrecursive hierarchies **1** (2) (1971) 42–44
Tsichritzis, D., Protection in operating systems **1** (4) (1972) 127–131
Tsigas, P., *see* **Kirousis, L.M.** **58** (1) (1996) 47–53
Tsin, Y.H., An optimal parallel processor bound in strong orientation of an undirected graph **20** (3) (1985) 143–146
Tsin, Y.H., On handling vertex deletion in updating minimum spanning trees **27** (4) (1988) 167–168
Tsin, Y.H. and **F.Y. Chin,** A general program scheme for finding bridges **17** (5) (1983) 269–272
Tsin, Y.H., *see* **Wang, C.A.** **25** (1) (1987) 55–60
Tsitsiklis, J.N., On the use of random numbers in asynchronous simulation via rollback **31** (3) (1989) 139–144
Tsitsiklis, J.N., *see* **Blondel, V.D.** **63** (5) (1997) 283–286
Tsitsiklis, J.N., *see* **Stamoulis, G.D.** **46** (5) (1993) 219–224
Tsuchiya, T., N. Ido and **T. Kikuno,** Constructing Byzantine Quorum systems from combinatorial designs **71** (1) (1999) 35–42
Tsuda, T., T. Sato and **T. Tatsumi,** Generalization of Floyd's model on permuting information in idealized two-level storage **16** (4) (1983) 183–188
Tsudik, G., *see* **Molva, R.** **65** (1) (1998) 47–55
Tsujii, S., *see* **Itoh, T.** **30** (3) (1989) 111–114
Tsujii, S., *see* **Kurosawa, K.** **53** (2) (1995) 77–83
Tsukiji, T., *see* **Domingo, C.** **64** (4) (1997) 179–185
Tsur, S., Analysis of queuing networks in which processes exhibit locality-transition behaviour **7** (1) (1978) 20–23
Tsur, S., *see* **Innes, D.R.** **5** (4) (1976) 91–96
Tu, F.-K., *see* **Laih, C.-S.** **53** (5) (1995) 243–247
Tu, H.-C. and **C.H. Smith,** Training digraphs **53** (4) (1995) 185–192
Tu, H.-Y., *see* **Frederickson, G.N.** **47** (2) (1993) 71–75
Tuan, T.-C., *see* **Jwo, J.-S.** **51** (5) (1994) 233–235
Tuan, T.-C., *see* **Teo, K.-H.** **36** (3) (1990) 167–170
Tuan, T.-C., *see* **Teo, K.-H.** **37** (6) (1991) 305–309
Tuan, T.-C., *see* **Teo, K.-H.** **44** (2) (1992) 101–105
Tucci, M., G. Costagliola and **S.-K. Chang,** A remark on NP-completeness of picture matching **39** (5) (1991) 241–243
Tucker, J.V., *see* **Bergstra, J.A.** **15** (4) (1982) 143–149
Tucker, P.A., *see* **Hu, T.C.** **67** (3) (1998) 137–140
Tulp, E., *see* **Siklóssy, L.** **38** (4) (1991) 187–192
Turán, G., The critical complexity of graph properties **18** (3) (1984) 151–153
Turán, G., Lower bounds for synchronous circuits and planar circuits **30** (1) (1989) 37–40
Turán, G. and **F. Vatan,** A size-depth trade-off for the analog computation of Boolean functions **59** (5) (1996) 251–254
Turau, V., Fixed-radius near neighbors search **39** (4) (1991) 201–203
Turek, J.J., *see* **Shachnai, H.** **70** (1) (1999) 47
Turnbull, C.J.M., *see* **Coffman Jr., E.G.** **2** (1) (1973) 15–17
Turner, D.A., Error diagnosis and recovery in one pass compilers **6** (4) (1977) 113–115
Turpin, A. and **A. Moffat,** Comment on "Efficient Huffman decoding" and "An efficient finite-state machine implementation of Huffman decoders" **68** (1) (1998) 1–2
Turpin, R. and **B.A. Coan,** Extending binary Byzantine agreement to multivalued Byzantine agreement **18** (2) (1984) 73–76
Turski, W.M., On starvation and some related issues **37** (3) (1991) 171–174
Tuttle, R.W., *see* **Lipton, R.J.** **3** (3) (1975) 65–66
Tuza, Z., *see* **Dell'Olmo, P.** **65** (5) (1998) 229–233
Tuza, Zs., Periodic string division generated by deterministic L systems **34** (5) (1990) 229–234
Tyszkiewicz, J., A note on the Kolmogorov data complexity and nonuniform logical definitions **64** (4) (1997) 187–195
Tyugu, E., *see* **Mints, G.** **23** (3) (1986) 147–151
Tyugu, E., *see* **Mints, G.** **25** (2) (1987) 139
Tzafestas, S.G., Input–output modeling and identification of linear automata **1** (3) (1972) 69–75
Tzafestas, S.G., Design parameters for a multiserver computer processing buffering system with feedback **1** (6) (1972) 236–243
Tzeng, W.-G., On path equivalence of nondeterministic finite automata **58** (1) (1996) 43–46
Tzeng, W.-G., Common modulus and chosen-message attacks on public-key schemes with linear recurrence relations **70** (3) (1999) 153–156
Tzeng, W.-G. and **C.-M. Hu,** Inter-protocol interleaving attacks on some authentication and key distribution protocols **69** (6) (1999) 297–302
Tzeng, W.-G., *see* **King, G.-H.** **61** (1) (1997) 11–14

Udding, J.T., Absence of individual starvation using weak semaphores **23** (3) (1986) 159–162

Udding, J.T., *see* **van de Snepscheut, J.L.A.** **23** (5) (1986) 231–238
Udink, R.T. and **J.N. Kok,** Unity properties and sequences of states, some observations **47** (6) (1993) 307–311
Uehara, R., Efficient simulations by a biased coin **56** (5) (1995) 245–248
Uehara, R., Collapse of PP with a semi-random source to BPP **61** (2) (1997) 83–87
Uhlmann, J., *see* **Boroujerdi, A.** **67** (6) (1998) 317–321
Uhlmann, J.K., Satisfying general proximity/similarity queries with metric trees **40** (4) (1991) 175–179
Uhr, L., *see* **Leland, W.** **12** (3) (1981) 117–120
Uhrig, C., *see* **Mehlhorn, K.** **35** (3) (1990) 137–143
Ukkonen, E., The nonexistence of some covering context-free grammars **8** (4) (1979) 187–192
Ukkonen, E., Upper bounds on the size of LR(k) parsers **20** (2) (1985) 99–103
Ukkonen, E., *see* **Mannila, H.** **18** (4) (1984) 203–208
Ukkonen, E., *see* **Nykänen, M.** **50** (6) (1994) 307–310
Umemoto, H., *see* **Suzuki, I.** **66** (1) (1998) 49–52
Umeo, H., K. Morita and **K. Sugata,** Deterministic one-way simulation of two-way real-time cellular automata and its related problems **14** (4) (1982) 158–161
Unger, W., *see* **Böckenhauer, H.-J.** **75** (3) (2000) 133–138
Unger, W., *see* **Igarashi, Y.** **51** (1) (1994) 35–41
Unno, H., *see* **Miyadera, Y.** **66** (4) (1998) 187–194
Unruh, E., *see* **Wätjen, D.** **29** (2) (1988) 87–89
Upendra Rao, S. and **A.K. Majumdar,** An algorithm for local compaction of horizontal microprograms **20** (1) (1985) 29–33
Upfal, E., Formal correctness proofs of a nondeterministic program **14** (2) (1982) 86–92
Upfal, E., *see* **Broder, A.Z.** **56** (2) (1995) 79–81
Ural, H. and **B. Yang,** A structural test selection criterion **28** (3) (1988) 157–163
Ural, H., *see* **Boyd, S.** **40** (3) (1991) 131–136
Ural, H., *see* **Rodrigues, M.** **48** (6) (1993) 275–280
Urban, K.J., *see* **Reingold, E.M.** **64** (5) (1997) 217–223
Urbanek, F., *see* **Baron, G.** **32** (5) (1989) 267–269
Urbanek, F.J., An O($\log n$) algorithm for computing the nth element of the solution of a difference equation **11** (2) (1980) 66–67
Urbański, A., *see* **Nawrocki, J.R.** **29** (4) (1988) 165–169
Urrutia, J. and **F. Gavril,** An algorithm for fraternal orientation of graphs **41** (5) (1992) 271–274
Urrutia, J., *see* **Abellanas, M.** **57** (3) (1996) 165–173
Urrutia, J., *see* **Boland, R.P.** **53** (4) (1995) 177–183
Urrutia, J., *see* **Boland, R.P.** **54** (6) (1995) 359
Urrutia, J., *see* **Czyzowicz, J.** **66** (3) (1998) 125–126
Urrutia, J., *see* **Estivill-Castro, V.** **56** (1) (1995) 9–13
Ushijima, K., *see* **Xiang, L.** **65** (3) (1998) 135–138
Ushijima, K., *see* **Xiang, L.** **71** (1) (1999) 43–47
Ushijima, K., *see* **Xiang, L.** **71** (2) (1999) 71–73
Ustimenko, A.P., Algebra of two-level cause-effect structures **59** (6) (1996) 325–330
Ustimenko, A.P., Colored cause–effect structures **68** (5) (1998) 219–225
Utard, G. and **G. Hains,** Deadlock-free absorption of barrier synchronisations **56** (4) (1995) 221–227
Uthaisombut, P., *see* **Torng, E.** **71** (1) (1999) 17–22

Vaandrager, F., *see* **Romijn, J.** **59** (5) (1996) 245–250
Vaccaro, U., *see* **Biundo, C.** **65** (1) (1998) 25–32
Vaccaro, U., *see* **Cicalese, F.** **73** (3–4) (2000) 119–124
Vaccaro, U., *see* **De Bonis, A.** **67** (2) (1998) 57–64
Vaccaro, U., *see* **De Marco, G.** **66** (6) (1998) 321–326
Vaccaro, U., *see* **Gargano, L.** **45** (6) (1993) 315–320
Vadapalli, P. and **P.K. Srimani,** Trivalent Cayley graphs for interconnection networks **54** (6) (1995) 329–335
Vadapalli, P. and **P.K. Srimani,** Shortest routing in trivalent Cayley graph network **57** (4) (1996) 183–188
Vaglini, G., *see* **Barbuti, R.** **70** (2) (1999) 69–78
Vágvölgyi, S., *see* **Fülöp, Z.** **33** (1) (1989) 3–5
Vágvölgyi, S., *see* **Fülöp, Z.** **36** (6) (1990) 293–296
Vaidyanathan, R., Sorting on PRAMs with reconfigurable buses **42** (4) (1992) 203–208
Vaidyanathan, R., C.R.P. Hartmann and **P.K. Varshney,** PRAMs with variable word-size **42** (4) (1992) 217–222
Vaidyanathan, R., C.R.P. Hartmann and **P.K. Varshney,** Running ASCEND, DESCEND and PIPELINE algorithms in parallel using small processors **46** (1) (1993) 31–36
Vaidyanathan, R. and **J.L. Trahan,** Optimal simulation of multidimensional reconfigurable meshes by two-dimensional reconfigurable meshes **47** (5) (1993) 267–273
Vajnovszki, V., On the loopless generation of binary tree sequences **68** (3) (1998) 113–117
Vakali, A. and **Y. Manolopoulos,** An exact analysis on expected seeks in shadowed disks **61** (6) (1997) 323–329
Vakali, A., *see* **Manolopoulos, Y.** **37** (1) (1991) 37–42
Valentine, M. and **R.H. Davis,** The automated solution of logic puzzles **24** (5) (1987) 317–324
Valiant, L.G., Relative complexity of checking and evaluating **5** (1) (1976) 20–23
Valiant, L.G., Computing multivariate polynomials in parallel **11** (1) (1980) 44–45
Valiant, L.G., Computing multivariate polynomials in parallel (*Addendum*) **12** (1) (1981) 54
Valmari, A., The weakest deadlock-preserving congruence **53** (6) (1995) 341–346
Valois, J.D., A 3-valued wakeup protocol **55** (2) (1995) 89–93
Van, D.L., *see* **Huy, P.T.** **42** (3) (1992) 127–132
van Dal, R., *see* **Deineko, V.G.** **51** (3) (1994) 141–148
van Dam, A. and **F.Wm. Tompa,** Software data paging and segmentation for complex systems **1** (3) (1972) 80–86
van de Goor, A.J., *see* **Annot, J.K.** **23** (2) (1986) 91–97
van den Bos, J., PROCOL: A protocol-constrained concurrent object-oriented language **32** (5) (1989) 221–227
van den Broek, P.M., Confluence of indirection reductions in graph rewrite systems **29** (3) (1988) 143–148
Van den Bussche, J., *see* **Otto, M.** **60** (1) (1996) 37–41
van der Aalst, W., *see* **Kindler, E.** **70** (6) (1999) 269–274
VanderBrug, G.J., *see* **Minker, J.** **3** (1) (1974) 1–7
van der Knijff, D. and **J.-L. Lassez,** A clarification of the comparison between some measures of software science **8** (5) (1979) 241–243

van der Nat, M., Binary merging by partitioning **8** (2) (1979) 72–75
van der Nat, M., A fast sorting algorithm, a hybrid of distributive and merge sorting **10** (3) (1980) 163–167
van der Weide, Th.P., *see* **van Leijenhorst, D.C.** **24** (3) (1987) 189–192
van de Snepscheut, J.L.A., Synchronous communication between asynchronous components **13** (3) (1981) 127–130
van de Snepscheut, J.L.A., Evaluating expressions with a queue **20** (2) (1985) 65–66
van de Snepscheut, J.L.A., "Algorithms for on-the-fly garbage collection" revisited **24** (4) (1987) 211–216
van de Snepscheut, J.L.A., Inversion of a recursive tree traversal **39** (5) (1991) 265–267
van de Snepscheut, J.L.A., A LISP programming exercise **42** (2) (1992) 103–108
van de Snepscheut, J.L.A. and **J.T. Udding,** An alternative implementation of communication primitives **23** (5) (1986) 231–238
van de Wiele, J.-P., *see* **Rivest, R.L.** **8** (4) (1979) 178–180
Van de Wiele, J.P., *see* **Hyafil, L.** **4** (2) (1975) 45–47
van Dijk, M., More information theoretical inequalities to be used in secret sharing? **63** (1) (1997) 41–44
van Emde Boas, P., Preserving order in a forest in less than logarithmic time and linear space **6** (3) (1977) 80–82
van Emde Boas, P., On the $\Omega(n \log n)$ lower bound for convex hull and maximal vector determination **10** (3) (1980) 132–136
van Emde Boas, P., Space measures for storage modification machines **30** (2) (1989) 103–110
van Emde Boas, P., *see* **Brouwer, A.E.** **14** (1) (1982) 12–14
van Emde Boas, P., *see* **Buhrman, H.** **48** (4) (1993) 201–204
van Emde Boas, P., *see* **Jacobs, C.T.M.** **22** (1) (1986) 43–48
van Gasteren, A.J.M. and **G. Tel,** Comments on "On the proof of a distributed algorithm": Always-true is not invariant (*Letter to the Editor*) **35** (6) (1990) 277–279
van Gasteren, A.J.M., *see* **Dijkstra, E.W.** **15** (3) (1982) 129–134
van Gasteren, A.J.M., *see* **Dijkstra, E.W.** **16** (5) (1983) 217–219
van Gasteren, A.J.M., *see* **Feijen, W.H.J.** **24** (1) (1987) 11–14
van Gils, W.J., How to cope with faulty processors in a completely connected network of communicating processors **20** (4) (1985) 207–213
van Gucht, D., *see* **Abiteboul, S.** **32** (6) (1989) 317–324
van Gucht, D., *see* **Gyssens, M.** **36** (5) (1990) 259–266
van Kreveld, M., The power of parallel projection **46** (4) (1993) 185–191
van Kreveld, M., *see* **de Berg, M.** **52** (4) (1994) 215–221
van Kreveld, M., *see* **Strijk, T.** **69** (1) (1999) 25–30
van Lamsweerde, A., *see* **Vantilborgh, H.** **1** (5) (1972) 181–186
van Leeuwen, J., The membership question for ETOL-languages is polynomially complete **3** (5) (1975) 138–143
van Leeuwen, J., On compromising statistical data-bases with a few known elements **8** (3) (1979) 149–153
van Leeuwen, J. and **M. Nivat,** Efficient recognition of rational relations **14** (1) (1982) 34–38
van Leeuwen, J. and **C.H. Smith,** An improved bound for detecting looping configurations in deterministic DPA's **3** (1) (1974) 22–24
van Leeuwen, J. and **D. Wood,** Dynamization of decomposable searching problems **10** (2) (1980) 51–56
van Leeuwen, J. and **D. Wood,** Dynamization of decomposable searching problems (*Erratum*) **11** (1) (1980) 57
van Leeuwen, J., *see* **Bezem, M.** **26** (6) (1988) 321–324
van Leeuwen, J., *see* **Dobkin, D.** **4** (6) (1976) 149–154
van Leeuwen, J., *see* **Overmars, M.H.** **10** (4–5) (1980) 209–212
van Leeuwen, J., *see* **Overmars, M.H.** **12** (1) (1981) 49–53
van Leeuwen, J., *see* **Overmars, M.H.** **12** (4) (1981) 168–173
van Leeuwen, J., *see* **Tan, R.B.** **23** (3) (1986) 163
van Leeuwen, J., *see* **Tel, G.** **25** (5) (1987) 349
van Leijenhorst, D.C., A note on the formula size of the "(mod k)" functions **24** (4) (1987) 223–224
van Leijenhorst, D.C. and **Th.P. van der Weide,** On a recursion connected with tree balancing algorithms **24** (3) (1987) 189–192
van Maaren, H., *see* **Odijk, M.A.** **65** (2) (1998) 67–69
van Ommering, R.C., *see* **Feijs, L.M.G.** **63** (3) (1997) 159–164
Vantilborgh, H. and **A. van Lamsweerde,** On an extension of Dijkstra's semaphore primitives **1** (5) (1972) 181–186
van Vliet, A., An improved lower bound for on-line bin packing algorithms **43** (5) (1992) 277–284
van Vliet, A., *see* **Chen, B.** **51** (5) (1994) 219–222
van Westrhenen, S.C., *see* **Sommerhalder, R.** **23** (5) (1986) 221–226
van Wezel, M.C. and **G. Tel,** An assertional proof of Rana's algorithm **49** (5) (1994) 227–233
Van Wyk, C.J., *see* **Fung, K.Y.** **35** (2) (1990) 85–92
Vaquero, A., *see* **Troya, J.M.** **13** (4–5) (1981) 218–220
Varadarajan, K.R. and **P.K. Agarwal,** Linear approximation of simple objects **62** (2) (1997) 89–94
Vardi, M.Y., The decision problem for database dependencies **12** (5) (1981) 251–254
Vardi, M.Y., A note on lossless database decompositions **18** (5) (1984) 257–260
Vardi, M.Y., A note on the reduction of two-way automata to one-way automata **30** (5) (1989) 261–264
Vardi, M.Y., Endmarkers can make a difference **35** (3) (1990) 145–148
Vardi, M.Y., *see* **Fagin, R.** **16** (1) (1983) 13–19
Varghese, G., R. Chamberlain and **W.E. Weihl,** Deriving global virtual time algorithms from conservative simulation protocols **54** (2) (1995) 121–126
Várhegyi, G., Numerical differentiation of experimental data **2** (1) (1973) 24–25
Varma, A., Fault-tolerant routing in unique-path multistage interconnection networks **31** (4) (1989) 197–201
Varney, R.C., Priority processes used for scheduling within a tree structured operating system **1** (5) (1972) 187–190
Varol, Y., *see* **Chang, K.** **65** (6) (1998) 319–324
Varol, Y.L., *see* **Konneker, L.K.** **12** (5) (1981) 213–216
Varricchio, S., *see* **Bovet, D.P.** **44** (3) (1992) 119–123
Varricchio, S., *see* **De Luca, A.** **27** (6) (1988) 281–285
Varricchio, S., *see* **De Luca, A.** **29** (2) (1988) 91–95
Varricchio, S., *see* **De Luca, A.** **30** (6) (1989) 283–288
Varshney, P.K., *see* **Vaidyanathan, R.** **42** (4) (1992) 217–222
Varshney, P.K., *see* **Vaidyanathan, R.** **46** (1) (1993) 31–36
Vasconcelos, V.T., Unification of kinded infinite trees **55** (6) (1995) 323–328

Vasconcelos, V.T. and **A. Ravara,** Communication errors in the π-calculus are undecidable **71** (5–6) (1999) 229–233
Vassiliev, V.A., On decision trees for orthants **62** (5) (1997) 265–268
Vatan, F., *see* **Boykin, P.O.** **75** (3) (2000) 101–107
Vatan, F., *see* **Turán, G.** **59** (5) (1996) 251–254
Vavasis, S.A., Quadratic programming is in NP **36** (2) (1990) 73–77
Vazirani, V.V., *see* **Stockmeyer, L.J.** **15** (1) (1982) 14–19
Vazirani, V.V., *see* **Tardos, É.** **47** (2) (1993) 77–80
Veanes, M., Farmer's Theorem revisited **74** (1–2) (2000) 47–53
Veanes, M. and **J. Barklund,** On the number of edges in cycletrees **57** (4) (1996) 225–229
Veanes, M. and **J. Barklund,** Construction of natural cycletrees **60** (6) (1996) 313–318
Vedantham, S. and **S.S. Iyengar,** The Bandwidth Allocation Problem in the ATM network model is NP-complete **65** (4) (1998) 179–182
Veeraraghavulu, N.Ch., P. Sreenivasa Kumar and **C.E. Veni Madhavan,** A linear-time algorithm for isomorphism of a subclass of chordal graphs **44** (1) (1992) 45–49
Veith, H., Languages represented by Boolean formulas **63** (5) (1997) 251–256
Veljan, D., Computing values of a polynomial with only few multiplications **49** (1) (1994) 33–37
Veloso, P.A.S., Characterizing the regular prefix codes and right power-bounded languages **9** (1) (1979) 5–7
Veloso, P.A.S., On pushout consistency, modularity and interpolation for logical specifications **60** (2) (1996) 59–66
Veloso, P.A.S. and **T.S.E. Maibaum,** On the Modularization Theorem for logical specifications **53** (5) (1995) 287–293
Veloso, P.A.S. and **S.R.M. Veloso,** On methods for safe introduction of operations **64** (5) (1997) 231–238
Veloso, S.R.M., *see* **Veloso, P.A.S.** **64** (5) (1997) 231–238
Venema, S., H. Shen and **F. Suraweera,** NC algorithms for the Single Most Vital Edge problem with respect to shortest paths **60** (5) (1996) 243–248
Veni Madhavan, C.E., *see* **Dasgupta, B.** **33** (1) (1989) 35–44
Veni Madhavan, C.E., *see* **Veeraraghavulu, N.Ch.** **44** (1) (1992) 45–49
Venkataraman, K.N., *see* **Cybenko, G.** **25** (1) (1987) 35–39
Venkatesan, G. and **C. Pandu Rangan,** Approximate triclique coloring for register allocation **60** (5) (1996) 249–253
Venkatesan, G., *see* **Madanlal, M.S.** **59** (2) (1996) 97–102
Venkatesan, S., *see* **Alagar, S.** **50** (6) (1994) 311–316
Venkatesan, S., *see* **Ramarao, K.V.S.** **48** (3) (1993) 145–149
Venkatesan, S.M., *see* **Raghavan, V.** **25** (5) (1987) 281–284
Venkatesh, K., T. Radhakrishnan and **H.F. Li,** Optimal checkpointing and local recording for domino-free rollback recovery **25** (5) (1987) 295–303
Venkatesh, S., Pseudo-average block sensitivity equals average sensitivity **68** (2) (1998) 93–95
Venkatesh, S., *see* **Brodal, G.S.** **75** (1–2) (2000) 57–59
Verbarg, K., Approximate center points in dense point sets **61** (5) (1997) 271–278
Verhaegh, W.F.J. and **E.H.L. Aarts,** A polynomial-time algorithm for knapsack with divisible item sizes **62** (4) (1997) 217–221
Verhoeven, Y., Random 2-SAT and unsatisfiability **72** (3–4) (1999) 119–123
Verjus, J.P., On the proof of a distributed algorithm **25** (3) (1987) 145–147
Verma, R.M., Strings, trees, and patterns **41** (3) (1992) 157–161
Verma, R.M., *see* **Huang, S.-H.S.** **63** (3) (1997) 123–129
Veroy, B.S., Optimal search algorithm for a minimum of a discrete periodic bimodal function **29** (5) (1988) 233–239
Veroy, B.S., Average complexity of divide-and-conquer algorithms **29** (6) (1988) 319–326
Veroy, B.S., Optimal search algorithm for a minimum of a discrete periodic bimodal function (*Corrigendum*) **32** (6) (1989) 329
Veroy, B.S., Average complexity of divide-and-conquer algorithms (*Corrigendum*) **32** (6) (1989) 329
Verri, M.C., *see* **Merlini, D.** **57** (1) (1996) 53–58
Vesper, T., *see* **Desel, J.** **54** (6) (1995) 327–328
Vidyasankar, K., Converting Lamport's regular register to atomic register **28** (6) (1988) 287–290
Vidyasankar, K., An elegant 1-writer multireader multivalued atomic register **30** (5) (1989) 221–223
Vidyasankar, K., A very simple construction of 1-writer multireader multivalued atomic variable **37** (6) (1991) 323–326
Vigna, S., *see* **Boldi, P.** **64** (6) (1997) 299–303
Vigna, S., *see* **Boldi, P.** **75** (4) (2000) 175–180
Vigneron, A., L. Gao, M.J. Golin, G.F. Italiano and **B. Li,** An algorithm for finding a k-median in a directed tree **74** (1–2) (2000) 81–88
Vijayan, G., *see* **Iyer, A.V.** **28** (5) (1988) 225–229
Vikas, O., Analysis of a periodically inspected buffer **8** (3) (1979) 124–130
Vikas, O., *see* **Rajaraman, V.** **6** (2) (1977) 63–68
Vikas, O.M. and **S.K. Basandra,** Data algebra and its application in database design **23** (1) (1986) 47–54
Vilar, J.M., Reducing the overhead of the AESA metric-space nearest neighbour searching algorithm **56** (5) (1995) 265–271
Villani, A., *see* **Dal Bono, I.** **3** (3) (1975) 88–90
Villar, J.L., *see* **Morillo, P.** **70** (5) (1999) 211–216
Villard, G., *see* **Robert, Y.** **31** (1) (1989) 21–29
Vincent, M.W. and **B. Srinivasan,** A note on relation schemes which are in 3NF but not in BCNF **48** (6) (1993) 281–283
Vinodchandran, N.V., *see* **Mahajan, M.** **51** (1) (1994) 7–10
Vinodchandran, N.V., *see* **Mahajan, M.** **55** (1) (1995) 27–31
Vishkin, U., On efficient parallel strong orientation **20** (5) (1985) 235–240
Vishkin, U., *see* **Bar-Yehuda, R.** **14** (5) (1982) 228–232
Vishkin, U., *see* **Khuller, S.** **52** (5) (1994) 239–241
Vishwanathan, S., An approximation algorithm for the asymmetric travelling salesman problem with distances one and two **44** (6) (1992) 297–302
Viswanathan, S., É. Czabarka and **A. Sengupta,** On fault-tolerant embedding of Hamiltonian circuits in line digraph interconnection networks **57** (5) (1996) 265–271
Viswanathan, S., *see* **Sengupta, A.** **51** (2) (1994) 93–99
Vitányi, P.M.B., Achievable high scores of ε-moves and running times in DPDA computations **10** (2) (1980) 83–86
Vitányi, P.M.B., Square time is optimal for simulation of one pushdown store or one queue by an oblivious one-head tape unit **21** (2) (1985) 87–91

Vitányi, P.M.B., An $n^{1.618}$ lower bound on the time to simulate one queue or two pushdown stores by one tape **21** (3) (1985) 147–152
Vitányi, P.M.B., *see* **Li, M.** **42** (3) (1992) 145–149
Vitányi, P.M.B., *see* **Li, M.** **43** (2) (1992) 107–112
Vitányi, P.M.B., *see* **Savitch, W.J.** **19** (1) (1984) 31–35
Vitter, J.S., A shared-memory scheme for coalesced hashing **13** (2) (1981) 77–79
Vitter, J.S., *see* **Howard, P.G.** **59** (2) (1996) 65–73
Vitter, J.S., *see* **Lin, J.-H.** **44** (5) (1992) 245–249
Vitter, J.S., *see* **Schevon, C.A.** **28** (2) (1988) 105–110
Vitter, J.S., *see* **Tamassia, R.** **39** (1) (1991) 35–40
Vleugels, J., *see* **Schwarzkopf, O.** **60** (3) (1996) 121–127
Vogler, W., Fairness and partial order semantics **55** (1) (1995) 33–39
Vogt, C., A new approach to optimal cache scheduling **30** (6) (1989) 303–310
Vohra, R.V., *see* **Foster, D.P.** **31** (6) (1989) 287–290
Volger, H., Some results on addition/subtraction chains **20** (3) (1985) 155–160
Vollmer, H., *see* **Hertrampf, U.** **75** (3) (2000) 91–93
Volpano, D. and **G. Smith,** A type soundness proof for variables in LCF ML **56** (3) (1995) 141–146
Volpano, D.M., Lower bounds on type checking overloading **57** (1) (1996) 9–13
Volper, D.J., *see* **Hirschberg, D.S.** **24** (5) (1987) 307–310
Volper, D.J., *see* **Krause, K.** **25** (6) (1987) 351–361
von Bochmann, G., *see* **Luo, G.** **44** (6) (1992) 333–343
Vongsathorn, P., *see* **Carson, S.D.** **31** (4) (1989) 209–213
Vongsathorn, P., *see* **Carson, S.D.** **41** (6) (1992) 341–345
von Karger, B. and **R. Berghammer,** Computing kernels in directed bichromatic graphs **62** (1) (1997) 5–11
von Karger, B. and **C.A.R. Hoare,** Sequential calculus **53** (3) (1995) 123–130
Von Solms, S.H., On T0L languages over terminals **3** (3) (1975) 69–70
von Solms, S.H., *see* **Ehlers, E.M.** **30** (3) (1989) 159–166
von Stengel, B., An algebraic characterization of semantic independence **39** (6) (1991) 291–296
von Stengel, B., *see* **Albers, S.** **56** (3) (1995) 135–139
von Stengel, B., *see* **Fränzle, M.** **53** (1) (1995) 5–9
von Wright, J., Program inversion in the refinement calculus **37** (2) (1991) 95–100
von Wright, J., *see* **Back, R.J.R.** **53** (3) (1995) 165–172
von zur Gathen, J., Processor-efficient exponentiation in finite fields **41** (2) (1992) 81–86
Vornberger, O., *see* **Blum, M.** **13** (4–5) (1981) 164–167
Voss, S., Worst-case performance of some heuristics for Steiner's problem in directed graphs **48** (2) (1993) 99–105
Vossen, G., A new characterization of FD implication with an application to update anomalies **29** (3) (1988) 131–135
Vossen, G., *see* **Ebert, J.** **63** (4) (1997) 221–227
Vozella, A., *see* **Gargano, L.** **45** (6) (1993) 315–320
Vrťo, I., *see* **Ďuriš, P.** **37** (3) (1991) 137–141
Vrťo, I., *see* **Dobrev, S.** **71** (2) (1999) 81–85
Vrťo, I., The area-time complexity of the VLSI counter **25** (6) (1987) 397–400
Vrťo, I., *see* **Sýkora, O.** **26** (3) (1987) 117–119
Vrt'o, I., *see* **Ďuriš, P.** **21** (5) (1985) 245–247
Vrt'o, I., *see* **Paterson, M.S.** **48** (4) (1993) 197–199
Vuillemin, J.E., *see* **Preparata, F.P.** **11** (2) (1980) 77–80
Vyskoč, J., A note on the power of integer division **17** (2) (1983) 71–72
Vyskoč, J., A note on Boolean matrix multiplication **19** (5) (1984) 249–251
Vyskoč, J., Making bubblesort recursive (*Note*) **36** (4) (1990) 219–220

Wabbi, A., *see* **Myoupo, J.-F.** **61** (5) (1997) 253–258
Wachenchauzer, R., *see* **Martínez, A.D.** **34** (1) (1990) 31–35
Wada, K., Y. Luo and **K. Kawaguchi,** Optimal fault-tolerant routings for connected graphs **41** (3) (1992) 169–174
Wagh, M.D., P. Math and **O. Guzide,** Cyclic-cubes and wrap-around butterflies **75** (1–2) (2000) 25–27
Wagh, M.D. and **J. Mo,** Hamilton cycles in Trivalent Cayley graphs **60** (4) (1996) 177–181
Wagner, D., *see* **Ihler, E.** **45** (4) (1993) 171–175
Wagner, F., Approximate Map Labeling is in $\Omega(n \log n)$ **52** (3) (1994) 161–165
Wagner, F., *see* **Ihler, E.** **45** (4) (1993) 171–175
Wagner, F., *see* **Langmaack, H.** **9** (3) (1979) 155–159
Wagner, K.W., On the intersection of the class of linear context-free languages and the class of single-reset languages **23** (3) (1986) 143–146
Wagner, K.W., A note on parallel queries and the symmetric-difference hierarchy **66** (1) (1998) 13–20
Waldmann, U., Extending reduction orderings to ACU-compatible reduction orderings **67** (1) (1998) 43–49
Walker, L., *see* **Atkinson, M.D.** **48** (2) (1993) 73–75
Walle, T., *see* **Keller, J.** **55** (4) (1995) 195–200
Wallis, P.J.L. and **B.W. Silverman,** Efficient implementation of the Ada overloading rules **10** (3) (1980) 120–123
Walsh, T., *see* **Frank, J.** **65** (5) (1998) 241–245
Walsh, T.R., The Towers of Hanoi revisited: Moving the rings by counting the moves **15** (2) (1982) 64–67
Walsh, T.R., Iteration strikes back – At the cyclic Towers of Hanoi **16** (2) (1983) 91–93
Walsh, T.R., How evenly should one divide to conquer quickly? **19** (4) (1984) 203–208
Walter, R., *see* **Desel, J.** **54** (6) (1995) 327–328
Walter, R., *see* **Kindler, E.** **62** (1) (1997) 31–39
Wan, F., *see* **Kao, M.-Y.** **44** (2) (1992) 79–83
Wan, S.J. and **S.K.M. Wong,** An adaptive algorithm for finding a covering hypersphere **33** (1) (1989) 7–10
Wand, M., A short proof of the lexical addressing algorithm **35** (1) (1990) 1–5
Wang, B.-F., C.-L. Chen and **G.-H. Chen,** A simple approach to implementing multiplication with small tables **37** (6) (1991) 327–329
Wang, B.-F. and **G.-H. Chen,** Two-dimensional processor array with a reconfigurable bus system is at least as powerful as CRCW model **36** (1) (1990) 31–36
Wang, B.-F., G.-H. Chen and **F.-C. Lin,** Constant time sorting on a processor array with a reconfigurable bus system **34** (4) (1990) 187–192

Wang, C.A., F.Y. Chin and **B. Yang,** Triangulations without minimum-weight drawing **74** (5–6) (2000) 183–189
Wang, C.A., F.Y. Chin and **B.T. Yang,** Maximum weight triangulation and graph drawing **70** (1) (1999) 17–22
Wang, C.A. and **Y.H. Tsin,** An O(log *n*) time parallel algorithm for triangulating a set of points in the plane **25** (1) (1987) 55–60
Wang, C.A., *see* **Chin, F.** **18** (1) (1984) 41–45
Wang, C.-C., *see* **Hsieh, T.-M.** **66** (6) (1998) 317–320
Wang, C.-H., T. Hwang and **N.-Y. Lee,** Comments on two group signatures **69** (2) (1999) 95–97
Wang, C.-H., *see* **Hwang, T.** **65** (4) (1998) 189–193
Wang, C.-H., *see* **Lee, N.-Y.** **70** (2) (1999) 79–81
Wang, C.-J., *see* **Wu, C.-H.** **35** (6) (1990) 305–311
Wang, C.-L., Obtaining lazy evaluation with continuations in scheme **35** (2) (1990) 93–97
Wang, C.-L., *see* **Hwang, W.-P.** **70** (6) (1999) 255–257
Wang, C.-M., A new routing algorithm for cyclic shifts on BRGC hypercubes **49** (4) (1994) 165–169
Wang, D.-C., *see* **Chen, I.-R.** **75** (6) (2000) 247–253
Wang, D.W. and **Y.-S. Kuo,** A study on two geometric location problems **28** (6) (1988) 281–286
Wang, F.-H. and **F.-C. Lin,** On constructing multiple spanning trees in a hypercube **45** (4) (1993) 177–183
Wang, F.-H., *see* **Chang, M.-S.** **43** (6) (1992) 293–295
Wang, F.-J., *see* **Chen, J.-L.** **66** (6) (1998) 309–315
Wang, F.-J., *see* **Huang, K.-C.** **70** (4) (1999) 197–204
Wang, G., An improved parallel algorithm for computing the generalized inverse A^+ **41** (5) (1992) 243–251
Wang, G., *see* **Cheng, T.C.E.** **71** (2) (1999) 49–54
Wang, H., On syntactic nuclei of rational languages **67** (5) (1998) 221–226
Wang, J., A note on two-way probabilistic automata **43** (6) (1992) 321–326
Wang, J., Some results on selectivity and self-reducibility **55** (2) (1995) 81–87
Wang, J. and **J. Belanger,** Honest iteration schemes of randomizing algorithms **45** (6) (1993) 275–278
Wang, J.-J., C.-N. Hung and **L.-H. Hsu,** Optimal 1-hamiltonian graphs **65** (3) (1998) 157–161
Wang, J.S., *see* **Peng, C.H.** **52** (2) (1994) 77–85
Wang, J.-T., *see* **Chen, W.-H.** **36** (1) (1990) 7–11
War g, K. and **L.Y. Yuan,** Preservation of integrity constraints in definite DATALOG programs **44** (4) (1992) 185–193
Wang, K.-L., *see* **Chou, C.-Y.** **70** (6) (1999) 259–264
Wang, K.-L., *see* **Chou, C.-Y.** **71** (5–6) (1999) 241
Wang, M.Z., Linear complexity profiles and jump complexity **61** (3) (1997) 165–168
Wang, P.S.-P., Recursiveness of monotonic array grammars and a hierarchy of array languages **5** (1) (1976) 24–26
Wang, P.S.-P., Recursiveness of monotonic array grammars and a hierarchy of array languages (*Erratum*) **5** (3) (1976) 90
Wang, P.S.-P., Some new results on isotonic array grammars **10** (3) (1980) 129–131
Wang, P.S.-P., A new hierarchy of two-dimensional array languages **15** (5) (1982) 223–226
Wang, Q. and **K.H. Cheng,** List scheduling of parallel tasks **37** (5) (1991) 291–297
Wang, S.C., *see* **Yan, K.Q.** **69** (5) (1999) 243–248
Wang, S.-J., Distributed routing in a fault-tolerant multistage interconnection network **63** (4) (1997) 205–210
Wang, S.-Y., L.-H. Hsu and **T.-Y. Sung,** Faithful 1-edge fault tolerant graphs **61** (4) (1997) 173–181
Wang, W., *see* **Chang, E.-C.** **48** (3) (1993) 121–125
Wang, X., On the complexity of the extreme points decision problem **40** (2) (1991) 101–106
Wang, X. and **Q. Fu,** A frame for general divide-and-conquer recurrences **59** (1) (1996) 45–51
Wang, Y., NP-hard sets are superterse unless NP is small **61** (1) (1997) 1–6
Wang, Y., A separation of two randomness concepts **69** (3) (1999) 115–118
Wang, Y., K. Inoue, A. Ito and **T. Okazaki,** A note on self-modifying finite automata **72** (1–2) (1999) 19–24
Wang, Y.-L., H.-C. Chen and **C.-Y. Lee,** An O(log *n*) parallel algorithm for constructing a spanning tree on permutation graphs **56** (2) (1995) 83–87
Wang, Y.-L., *see* **Chen, H.-C.** **63** (1) (1997) 13–18
Wang, Y.-L., *see* **Chen, H.-C.** **69** (3) (1999) 119–122
Wang, Y.-L., *see* **Ho, T.-Y.** **59** (2) (1996) 103–107
Wang, Y.-L., *see* **Huang, N.-F.** **49** (4) (1994) 171–177
Wang, Y.-L., *see* **Lan, Y.-F.** **71** (5–6) (1999) 205–212
Wang, Y.-M., A. Lowry and **W.K. Fuchs,** Consistent global checkpoints based on direct dependency tracking **50** (4) (1994) 223–230
Wang, Y.-M., *see* **Tsai, J.** **69** (1) (1999) 31–37
Wang, Z., On the complexity of quality of service routing **69** (3) (1999) 111–114
Wang, Z., *see* **Rote, G.** **38** (3) (1991) 149–151
Wanke, E. and **M. Wiegers,** Undecidability of the bandwidth problem on linear graph languages **33** (4) (1989) 193–197
Ward, R., *see* **Rey, C.** **24** (2) (1987) 97–101
Warmuth, M.K., *see* **Blumer, A.** **24** (6) (1987) 377–380
Warners, J.P., A linear-time transformation of linear inequalities into conjunctive normal form **68** (2) (1998) 63–69
Warnock, T., *see* **Guralnik, G.** **21** (1) (1985) 17–21
Warnow, T., *see* **Steel, M.** **48** (2) (1993) 77–82
Warpechowska-Gruca, J., *see* **Bshouty, N.H.** **69** (5) (1999) 259–265
Warren Jr., H.S., Minimal comparison sorting by choosing most efficient comparisons **2** (5) (1973) 129–130
Warren Jr., H.S., A.S. Fox and **P.W. Markstein,** Modulus division on a two's complement machine **13** (4–5) (1981) 215–217
Watanabe, O., Another application of recursion introduction **10** (3) (1980) 116–119
Watanabe, O., A fast algorithm for finding all shortest paths **13** (1) (1981) 1–3
Watanabe, O., On hardness of one-way functions **27** (3) (1988) 151–157
Watanabe, O., *see* **Domingo, C.** **64** (4) (1997) 179–185
Watanabe, O., *see* **Rao, R.P.N.** **52** (4) (1994) 175–180
Watanabe, O., *see* **Rao, R.P.N.** **74** (1–2) (2000) 89
Watanabe, Y., *see* **Tokuda, T.** **52** (2) (1994) 91–98
Watanabe, Y., *see* **Tokuda, T.** **53** (5) (1995) 269–276
Wätjen, D., Feedback automata and their languages **21** (2) (1985) 83–86

Wätjen, D. and **H. Spilker,** Decidability results concerning k-limited ED0L systems **59** (1) (1996) 13–17
Wätjen, D. and **W. Struckmann,** An algorithm for verifying equations of morphisms in a category **14** (3) (1982) 104–108
Wätjen, D. and **E. Unruh,** On the degree of synchronization of k1T0L and k1ET0L systems **29** (2) (1988) 87–89
Watson, K., *see* **Nagumo, H.** **59** (2) (1996) 91–96
Waxman, B.M. and **M. Imase,** Worst-case performance of Rayward-Smith's Steiner tree heuristic **29** (6) (1988) 283–287
Webber, R.E., *see* **Samet, H.** **24** (6) (1987) 369–375
Weber, R., *see* **Dederichs, F.** **36** (1) (1990) 25–30
Weber, R., *see* **Dederichs, F.** **40** (3) (1991) 143
Webster, M.B. and **P.W. Baker,** A class of differential equations for testing variable step-size integration **22** (2) (1986) 103–107
Wechsung, G., *see* **Beigel, R.** **37** (2) (1991) 91–94
Wee, Y.C., S. Chaiken and **D.E. Willard,** On the angle restricted nearest neighbor problem **34** (2) (1990) 71–76
Weems, B.P., A study of page arrangements for extendible hashing **27** (5) (1988) 245–248
Weems, B.P. and **L.C. Swayze,** Allocation techniques for distributed reduction data elements **50** (3) (1994) 137–142
Wegbreit, B., Retrieval from context trees **3** (4) (1975) 119–120
Wegener, I., Best possible asymptotic bounds on the depth of monotone functions in multivalued logic **15** (2) (1982) 81–83
Wegener, I., Relating monotone formula size and monotone depth of Boolean functions **16** (1) (1983) 41–42
Wegener, I., Optimal search with positive switch cost is NP-hard **21** (1) (1985) 49–52
Wegener, I., Efficient simulation of circuits by EREW PRAMs **35** (2) (1990) 99–102
Wegener, I., Optimal lower bounds on the depth of polynomial-size threshold circuits for some arithmetic functions **46** (2) (1993) 85–87
Wegener, I., On the complexity of encoding in analog circuits **60** (1) (1996) 49–52
Wegener, I., Worst case examples for operations on OBDDs **74** (3–4) (2000) 91–96
Wegener, I., *see* **Bollig, B.** **59** (5) (1996) 233–239
Wegener, I., *see* **Bollig, B.** **66** (2) (1998) 53–57
Wegener, I., *see* **Brustmann, B.** **25** (4) (1987) 217–219
Wegener, I., *see* **Löbbing, M.** **67** (4) (1998) 163–168
Wegener, I., *see* **Sieling, D.** **48** (3) (1993) 139–144
Weglarz, J., *see* **Błażewicz, J.** **18** (5) (1984) 267–273
Wegman, M.N., *see* **Blum, M.** **10** (2) (1980) 80–82
Wegner, L.M., Sorting a linked list with equal keys **15** (5) (1982) 205–208
Wehrheim, H., *see* **Goltz, U.** **59** (4) (1996) 179–184
Wei, L.-C. and **R.-S. Chang,** Broadcast scheduling in packet radio networks by Hopfield neural networks **63** (5) (1997) 271–276
Wei, R., *see* **Stinson, D.R.** **69** (3) (1999) 131–135
Wei, S.-S., *see* **Lai, T.-H.** **46** (1) (1993) 21–26
Wei, W.-D., *see* **Ho, K.I.-J.** **48** (6) (1993) 315–320
Wei, W.-D., *see* **Leung, J.Y.-T.** **56** (1) (1995) 51–57
Weihl, W.E., *see* **Varghese, G.** **54** (2) (1995) 121–126
Weihrauch, K., Program schemata with polynomial bounded counters **3** (3) (1975) 91–96
Weil, P., *see* **Guaiana, G.** **67** (6) (1998) 277–282
Wein, J., Las Vegas RNC algorithms for unary weighted perfect matching and T-join problems **40** (3) (1991) 161–167
Wein, J., *see* **Stein, C.** **42** (6) (1992) 315–319
Weiser, M., Reconstructing sequential behavior from parallel behavior projections **17** (3) (1983) 129–135
Weiss, M.A., Linear-time construction of treaps and Cartesian trees **52** (5) (1994) 253–257
Weiss, M.A., A note on construction of treaps and Cartesian trees **54** (2) (1995) 127
Weiss, M.A. and **R. Sedgewick,** Bad cases for Shaker-sort **28** (3) (1988) 133–136
Weiss, M.A. and **R. Sedgewick,** More on Shellsort increment sequences **34** (5) (1990) 267–270
Weiss, M.A., *see* **Ding, Y.** **50** (3) (1994) 143–144
Welch, J.L., *see* **Rhee, I.** **64** (2) (1997) 87–93
Welzl, E., Constructing the visibility graph for n-line segments in $O(n^2)$ time **20** (4) (1985) 167–171
Welzl, E., *see* **Edelsbrunner, H.** **23** (6) (1986) 289–293
Wen, Z., Parallel multiple search **37** (4) (1991) 181–186
Wen, Z., New algorithms for the LCA problem and the binary tree reconstruction problem **51** (1) (1994) 11–16
Wender, P., *see* **Crochemore, M.** **16** (4) (1983) 179–180
Wenger, R., *see* **Avis, D.** **33** (2) (1989) 59–62
Werchner, R., *see* **Albers, S.** **56** (3) (1995) 135–139
Werth, J., *see* **Jain, R.** **54** (3) (1995) 163–168
Wessner, R.L., Optimal alphabetic search trees with restricted maximal height **4** (4) (1976) 90–94
West, D.B., *see* **Loui, M.C.** **22** (4) (1986) 185–187
West, D.B., *see* **Loui, M.C.** **28** (6) (1988) 327
Westbrook, J. and **D. Yan,** Linear bounds for on-line Steiner problems **55** (2) (1995) 59–63
Westbrook, J., *see* **Reingold, N.** **60** (2) (1996) 75–80
Weyuker, E.J., The complexity of data flow criteria for test data selection **19** (2) (1984) 103–109
Whale, J.F., The critical value of the basic parameter of a nonlinear differential equation **1** (3) (1972) 87–90
Whaley, T., Alternative developments of cyclic-permutation algorithms **41** (5) (1992) 239–241
While, L., *see* **Edalat, A.** **64** (4) (1997) 197–202
White, L.J., *see* **Natarajan, K.S.** **7** (6) (1978) 261–265
Whitesides, S., *see* **Eades, P.** **60** (2) (1996) 97–103
Whitesides, S.H., An algorithm for finding clique cut-sets **12** (1) (1981) 31–32
Widmayer, P. and **C.K. Wong,** An optimal algorithm for the maximum alignment of terminals **20** (2) (1985) 75–82
Widmayer, P. and **D. Wood,** Time- and space-optimal contour computation for a set of rectangles **24** (5) (1987) 335–338
Widmayer, P., *see* **Nardelli, E.** **67** (1) (1998) 51–54
Widmayer, P., *see* **Roos, T.** **52** (2) (1994) 109–114
Wiederhold, G., *see* **Ceri, S.** **33** (2) (1989) 97–107
Wiegers, M., *see* **Wanke, E.** **33** (4) (1989) 193–197
Wierum, J.-M., *see* **Simon, J.** **66** (5) (1998) 255–261
Wierzbowska, I., Checker for data structures which sort elements **64** (5) (1997) 245–249
Wigderson, A., *see* **Hoory, S.** **46** (2) (1993) 67–69
Wigderson, A., *see* **Ragde, P.** **39** (3) (1991) 143–146
Wigderson, A., *see* **Razborov, A.** **45** (6) (1993) 303–307
Wijshoff, H.A.G., *see* **Juurlink, B.H.H.** **58** (6) (1996) 303–310
Wilber, R., *see* **Hellerstein, L.** **35** (5) (1990) 261–267

Wilf, H.S., Backtrack: An O(1) expected time algorithm for the graph coloring problem **18** (3) (1984) 119–121
Wilhelm, R., A modified tree-to-tree correction problem **12** (3) (1981) 127–132
Wilhelm, R., *see* **Giegerich, R.** **7** (6) (1978) 279–284
Wilhelm, R., *see* **Thome, W.** **33** (2) (1989) 79–81
Wilke, T., *see* **Peled, D.** **63** (5) (1997) 243–246
Wilkinson, R., *see* **Hingston, P.** **33** (6) (1990) 313–317
Willard, D.E., Log-logarithmic worst-case range queries are possible in space $\Theta(N)$ **17** (2) (1983) 81–84
Willard, D.E., *see* **Lueker, G.S.** **15** (5) (1982) 209–213
Willard, D.E., *see* **Wee, Y.C.** **34** (2) (1990) 71–76
Willems, B., *see* **Bouajjani, A.** **74** (5–6) (2000) 221–227
Willett, M., Trapdoor knapsacks without superincreasing structure **17** (1) (1983) 7–11
Williams, M.A., *see* **Fernández-Baca, D.** **38** (3) (1991) 117–121
Williams, M.H., Complete operator precedence conditions **6** (2) (1977) 60–62
Williams, M.H., Cubic map configurations **11** (4–5) (1980) 180–185
Williams, M.H., Batch sizes for the batching method of colouring planar maps **11** (4–5) (1980) 186–189
Williams, M.H., A systematic test for extended operator precedence **13** (4–5) (1981) 187–190
Williams, M.H., Is an exit statement sufficient? **17** (1) (1983) 47–51
Williams, M.H., The problem of absolute privacy **17** (3) (1983) 169–171
Williams, M.H. and **A.R. Bulmer**, A transportable code generator generator system **9** (3) (1979) 122–125
Williams, M.H., *see* **Chen, G.** **23** (5) (1986) 247–251
Williams, P.F., M. Nikolskaïa and **A. Rauzy**, Bypassing BDD construction for reliability analysis **75** (1–2) (2000) 85–89
Williams, W., *see* **Barden, B.** **70** (1) (1999) 13–16
Williams Jr., E.H., *see* **Bentley, J.L.** **6** (6) (1977) 209–212
Williamson, D.P., *see* **Henzinger, M.** **59** (1) (1996) 41–44
Williamson, D.P., *see* **Shmoys, D.B.** **35** (6) (1990) 281–285
Wilsey, P.A., *see* **Young, C.H.** **59** (4) (1996) 191–196
Wilson, D.K., *see* **Bshouty, N.H.** **65** (4) (1998) 217–222
Wilson, J.N., *see* **Shi, H.** **55** (3) (1995) 137–142
Wilson, R.H., *see* **Kavraki, L.** **48** (5) (1993) 229–235
Wilson, T.C. and **J. Shortt**, An O($\log n$) algorithm for computing general order-k Fibonacci numbers **10** (2) (1980) 68–75
Wiltink, J.G., A deficiency of natural deduction **25** (4) (1987) 233–234
Winkler, P.M., On computability of the mean deviation **15** (1) (1982) 36–38
Winkowski, J., An algebraic characterization of the behaviour of non-sequential systems **6** (4) (1977) 105–109
Winkowski, J., An algebraic characterization of the behaviour of non-sequential systems (*Erratum*) **7** (1) (1978) 63
Winkowski, J., Protocols of accessing overlapping sets of resources **12** (5) (1981) 239–243
Winkowski, J., *see* **Korczyński, W.** **15** (3) (1982) 111–114
Winter, T., *see* **Becker, M.** **15** (3) (1982) 135–136
Wirsing, M., *see* **Broy, M.** **8** (5) (1979) 224–229
Wirsing, M., *see* **Broy, M.** **10** (4–5) (1980) 193–197
Wirth, H.-C., *see* **Krumke, S.O.** **66** (2) (1998) 81–85
Wise, D.S., Representing matrices as quadtrees for parallel processors **20** (4) (1985) 195–199
Wise, D.S., Stop-and-copy and one-bit reference counting **46** (5) (1993) 243–249
Wise, D.S., *see* **Friedman, D.P.** **5** (6) (1976) 155–160
Wise, D.S., *see* **Friedman, D.P.** **5** (6) (1976) 161–164
Wise, D.S., *see* **Friedman, D.P.** **8** (1) (1979) 41–45
Wise, D.S., *see* **Friedman, D.P.** **9** (2) (1979) 101
Wismath, S.K., Computing the full visibility graph of a set of line segments **42** (5) (1992) 257–261
Witaszek, J., A practical method for finding the optimum postponement transformation for LR(k) parsers **27** (2) (1988) 63–67
Wittmüss, A., *see* **Fränzle, M.** **53** (1) (1995) 5–9
Woeginger, G., A simple solution to the two paths problem in planar graphs **36** (4) (1990) 191–192
Woeginger, G., On minimizing the sum of k tardinesses **38** (5) (1991) 253–256
Woeginger, G., *see* **Mitchell, J.S.B.** **56** (1) (1995) 45–49
Woeginger, G., *see* **Rote, G.** **38** (3) (1991) 149–151
Woeginger, G., *see* **Rote, G.** **41** (4) (1992) 191–194
Woeginger, G.J., Finding the closest extreme vertex to a fixed point **43** (3) (1992) 127–128
Woeginger, G.J., The complexity of finding arborescences in hypergraphs **44** (3) (1992) 161–164
Woeginger, G.J., Scheduling with time-dependent execution times **54** (3) (1995) 155–156
Woeginger, G.J., There is no asymptotic PTAS for two-dimensional vector packing **64** (6) (1997) 293–297
Woeginger, G.J. and **Z. Yu**, On the equal-subset-sum problem **42** (6) (1992) 299–302
Woeginger, G.J., *see* **Chen, B.** **51** (5) (1994) 219–222
Woeginger, G.J., *see* **Csirik, J.** **63** (4) (1997) 171–175
Woeginger, G.J., *see* **Deĭneko, V.G.** **59** (6) (1996) 295–301
Woeginger, G.J., *see* **Fleischner, H.** **42** (1) (1992) 29–33
Wogulis, J., Self-adjusting and split sequence hash tables **30** (4) (1989) 185–188
Wojna, A., Counter machines **71** (5–6) (1999) 193–197
Wolfram, D.A., Forward checking and intelligent backtracking **32** (2) (1989) 85–87
Wolfson, O., Concurrent execution of transaction copies **24** (2) (1987) 87–93
Wolfson, O. and **S. Jajodia**, An algorithm for dynamic data allocation in distributed systems **53** (2) (1995) 113–119
Wolfstahl, Y., *see* **Moran, S.** **26** (3) (1987) 145–151
Wolfstahl, Y., *see* **Pinter, S.S.** **26** (4) (1987) 187–191
Wolfsthal, Y., *see* **Makedon, F.** **46** (2) (1993) 103–107
Wolper, P., *see* **Bouajjani, A.** **74** (5–6) (2000) 221–227
Wong, C.K., *see* **Chung, K.M.** **10** (4–5) (1980) 226–230
Wong, C.K., *see* **Chung, K.M.** **11** (2) (1980) 81–83
Wong, C.K., *see* **Ingemarsson, I.** **12** (2) (1981) 63–67
Wong, C.K., *see* **Kloks, T.** **68** (4) (1998) 201–206
Wong, C.K., *see* **Nievergelt, J.** **1** (6) (1972) 220–225
Wong, C.K., *see* **Tang, D.T.** **2** (3) (1973) 65–69
Wong, C.K., *see* **Widmayer, P.** **20** (2) (1985) 75–82
Wong, K.-F., Comments on "A comparison of concatenated and superimposed code word surrogate files for very large data/knowledge bases" **33** (1) (1989) 45–52
Wong, L., *see* **Bertino, E.** **70** (4) (1999) 165–173

Wong, L., *see* **Libkin, L.** **49** (6) (1994) 273–280
Wong, L., *see* **Libkin, L.** **56** (4) (1995) 209–214
Wong, S.K.M., *see* **Wan, S.J.** **33** (1) (1989) 7–10
Wong, W.S. and **R.J.T. Morris,** A new approach to choosing initial points in local search **30** (2) (1989) 67–72
Wong, W.S., *see* **Morris, R.J.T.** **39** (4) (1991) 213–217
Woo, N.S., C.H. Smith and **A. Agrawala,** A proof of the determinacy property of the data flow schema **19** (1) (1984) 13–16
Woo, T.-K., *see* **Block, K.** **35** (5) (1990) 219–222
Wood, C., E.B. Fernandez and **T. Lang,** Minimization of demand paging for the LRU stack model of program behavior **16** (2) (1983) 99–104
Wood, D., The contour problem for rectilinear polygons **19** (5) (1984) 229–236
Wood, D., *see* **Cameron, H.** **42** (5) (1992) 287–292
Wood, D., *see* **Culik II, K.** **15** (1) (1982) 39–42
Wood, D., *see* **Karhumäki, J.** **19** (5) (1984) 213–218
Wood, D., *see* **Ottmann, Th.** **12** (4) (1981) 184–187
Wood, D., *see* **Rozenberg, G.** **4** (6) (1976) 162–164
Wood, D., *see* **van Leeuwen, J.** **10** (2) (1980) 51–56
Wood, D., *see* **van Leeuwen, J.** **11** (1) (1980) 57
Wood, D., *see* **Widmayer, P.** **24** (5) (1987) 335–338
Wood, D., *see* **Yokomori, T.** **14** (3) (1982) 97–100
Wood, D., *see* **Yokomori, T.** **21** (1) (1985) 53
Woodward, M.R., *see* **Hennell, M.A.** **5** (5) (1976) 136–140
Wool, A., *see* **Amir, Y.** **65** (5) (1998) 223–228
Wright, J., *see* **Reddy, R.** **1** (6) (1972) 246–251
Wright, W.E., A note on external sorting using almost single input buffering **24** (6) (1987) 403–405
Wright, W.E., A refinement of replacement selection **70** (3) (1999) 107–111
Wrightson, G. and **J. Coldwell,** A truncation technique for clausal analytic tableaux **42** (5) (1992) 273–281
Wu, B.Y., Polynomial time algorithms for some minimum latency problems **75** (5) (2000) 225–229
Wu, B.Y., K.-M. Chao and **C.Y. Tang,** An efficient algorithm for the length-constrained heaviest path problem on a tree **69** (2) (1999) 63–67
Wu, B.Y. and **C.Y. Tang,** An O(n) algorithm for finding an optimal position with relative distances in an evolutionary tree **63** (5) (1997) 263–269
Wu, C., *see* **Luo, G.** **44** (6) (1992) 333–343
Wu, C.-H., C.-J. Wang and **H.-M. Tai,** Application of exponential hetero-associative memory on frequency classifier **35** (6) (1990) 305–311
Wu, I.-C., *see* **Chen, L.-B.** **67** (3) (1998) 151–156
Wu, J.-S. and **R.-J. Chen,** The towers of Hanoi problem with parallel moves **44** (5) (1992) 241–243
Wu, J.-S. and **R.-J. Chen,** The towers of Hanoi problem with cyclic parallel moves **46** (1) (1993) 1–6
Wu, L.C. and **C.Y. Tang,** Solving the satisfiability problem by using randomized approach **41** (4) (1992) 187–190
Wu, Q.S., K.M. Chao and **R.C.T. Lee,** The NPO-completeness of the longest Hamiltonian cycle problem **65** (3) (1998) 119–123
Wu, S., U. Manber, G. Myers and **W. Miller,** An O(NP) sequence comparison algorithm **35** (6) (1990) 317–323
Wu, S., *see* **Manber, U.** **50** (4) (1994) 191–197
Wu, S.W., *see* **Cheng, Y.C.** **68** (4) (1998) 215–217
Wu, X., Fast approximations to discrete optimal quantization **31** (4) (1989) 175–179
Wu, Y., *see* **Yu, B.** **37** (1) (1991) 55–59
Würges, H., Comments on 'Error resynchronisation in producer consumer systems' **6** (3) (1977) 87–90
Würtz, J., *see* **Hanschke, P.** **45** (5) (1993) 237–241
Wuu, H.-P., *see* **Lu, E.-H.** **51** (3) (1994) 117–120
Wuu, H.-P., *see* **Lu, E.-H.** **52** (6) (1994) 341
Wuu, L.-C. and **S.-T. Huang,** Identity assignment in uniform synchronous rings **49** (5) (1994) 257–262
Wyrostek, P., On the 'correct prefix property' in precedence parsers **17** (3) (1983) 161–165
Wyrostek, P., On the 'correct prefix property' in precedence parsers (*Erratum*) **19** (2) (1984) 111

Xiang, L. and **K. Ushijima,** ANSV problem on BSRs **65** (3) (1998) 135–138
Xiang, L. and **K. Ushijima,** Rearranging scattered information on BSR **71** (1) (1999) 43–47
Xiang, L. and **K. Ushijima,** A theorem on the relation between BSR_k and BSR^+ **71** (2) (1999) 71–73
Xu, C.-Z. and **F.C.M. Lau,** Optimal parameters for load balancing using the diffusion method in k-ary n-cube networks **47** (4) (1993) 181–187
Xu, D., *see* **Estivill-Castro, V.** **56** (1) (1995) 9–13
Xu, Y., *see* **Cai, L.** **69** (3) (1999) 127–130
Xue, G., S. Sun and **J.B. Rosen,** Fast data transmission and maximal dynamic flow **66** (3) (1998) 127–132
Xue, G., *see* **Lin, G.-H.** **69** (2) (1999) 53–57
Xue, Q., On a class of square-free graphs **57** (1) (1996) 47–48

Yahia, H., *see* **Mathieu, C.** **26** (2) (1987) 89–93
Yajima, S., *see* **Ito, M.** **60** (5) (1996) 267–269
Yajima, S., *see* **Kambayashi, Y.** **7** (2) (1978) 66–71
Yaku, T., *see* **Miyadera, Y.** **66** (4) (1998) 187–194
Yamagata, T., *see* **Itano, K.** **27** (5) (1988) 253–258
Yamaguchi, K., *see* **Chen, H.** **43** (6) (1992) 327–333
Yamaguchi, Y., *see* **Yuba, T.** **16** (3) (1983) 139–143
Yamakami, T. and **A.C. Yao,** $NQP_{\mathbb{C}} = \text{co-}C_{=}P$ **71** (2) (1999) 63–69
Yamasaki, H., On weak persistency of Petri nets **13** (3) (1981) 94–97
Yamasaki, H., *see* **Moriya, T.** **59** (3) (1996) 165–168
Yamasaki, S. and **S. Doshita,** Resolution deduction to detect satisfiability for another class including non-Horn sentences in propositional logic **23** (4) (1986) 201–207
Yamasaki, S., M. Yoshida, S. Doshita and **M. Hirata,** A new combination of input and unit deductions for Horn sentences **18** (4) (1984) 209–213
Yamashita, M., *see* **Fujita, S.** **48** (3) (1993) 127–130
Yamashita, M., *see* **Kakugawa, H.** **49** (4) (1994) 213–218
Yamashita, M., *see* **Suzuki, I.** **66** (1) (1998) 49–52
Yamazaki, K., *see* **Bodlaender, H.L.** **61** (2) (1997) 101–106
Yan, D., *see* **Westbrook, J.** **55** (2) (1995) 59–63
Yan, H.T., *see* **Chang, K.** **65** (6) (1998) 319–324

Yan, J.-H. and **G.J. Chang,** The path-partition problem in block graphs **52** (6) (1994) 317–322
Yan, J.-T. and **P.-Y. Hsiao,** A fuzzy clustering algorithm for graph bisection **52** (5) (1994) 259–263
Yan, K.Q., S.C. Wang and **Y.H. Chin,** Consensus under unreliable transmission **69** (5) (1999) 243–248
Yan, W.-M., W. Myrvold and **K.-L. Chung,** A formula for the number of spanning trees of a multi-star related graph **68** (6) (1998) 295–298
Yan, X., *see* **Govindan, R.** **68** (1) (1998) 17–23
Yanbe, A. and **K. Sakurai,** A short certificate of the number of universal optimal strategies for stopping simple stochastic games **57** (1) (1996) 17–24
Yang, B., *see* **Ural, H.** **28** (3) (1988) 157–163
Yang, B., *see* **Wang, C.A.** **74** (5–6) (2000) 183–189
Yang, B.-T., A better subgraph of the minimum weight triangulation **56** (5) (1995) 255–258
Yang, B.T., *see* **Wang, C.A.** **70** (1) (1999) 17–22
Yang, B.-Y., *see* **Chang, Y.-I.** **64** (2) (1997) 95–105
Yang, C.-B., Reducing conflict resolution time for solving graph problems in broadcast communications **40** (6) (1991) 295–302
Yang, C.-B., *see* **Chang, Y.-W.** **65** (6) (1998) 331–337
Yang, C.-B., *see* **Shiau, S.-H.** **60** (2) (1996) 81–89
Yang, C.C. and **D.T. Lee,** A note on the all nearest-neighbor problem for convex polygons **8** (4) (1979) 193–194
Yang, C.C., *see* **Lee, D.T.** **9** (4) (1979) 190–193
Yang, C.-H., *see* **Yu, M.-S.** **44** (1) (1992) 15–22
Yang, C.-H., *see* **Yu, M.-S.** **47** (2) (1993) 89–93
Yang, C.-H., *see* **Yu, M.-S.** **48** (1) (1993) 47–51
Yang, C.-N. and **C.-S. Laih,** A note on error-correcting codes for authentication and subliminal channels **62** (3) (1997) 141–143
Yang, J.D., A concept-based query evaluation with indefinite fuzzy triples **74** (5–6) (2000) 209–214
Yang, J.D. and **Y.J. Lee,** A sound and complete query evaluation for Implicit Predicate which is a semantic descriptor of unknown values **39** (5) (1991) 283–289
Yang, S.B., S.K. Dhall and **S. Lakshmivarahan,** A processor efficient MIS algorithm on random graphs **49** (3) (1994) 157–163
Yang, T.-C., *see* **Kim, S.K.** **73** (1–2) (2000) 33–39
Yang, T.H., *see* **Lai, T.H.** **25** (3) (1987) 153–158
Yang, W., An incremental LL(1) parsing algorithm **48** (2) (1993) 67–72
Yang, W., A data-parallel algorithm for minimum-width tree layout **67** (1) (1998) 21–28
Yang, W.-P., *see* **Chien, B.-C.** **44** (2) (1992) 107–111
Yang, W.-P., *see* **Hwang, S.-J.** **58** (4) (1996) 189–194
Yang, X., *see* **Megson, G.M.** **72** (3–4) (1999) 99–103
Yang, Y.X., New enumeration results about the optical orthogonal codes **40** (2) (1991) 85–87
Yang, Y.X., New binary sequences with perfect staircase profile of linear complexity **46** (1) (1993) 27–29
Yannakakis, M. and **F. Gavril,** The maximum k-colorable subgraph problem for chordal graphs **24** (2) (1987) 133–137
Yannakakis, M., *see* **Blum, M.** **13** (4–5) (1981) 164–167
Yannakakis, M., *see* **Honeyman, P.** **10** (1) (1980) 14–19
Yannakakis, M., *see* **Johnson, D.S.** **27** (3) (1988) 119–123
Yannakakis, M., *see* **Papadimitriou, C.H.** **12** (4) (1981) 203–205
Yannakakis, M., *see* **Papadimitriou, C.H.** **13** (4–5) (1981) 131–133
Yao, A.C., A note on a conjecture of Kam and Ullman concerning statistical databases **9** (1) (1979) 48–50
Yao, A.C., A note on the analysis of extendible hashing **11** (2) (1980) 84–86
Yao, A.C., *see* **Borodin, A.** **12** (2) (1981) 71–75
Yao, A.C., *see* **Ting, H.F.** **49** (1) (1994) 39–43
Yao, A.C., *see* **Yamakami, T.** **71** (2) (1999) 63–69
Yao, A.C.-C., An $O(|E| \log \log |V|)$ algorithm for finding minimum spanning trees **4** (1) (1975) 21–23
Yao, A.C.-C., *see* **Bentley, J.L.** **5** (3) (1976) 82–87
Yao, F.F., Graph 2-isomorphism is NP-complete **9** (2) (1979) 68–72
Yao, X., Finding approximate solutions to NP-hard problems by neural networks is hard **41** (2) (1992) 93–98
Yao, X., A note on neural sorting networks with O(1) time complexity **56** (5) (1995) 253–254
Yap, C., *see* **Chang, E.-C.** **55** (3) (1995) 155–157
Yap, C.K., A hybrid algorithm for the shortest path between two nodes in the presence of few negative arcs **16** (4) (1983) 181–182
Yap, C.K., *see* **Cole, R.** **20** (3) (1985) 137–139
Yap, C.K., *see* **Spirakis, P.** **19** (1) (1984) 55–59
Yasuura, H., Width and depth of combinational logic circuits **13** (4–5) (1981) 191–194
Yee, C.N., *see* **Allison, L.** **40** (6) (1991) 317–322
Yeh, C.-H. and **B. Parhami,** VLSI layouts of complete graphs and star graphs **68** (1) (1998) 39–45
Yeh, C.-S., *see* **Lin, Y.-C.** **71** (2) (1999) 91–95
Yeh, Y.-S., *see* **Hsieh, T.-M.** **66** (6) (1998) 317–320
Yeh, Z.C., *see* **Chen, Y.C.** **32** (2) (1989) 89–93
Yehudai, A., A note on the pumping lemma for regular languages **9** (3) (1979) 135–136
Yehudai, A., A note on chains of deterministic pushdown transducers **20** (4) (1985) 221–222
Yellin, D.M. and **C.S. Jutla,** Finding extremal sets in less than quadratic time **48** (1) (1993) 29–34
Yelowitz, L., *see* **Duncan, A.G.** **4** (3) (1975) 70–72
Yen, C.-C. and **R.C.T. Lee,** The weighted perfect domination problem **35** (6) (1990) 295–299
Yen, H.-C., A polynomial time algorithm to decide pairwise concurrency of transitions for 1-bounded conflict-free Petri nets **38** (2) (1991) 71–76
Yen, H.-C., A note on fine covers and iterable factors of VAS languages **56** (5) (1995) 237–243
Yen, H.-C., *see* **Howell, R.R.** **25** (1) (1987) 27–33
Yen, I.-L., A highly safe self-stabilizing mutual exclusion algorithm **57** (6) (1996) 301–305
Yen, S.-M. and **K.-H. Liao,** Shared authentication token secure against replay and weak key attacks **62** (2) (1997) 77–80
Yeom, H.Y., *see* **Lee, K.O.** **68** (5) (1998) 235–240
Yeomans, S., *see* **Steiner, G.** **47** (3) (1993) 165–166
Yesha, Y., *see* **Fraenkel, A.S.** **10** (4–5) (1980) 178–179
Yesha, Y., *see* **Li, M.** **22** (5) (1986) 231–235
Yesha, Y., *see* **Singhal, M.** **27** (2) (1988) 69–74
Yezerski, A., *see* **Solntseff, N.** **1** (3) (1972) 97–99

Yoccoz, S., Recursive ω-rule for proof systems **31** (6) (1989) 291–294
Yodaiken, V., Modal functions for concise definition of state machines and products **40** (2) (1991) 65–72
Yodogawa, E., A note on array grammars **18** (1) (1984) 51–54
Yokomori, T. and **A.K. Joshi,** Semi-linearity, Parikh-boundedness and tree adjunct languages **17** (3) (1983) 137–143
Yokomori, T., D. Wood and **K.-J. Lange,** A three-restricted normal form theorem for ETOL languages **14** (3) (1982) 97–100
Yokomori, T., D. Wood and **K.-J. Lange,** A three-restricted normal form theorem for ETOL languages (*Erratum*) **21** (1) (1985) 53
Yokoyama, M., *see* **Ito, H.** **66** (4) (1998) 209–213
Yoo, C.W., An approach to the transportation of computer software **21** (3) (1985) 153–157
Yoo, J.S., *see* **Im, B.-M.** **74** (5–6) (2000) 235–241
Yoshida, M., *see* **Yamasaki, S.** **18** (4) (1984) 209–213
Yoshimoto, K., *see* **Kaneko, A.** **73** (5–6) (2000) 163–165
Yoshinaga, T., *see* **Inoue, K.** **48** (6) (1993) 285–288
You, J.-H., *see* **Liu, Z.** **42** (4) (1992) 209–215
You, J.-H., *see* **Subrahmanyam, P.A.** **19** (1) (1984) 41–46
Young, C.H. and **P.A. Wilsey,** A distributed method to bound rollback lengths for fossil collection in time warp simulators **59** (4) (1996) 191–196
Young, G.H., *see* **Leung, J.Y.-T.** **34** (1) (1990) 47–50
Young, N., *see* **Khuller, S.** **50** (1) (1994) 49–55
Young, N.E., *see* **Hakimi, S.L.** **63** (5) (1997) 229–235
Young-Lai, M., Adding state merging to the DMC data compression algorithm **70** (5) (1999) 223–228
Yousif, N.Y., *see* **Evans, D.J.** **23** (5) (1986) 239–246
Yousif, W.S., *see* **Evans, D.J.** **24** (3) (1987) 207–209
Youssef, A.M. and **S.E. Tavares,** Resistance of balanced s-boxes to linear and differential cryptanalysis **56** (5) (1995) 249–252
Youssef, A.M. and **S.E. Tavares,** Comment on "Bounds on the number of functions satisfying the Strict Avalanche Criterion" **60** (5) (1996) 271–275
Yu, B., X. Lin and **Y. Wu,** The tree representation of the graph used in binary image processing **37** (1) (1991) 55–59
Yu, C.T. and **D.T. Johnson,** On the complexity of finding the set of candidate keys for a given set of functional dependencies **5** (4) (1976) 100–101
Yu, C.T., *see* **Raghavan, V.V.** **6** (4) (1977) 133–135
Yu, G., *see* **Goldschmidt, O.** **48** (6) (1993) 305–310
Yu, H.-P., *see* **Chen, N.-S.** **39** (3) (1991) 147–151
Yu, M.-S., L.Y. Tseng and **S.-J. Chang,** Sequential and parallel algorithms for the maximum-weight independent set problem on permutation graphs **46** (1) (1993) 7–11
Yu, M.-S. and **C.-H. Yang,** An optimal parallel algorithm for the domatic partition problem on an interval graph given its sorted model **44** (1) (1992) 15–22
Yu, M.-S. and **C.-H. Yang,** An $O(n)$ time algorithm for maximum matching on cographs **47** (2) (1993) 89–93
Yu, M.-S. and **C.-H. Yang,** A simple optimal parallel algorithm for the minimum coloring problem on interval graphs **48** (1) (1993) 47–51
Yu, M.S., *see* **Chen, G.-H.** **28** (6) (1988) 297–299
Yu, S., A pumping lemma for deterministic context-free languages **31** (1) (1989) 47–51
Yu, S., *see* **Salomaa, K.** **36** (6) (1990) 311–315
Yu, W., *see* **Liu, Z.** **69** (6) (1999) 275–281
Yu, X., A new solution for Thue's problem **54** (4) (1995) 187–191
Yu, X., *see* **Chen, H.** **43** (6) (1992) 327–333
Yu, Y.-T. and **M.G. Gouda,** Unboundedness detection for a class of communicating finite-state machines **17** (5) (1983) 235–240
Yu, Y.T., *see* **Chen, T.Y.** **57** (3) (1996) 145–149
Yu, Z., *see* **Woeginger, G.J.** **42** (6) (1992) 299–302
Yuan, L.Y., Logic program semantics and circumscription of autoepistemic theories **50** (3) (1994) 159–164
Yuan, L.Y., *see* **Wang, K.** **44** (4) (1992) 185–193
Yuan, S.-M., The communication complexity for decentralized evaluation of functions **35** (4) (1990) 177–182
Yuan, S.-M., Topological properties of supercube **37** (5) (1991) 241–245
Yuan, S.-M., *see* **Chang, H.-K.** **50** (2) (1994) 69–73
Yuba, T. and **M. Hoshi,** Binary search networks: A new method for key searching **24** (1) (1987) 59–65
Yuba, T., Y. Yamaguchi and **T. Shimada,** A control mechanism of a Lisp-based data-driven machine **16** (3) (1983) 139–143
Yuba, T., *see* **Hoshi, M.** **15** (4) (1982) 169–173
Yue, P.C., *see* **Nievergelt, J.** **1** (6) (1972) 220–225
Yun, L.-S., K.-M. Choe and **T. Han,** Syntactic error repair using repair patterns **47** (4) (1993) 189–196
Yung, M., *see* **Galil, Z.** **26** (2) (1987) 81–88
Yung, M.M., A secure and useful "keyless cryptosystem" **21** (1) (1985) 35–38
Yushchenko, E.L., *see* **Glushkov, V.M.** **7** (6) (1978) 256–260
Yuval, G., On a problem connected with topological sorting **2** (4) (1973) 103–104
Yuval, G., Finding near neighbours in K-dimensional space **3** (4) (1975) 113–114
Yuval, G., An algorithm for finding all shortest paths using $N^{2.81}$ infinite-precision multiplications **4** (6) (1976) 155–156
Yuval, G., Finding nearest neighbours **5** (3) (1976) 63–65
Yuval, G., Theil's estimator **6** (1) (1977) 6–7
Yuval, G., A simple proof of Strassen's result **7** (6) (1978) 285–286
Yuval, G., A simple proof of Strassen's result (*Corrigendum*) **8** (5) (1979) 278

Zabih, R., *see* **Rivin, I.** **41** (5) (1992) 253–256
Zachos, S., *see* **Boppana, R.B.** **25** (2) (1987) 127–132
Zaguia, N., *see* **Sharary, A.** **44** (1) (1992) 51–55
Zahorjan, J., B.J. Bell and **K.C. Sevcik,** Estimating block transfers when record access probabilities are non-uniform **16** (5) (1983) 249–252
Zaitsev, M.A., *see* **Dinic, E.A.** **6** (3) (1977) 73–76
Žák, S., Letter to the Editor **18** (1984) 297–298
Zaks, S., Generation and ranking of k-ary trees **14** (1) (1982) 44–48
Zaks, S., *see* **Gerstel, O.** **30** (3) (1989) 127–132
Zalcstein, Y. and **M. Garzon,** An NC^2 algorithm for testing similarity of matrices **30** (5) (1989) 253–254
Zaniolo, C., Mixed transitivity for functional and multivalued dependencies in database relations **10** (1) (1980) 32–34
Zanon, G., *see* **Minker, J.** **14** (4) (1982) 191–194
Zaremba, M.B., *see* **Fraczak, W.** **68** (1) (1998) 47–54

Zargham, M.R. and **K.J. Danhof,** Toward a definition of fault analysis for Petri nets models **34** (6) (1990) 299–305
Zave, D.A., A fast compacting garbage collector **3** (6) (1975) 167–169
Zave, D.A., A series expansion involving the harmonic numbers **5** (3) (1976) 75–77
Zeadally, S., Performance evaluation of a Java-based networking Application Programming Interface (API) **75** (5) (2000) 199–209
Zedan, H., *see* **Hazari, C.** **24** (5) (1987) 293–297
Zedan, H.S.M., *see* **Ho-Stuart, C.** **46** (2) (1993) 55–61
Zedan, H.S.M., *see* **Scholefield, D.** **43** (6) (1992) 301–308
Zelikovsky, A.Z., A faster approximation algorithm for the Steiner tree problem in graphs **46** (2) (1993) 79–83
Zelikovsky, A.Z., *see* **Măndoiu, I.I.** **75** (4) (2000) 165–167
Zelkowitz, M.V., Structured operating system organization **3** (2) (1974) 39–42
Zemach, C., *see* **Guralnik, G.** **21** (1) (1985) 17–21
Zemanek, H., Obituary Victor Mikhaylovich Glushkov (1923–1982) **14** (5) (1982) 236–237
Zemankova, M., *see* **Eastman, C.M.** **15** (2) (1982) 53–56
Zemel, E., An $O(n)$ algorithm for the linear multiple choice knapsack problem and related problems **18** (3) (1984) 123–128
Žerovnik, J., A randomised heuristical algorithm for estimating the chromatic number of a graph **33** (4) (1989) 213–219
Zhang, G., A simple semi on-line algorithm for $P2//C_{max}$ with a buffer **61** (3) (1997) 145–148
Zhang, K. and **T. Jiang,** Some MAX SNP-hard results concerning unordered labeled trees **49** (5) (1994) 249–254
Zhang, K., R. Statman and **D. Shasha,** On the editing distance between unordered labeled trees **42** (3) (1992) 133–139
Zhang, L., The pre-NTS property is undecidable for context-free grammars **44** (4) (1992) 181–184
Zhang, W., *see* **Rao, N.S.V.** **37** (6) (1991) 355–358
Zhang, W.J., *see* **Ma, Z.M.** **72** (1–2) (1999) 25–29
Zhang, X., Overlap closures do not suffice for termination of general term rewriting systems **37** (1) (1991) 9–11
Zhang, X. and **Z.M. Ozsoyoglu,** Some results on the containment and minimization of (in)equality queries **50** (5) (1994) 259–267
Zhang, X.-M., *see* **Seberry, J.** **50** (1) (1994) 37–41
Zhang, Y., *see* **Hu, Q.** **71** (1) (1999) 23–27
Zhao, P., *see* **Ramnath, S.** **74** (3–4) (2000) 97–102
Zhao, W., *see* **Ng, J.K.-Y.** **74** (3–4) (2000) 163–173
Zheng, Y., On key agreement protocols based on tamper-proof hardware **53** (1) (1995) 49–54
Zheng, Y. and **H. Imai,** How to construct efficient signcryption schemes on elliptic curves **68** (5) (1998) 227–233
Zheng, Y., *see* **Seberry, J.** **50** (1) (1994) 37–41
Zheng, Z.-J., The DuoDirun Merging Algorithm: A new fast algorithm for parallel merging **17** (3) (1983) 167–168
Zhou, C., C.A.R. Hoare and **A.P. Ravn,** A calculus of durations **40** (5) (1991) 269–276
Zhou, S., *see* **Saks, M.** **73** (1–2) (2000) 29–32
Zhou, X., N. Nagai and **T. Nishizeki,** Generalized vertex-rankings of trees **56** (6) (1995) 321–328
Zhu, B., Computing the shortest diagonal of a monotone polygon in linear time **42** (6) (1992) 303–307
Zhu, B., *see* **Cai, L.** **69** (3) (1999) 127–130
Zhu, B., *see* **Poon, C.K.** **65** (4) (1998) 201–207
Zhu, B., *see* **Rote, G.** **38** (3) (1991) 149–151
Zhu, M., N.K. Loh and **P. Siy,** Towards the minimum set of primitive relations in temporal logic **26** (3) (1987) 121–126
Zhu, X., *see* **Guan, D.J.** **61** (2) (1997) 77–81
Zhu, Y. and **T.-Y. Cheung,** A new distributed breadth-first-search algorithm **25** (5) (1987) 329–333
Zhu, Y., *see* **Ahuja, M.** **35** (1) (1990) 7–11
Ziani, R., *see* **Gibbons, A.** **37** (2) (1991) 101–109
Zierer, H., *see* **Berghammer, R.** **33** (3) (1989) 163–168
Zimand, M., A High-Low Kolmogorov Complexity Law equivalent to the 0-1 Law **57** (2) (1996) 59–64
Zimand, M., Large sets in AC^0 have many strings with low Kolmogorov complexity **62** (3) (1997) 165–170
Zimand, M., Relative to a random oracle, P/poly is not measurable in EXP **69** (2) (1999) 83–86
Zimmer, R., Soft precedence **1** (3) (1972) 108–110
Zimmermann, R., *see* **Ghandeharizadeh, S.** **57** (2) (1996) 75–81
Zippel, R., An explicit separation of relativised random polynomial time and relativised deterministic polynomial time **33** (4) (1989) 207–212
Zippel, R., Zero testing of algebraic functions **61** (2) (1997) 63–67
Zissimopoulos, V., On the performance guarantee of neural networks for NP-hard optimization problems **54** (6) (1995) 317–322
Zissos, D. and **F.G. Duncan,** Programmed simulation of race hazards in sequential circuits **1** (1) (1971) 11–13
Zissos, D., *see* **Duncan, F.G.** **1** (1) (1971) 4–6
Zito, M., *see* **Dunne, P.E.** **65** (1) (1998) 17–23
Zivkovic, D., A fast algorithm for finding the compact sets **38** (6) (1991) 339–342
Zivkovic, D., *see* **Istrail, S.** **50** (4) (1994) 211–216
Zöbel, D., Transformations for communication fairness in CSP **25** (3) (1987) 195–198
Zobel, J., *see* **Moffat, A.** **46** (2) (1993) 71–77
Zobrist, A.L., *see* **Manacher, G.K.** **9** (1) (1979) 31–34
Zubair, M. and **B.B. Madan,** Time efficient systolic architecture for matrix * vector multiplication **24** (4) (1987) 225–231
Zuckerman, D., On the time to traverse all edges of a graph **38** (6) (1991) 335–337
Zuckerman, D., *see* **Luby, M.** **47** (4) (1993) 173–180
Zuckerman, D., *see* **Saks, M.** **73** (1–2) (2000) 29–32
Zuczek, R., The universal space for parallel computation **6** (2) (1977) 42–45
Žunić, J.D., *see* **Acketa, D.M.** **38** (3) (1991) 163–168
Zwick, U., An extension of Khrapchenko's theorem **37** (4) (1991) 215–217
Zwick, U., On the number of ANDs versus the number of ORs in monotone Boolean circuits **59** (1) (1996) 29–30